{{vm.reservation._id ? 'Edit a Reservation' : vm.banquet.name }}

Send in a application for booking a seat

Name

Reservation name is required.

```
        <!-- Email -->
        <div class="form-group" show-errors>
          <label class="control-label" for="email">E-mail</label>
          <input name="email" type="email" ng-model="vm.reservation.email"
id="name" class="form-control" required>
          <div ng-messages="vm.form.reservationForm.email.$error"
role="alert">
            <p class="help-block error-text" ng-
message="required">Reservation email is required.</p>
          </div>
        </div>

        <!-- Phone -->
        <div class="form-group" show-errors>
          <label class="control-label" for="phone">Phone</label>
          <input name="phone" type="text" ng-model="vm.reservation.phone"
id="name" class="form-control" required>
          <div ng-messages="vm.form.reservationForm.phone.$error"
role="alert">
            <p class="help-block error-text" ng-
message="required">Reservation phone is required.</p>
          </div>
        </div>

        <!-- Program -->
        <div class="form-group" show-errors>
          <label class="control-label" for="program">Program</label>
          <div>
            <select class="form-control" name="program" ng-
model="vm.reservation.program" ng-options="program for program in vm.programs"
required>
            </select>
          </div>
          <div ng-messages="vm.form.reservationForm.program.$error"
role="alert">
            <p class="help-block error-text" ng-message="required">Program is
required.</p>
          </div>
        </div>
```

```html
        <!-- Clothing -->
        <div class="form-group" show-errors>
          <label class="control-label" for="clothing">Clothing</label>
          <div>
              <select class="form-control" name="clothing" ng-
model="vm.reservation.clothing" ng-options="clothing for clothing in
vm.clothings" required>
              </select>
          </div>
          <div ng-messages="vm.form.reservationForm.clothing.$error"
role="alert">
              <p class="help-block error-text" ng-message="required">Clothing
choice is required.</p>
          </div>
        </div>

        <!-- Membership -->
        <div class="form-group" show-errors>
          <label class="control-label" for="membership">Price and Membership
in TLTH</label>
          <div>
              <select class="form-control" name="membership" ng-
model="vm.chosenMembership" ng-change="titleChanged()" ng-options="title as
(title[0] + ', ' + title[1] + 'kr') for title in vm.titles" required>
              </select>
          </div>
          <div ng-messages="vm.form.reservationForm.title.$error"
role="alert">
              <p class="help-block error-text" ng-message="required">Price and
Membership is required.</p>
          </div>
        </div>

        <!-- Titles -->
        <div class="form-group" >
          <label class="control-label" for="title">Title</label>
          <br>
          <small ng-if="vm.isPaying"> If you are requested (anmodad) please
fill in your title, e.g PG15 or Head of Business relations W-sek</small>
          <small ng-if="!vm.isPaying"> If you choosed "Other invited" please
fill in you titel, e.g PL15 or Head of Business relations W-sek</small>
          <div>
              <input name="title" type="text" ng-model="vm.reservation.title"
id="title" class="form-control" />
          </div>
        </div>

        <!-- Drink Package -->
        <div class="form-group">
          <label class="control-label" for="drinkpackage">Beverage
package</label>
```

```html
              <br>
              <small> Please select membership first to be able to select
beverage package.</small>
              <div ng-if="vm.isMember === undefined" >
                <select class="form-control" ng-disabled="true"
name="drinkpackage" ng-options="drinkpackage as (drinkpackage + ', ' +
drinkpackage[1] + 'kr') for drinkpackage in vm.memberdrinkpackages" required>
                </select>
              </div>
              <div ng-if="vm.isMember === true">
                  <select class="form-control" name="drinkpackage" ng-
model="vm.chosenDrinkPackage" ng-options="drinkpackage as (drinkpackage[0] + ',
' + drinkpackage[1] + 'kr') for drinkpackage in vm.memberdrinkpackages"
required>
                  </select>
              </div>
              <div ng-if="vm.isMember === false">
                  <select class="form-control" name="drinkpackage" ng-
model="vm.chosenDrinkPackage" ng-options="drinkpackage as (drinkpackage[0] + ',
' + drinkpackage[1] + 'kr') for drinkpackage in vm.nonmemberdrinkpackages"
required>
                  </select>
              </div>

              <div ng-messages="vm.form.reservationForm.drinkpackage.$error"
role="alert">
                  <p class="help-block error-text" ng-message="required">Beverage
package is required.</p>
              </div>
          </div>
          <!-- Foodpref -->
          <div class="form-group" show-errors>
            <label class="control-label" for="foodpref">Matpreferens / Food
preference</label>
    <br>
    <small>The banquet menu is vegetarian and free from gluten, lactose and
nuts. Please specify any other allergies or preferences below.</small>
              <br />
              <!-- Other -->
              <input name="foodpref" type="text" ng-model="vm.other" id="other"
placeholder="Food preferences" class="form-control">
          </div>

          <div class="form-group">
            <button type="submit" class="btn btn-primary">Overview</button>
          </div>
          <div ng-show="vm.titleError" class="text-danger">
            <strong ng-bind="vm.titleError"></strong>
          </div>
          <div ng-show="vm.drinkError" class="text-danger">
            <strong ng-bind="vm.drinkError"></strong>
          </div>
```

```
        <div ng-show="vm.error" class="text-danger">
          <strong ng-bind="vm.error"></strong>
        </div>
      </fieldset>
    </form>
  </div>
</div>
</div>
<div ng-switch-when="overview">
  <h2>Please confirm your personal information:</h2>
  <hr/>
  <div class="row">
    <div class="col-md-8">
      <div class="row">
        <div class="col-md-5"><strong>Name:</strong></div>
        <div class="col-md-6" ng-bind="vm.reservation.name"></div>
      </div>

      <div class="row">
        <div class="col-md-5"><strong>Email:</strong></div>
        <div class="col-md-6" ng-bind="vm.reservation.email"></div>
      </div>

      <div class="row">
        <div class="col-md-5"><strong>Phone:</strong></div>
        <div class="col-md-6" ng-bind="vm.reservation.phone"></div>
      </div>

      <div class="row" ng-show="vm.reservation.program">
        <div class="col-md-5"><strong>Program:</strong></div>
        <div class="col-md-6" ng-bind="vm.reservation.program"></div>
      </div>

      <div class="row">
        <div class="col-md-5"><strong>Title:</strong></div>
        <div class="col-md-6" ng-bind="vm.reservation.title"></div>
      </div>

      <div class="row">
        <div class="col-md-5"><strong>Price and Membership:</strong></div>
        <div class="col-md-6" ng-bind="vm.reservation.membership"></div>
      </div>

      <div class="row">
        <div class="col-md-5"><strong>Beverage package:</strong></div>
        <div class="col-md-6" ng-bind="vm.reservation.drinkpackage"></div>
      </div>

      <div class="row">
        <div class="col-md-5"><strong>Food preferences:</strong></div>
        <div class="col-md-6" ng-bind="vm.reservation.foodpref"></div>
      </div>
```

```html
    <div class="row">
      <div class="col-md-5"><strong>Other food preferences:</strong></div>
      <div class="col-md-6" ng-bind="vm.reservation.other"></div>
    </div>

    <div class="row">
      <div class="col-md-5"><strong>Clothing:</strong></div>
      <div class="col-md-6" ng-bind="vm.reservation.clothing"></div>
    </div>

  </div>
</div>
<hr/>
<h3>Amount to pay: <strong>{{vm.reservation.price}} kr</strong></h3>
<hr/>
<div class="form-group">
  <button class="btn btn-default" ng-click="showForm()">Back</button>
  <button class="btn btn-primary" ng-click="submitForm()">Confirm</button>
</div>
<div ng-show="vm.error" class="text-danger">
  <strong ng-bind="vm.error"></strong>
</div>

</div>
```