NETWORKWALKS CYBERSECURITY INTERNSHIP

WEEK 2
TECHNICAL ASSESSMENT REPORT

Footprinting • Open-Source Intelligence • Network Discovery

REPORT PARTICULAR	DETAIL
Prepared by	Abdulmajid Bello
Intern ID	NW-084-2ST
Batch	B0840
Report date	10 November 2026
Assessment window	8–10 November 2026
Environment	Kali Linux and Windows 11
Program	Networkwalks Cybersecurity Internship
Report status	Technical draft - evidence and GHDB verification notes apply

Scope note: This report reflects the results supplied and reviewed during the internship exercises. It does not claim confirmed vulnerabilities where only reconnaissance, automated fingerprinting, or unverified search results are available.

Submission target: Friday, 13 November 2026, 23:00..

1. Executive Summary

This Week 2 report consolidates five practical modules: W2-PM1 (six Kali Linux footprinting tools), W2-PM2 (GHDB search research), W2-PM3 (Maltego), W2-PM4 (theHarvester), and the mandatory W2-PM5 (Zenmap). It follows the Networkwalks sample-report organization: scope, tools, activities, observations, impact, recommendations, conclusion, and evidence.

The strongest verified results are the domain registration and technology observations, a successful Maltego email transform, and a controlled Zenmap Ping Scan on the intern's own local Wi-Fi network. GHDB research includes candidate public search results.

MODULE	ACTIVITY / STATUS	EVIDENCE
W2-PM1	6 of 6 commands executed; observational findings documented	6 local screenshots
W2-PM2	GHDB research conducted; candidate listings require validation	Screenshots and local research notes
W2-PM3	Installation and email transform completed; 1 public email entity	4 screenshots; native graph
W2-PM4	Two prescribed configurations reported executed; output counts unverified	2 screenshots; 2 text logs on local PC
W2-PM5	7 tasks completed; 2 responding hosts; topology PDF saved	6 screenshots; topology PDF

Key verified observations

- Networkwalks WHOIS: GoDaddy registrar, created 6 November 2019, registry expiry 6 November 2027.
- WhatWeb: Apache and WordPress-related fingerprints; version strings require separate verification.
- Nslookup and DNSRecon: networkwalks.com resolved to 192.232.216.135 during testing.
- WAFW00F 2.3.2 reported a ModSecurity (SpiderLabs) fingerprint after two HTTP requests.
- Maltego Graph Desktop 4.14.0 returned one public email entity associated with networkwalks.com (info@networkwalks.com).
- Zenmap Nmap 7.993 scanned 256 IPv4 addresses; 2 responding hosts in 7.53 seconds; local addressing redacted.

2. Scope, Authorization and Ethics

The W2-PM1 and W2-PM3 assigned target was networkwalks.com. W2-PM4 was assigned against microsoft.com through public-information sources. W2-PM5 was conducted on a privately owned local Wi-Fi network. GHDB research examined public search listings; a search result alone is not permission to access a third-party camera or collect credentials.

Data handling: full local IP/MAC values are masked in shareable evidence. Individual third-party camera endpoints, identifiable feeds, and credentials are excluded from this report. Originals should not be pushed to the repository.

3. Tools and Methodology

TOOL	ROLE	COMMAND / METHOD
WHOIS	Domain registration metadata	whois networkwalks.com
WhatWeb	HTTP technology fingerprinting	whatweb networkwalks.com
NSLookup	DNS A-record resolution	nslookup networkwalks.com
cURL	HTTP response header collection	curl -I https://networkwalks.com
WAFW00F	WAF fingerprinting	wafw00f https://networkwalks.com
DNSRecon	DNS record enumeration	dnsrecon -d networkwalks.com
Maltego	Public email relationship graph	Domain entity → email transform

theHarvester	Search-source OSINT	-d microsoft.com -l 1000 -b baidu; -l 50 -b all
Zenmap/Nmap	Authorized LAN host discovery	nmap -sn 172.[REDACTED]/24
Windows CMD	Host address information	ipconfig; getmac /v

4. W2-PM1 - Website Footprinting with Kali Linux

4.1 WHOIS and registration metadata

The WHOIS response identified GoDaddy.com, LLC as registrar. The domain was created on 6 November 2019 and the registry expiry date was 6 November 2027. The registry record listed ns6135.hostgator.com and ns6136.hostgator.com; a registrar WHOIS response also included DomainControl hosts, demonstrating the need to verify active DNS delegation rather than rely on a single registration response.

4.2 Web technologies and DNS resolution

WhatWeb reported Apache, WordPress 7.1.4, WordPress Download Manager 3.3.76, jQuery 3.7.1 and an HTTPS redirect from HTTP. These are fingerprinted version strings rather than independently verified software inventories. NSLookup queried 8.8.8.8 and returned the IPv4 address 192.232.216.135, consistent with WhatWeb and the later DNSRecon output.

4.3 HTTP headers and WAF fingerprint

The cURL HEAD request returned HTTP/2 200 with an Apache server header, WordPress REST API link, and an __wpdm_client cookie carrying Secure and HttpOnly flags. A Referrer-Policy of no-referrer-when-downgrade was seen. Strict-Transport-Security, Content-Security-Policy and X-Content-Type-Options were not visible in this one captured response; absence across all endpoints was not assessed. Cookie values must be redacted from screenshot evidence.

WAFW00F version 2.3.2 reported a ModSecurity (SpiderLabs) fingerprint after two HTTP requests. This indicates an apparent defensive control but does not measure effectiveness.

4.4 DNSRecon

General DNS enumeration returned SOA/NS records pointing to HostGator infrastructure, an A record of 192.232.216.135, an MX record pointing to mail.networkwalks.com, TXT records for Google verification and SPF (ending in ~all), and eight SRV responses for cPanel-related email autodiscovery. Two name servers reported the BIND version string 9.16.23-RH. A DNSSEC query reported no answer while the overall enumeration completed successfully.

Evidence: 01-footprinting-kali-tools/screenshots/W2-PM1-01... through W2-PM1-06-dnsrecon-enumeration.png

5. W2-PM2 - GHDB Research

5.1 Instructor requirement and research method

The instructor requested a table of ten exposed security-camera links with relevant Google dorks and a table of ten downloadable mathematics PDF ebook listings. The intern recorded camera-related GHDB and Google search queries, screenshots, and eleven mathematics-related candidate links. A temporary GHDB website outage produced HTTP 502, which was also documented.

5.2 Evidence quality and limitations

Some camera search results appeared to lead to live third-party feeds, but ownership, testing permission, and vulnerability status were not confirmed. Search aggregators and a public image directory are not themselves verified vulnerable cameras. Identifiable third-party camera URLs or credentials are intentionally not reproduced in this report. The camera research therefore remains an OSINT exercise, not a confirmed set of ten security vulnerabilities.

5.3 Security significance

GHDB demonstrates how search indexing can make resources visible. Public indexing by itself does not prove misconfiguration, vulnerability, unauthorized access or permission to investigate a device. Defensive owners can use scoped search audits to review what their own infrastructure exposes.

Evidence: 02-ghdb/screenshots/; 02-ghdb/README.md. Before publication, verify file extensions and remove camera feed screenshots and credentials.

6. W2-PM3 - Maltego Footprinting

Maltego Graph Desktop 4.14.0 was installed on Windows. A Domain entity for networkwalks.com was created and the Utilities / To Emails @domain (Search Engine) transform was run. The completed graph showed two entities and one relationship: the domain and a discovered public organizational email address, info@networkwalks.com.

One transform returning one email does not prove the organization has no other addresses; it reflects only this transform's visible result at the time of execution. No email was sent and no account authentication was attempted.

METRIC	OBSERVED VALUE
Software version	Maltego Graph Desktop 4.14.0
Domain entities	1
Email entities	1
Graph links	1
Transform outcome	Completed

Evidence: 03-maltego/screenshots/W2-PM3-01... through W2-PM3-04-email-results.png; 03-maltego/maltego-graph.mtgl

7. W2-PM4 - theHarvester Footprinting

Two instructor-prescribed search configurations were reported executed against microsoft.com:

1. Baidu: theHarvester -d microsoft.com -l 1000 -b baidu
2. All supported sources: theHarvester -d microsoft.com -l 50 -b all

The numbers 1000 and 50 are search result limits, not the numbers of emails or subdomains actually discovered. The local project structure lists two saved terminal-output files and two screenshots, but their full contents were not supplied for independent analysis when preparing this report. Accordingly, no numeric discovery claims are made.

Source coverage may be affected by changes in search providers, API requirements, service availability and rate limits. All reported results should be reviewed from the saved logs before final submission.

Evidence: 04-theharvester/outputs/W2-PM4-01-baidu-output.txt; W2-PM4-02-all-sources-output.txt; corresponding screenshots.

8. W2-PM5 - Zenmap Network Discovery (Mandatory)

Zenmap was installed and used on Windows 11. The Windows ipconfig output identified a privately owned Wi-Fi /24 subnet; Ping Scan in Zenmap executed nmap -sn across that authorized LAN. The scan included 256 IP addresses and reported two responding hosts in 7.53 seconds. The local computer and the gateway were identified. The gateway MAC address appeared in Zenmap Host Details; the Windows Wi-Fi adapter MAC was collected with getmac /v because it was not shown in the original Nmap output.

REQUIRED TASK	OBSERVED RESULT
1. Install Zenmap	Installed and launched on Windows
2. Determine IP and subnet	Local Wi-Fi /24 network documented
3. Discover live hosts	Ping Scan completed
4. Count live hosts	2 responding hosts

5. Record IP addresses	Both observed; redacted in shareable evidence
6. Record MAC addresses	Gateway via Zenmap; laptop via Windows getmac /v
7. Export topology PDF	Topology generated and PDF saved on Windows Desktop

The topology showed two discovered hosts plus a visual localhost reference, which is not a third discovered host. The Ping Scan did not enumerate ports or validate vulnerabilities. Offline devices and systems that do not respond to the selected probes may be absent.

Evidence: 05-zenmap/screenshots/W2-PM5-01... through W2-PM5-06-windows-mac-getmac.png; 05-zenmap/topology/W2-PM5-Network-Topology.pdf

9. Risk and Impact Analysis

The following items are defensive review considerations. No confirmed exploitable vulnerability was demonstrated. Qualitative priority is based on the information available from the exercise, not an exploitation score.

OBSERVATION	ASSESSMENT	PRIORITY
CMS/plugin version fingerprints	Verify installed versions and applicable security updates; automated fingerprints may be wrong.	Informational
HTTP response security headers	Some recommended headers were not visible in one response; validate all relevant routes before assigning risk.	Review
DNS server version disclosure	The 9.16.23-RH version string may help inventory or patch reviews; by itself no vulnerability is established.	Informational
Public DNS and mail records	Expected operational metadata; check for obsolete or unintended entries.	Routine
WAF fingerprint	Possible ModSecurity control reported; configuration and blocking efficacy not independently tested.	Informational
Local live hosts	Two expected responding devices on an owned LAN; no unexpected host confirmed.	Routine
GHDB third-party search results	Indexing does not imply authorization or proven vulnerability.	Unverified

10. Recommendations

- Confirm current authorization and the permitted testing scope before any further live reconnaissance or vulnerability validation.
- Inventory server, CMS and plugin versions directly with owners; maintain a documented patch-review routine.
- Review HTTP header behavior across relevant endpoints, including HSTS, CSP, referrer policy and cookie attributes, without assuming missing headers prove exploitation.
- Periodically audit authoritative DNS, SPF and mail records for stale or unnecessary entries.
- Monitor the identified WAF as part of layered security; verify configuration through authorized testing rather than relying only on fingerprints.
- Perform periodic host discovery on owned LANs and reconcile identified devices against an approved asset register.
- Limit public repository content to sanitized screenshots; exclude live third-party camera feeds, access credentials, session cookies and unnecessarily revealing local network metadata.
- For theHarvester and GHDB, retain reproducible output with timestamps and distinguish source errors, search candidates and verified resources.

11. Evidence Register and Final Verification

FOLDER	FILES REPORTED LOCALLY	PUBLISHING ACTION
01-footprinting-kali-tools	README + 6 screenshots	Correct README to point to one DNSRecon image; redact cookie token
02-ghdb	README + screenshots; results folder currently empty	Correct missing extensions; remove live feeds; add verified math listing
03-maltego	README + 4 screenshots + .mtgl graph	Inspect source and output for private information
04-theharvester	README + 2 screenshots + 2 text logs	Review logs and enter measured counts or source failures
05-zenmap	README + 6 screenshots + topology PDF	Verify IP and MAC redaction in images and PDF
final-report	This PDF report	Place this file in the final-report folder

12. Conclusion

The Week 2 exercises demonstrated multiple reconnaissance approaches: domain registration and web fingerprinting on Kali, public-information graph analysis with Maltego, search-source reconnaissance with theHarvester, GHDB research, and a controlled Windows LAN discovery exercise with Zenmap. Across the independently inspected evidence, six Kali footprinting commands completed, Maltego returned a single publicly indexed email entity, and Zenmap identified two responding local hosts and generated a topology PDF.

The central learning outcome is that collecting technical information is different from proving security weaknesses. Good reporting records the tool, method, observation, evidence, assumptions, limits and next authorized verification step without overstating risk.