

2008 SEA-DOO · RXT-X 255

The 100-Hour Service

A quick visual rundown of the one job it's due for — what it is, the parts, the tools, and the time.



A

For Arman — from Shawn (Marcus's buddy)

Scroll down — it's all here. (the page works, no need to click anything)

HEY ARMAN

Thanks for taking a look at this thing.

Marcus put us in touch — I really appreciate the help.

My ski just rolled past **100 hours**, and it's due for the one big scheduled service these supercharged Sea-Doos need at that mark.

The short version: it's a supercharger rebuild. I buy the kit, ship it to you, and drop the ski off. Everything you'd need is below.

MEET THE SKI

2008 Sea-Doo RXT-X 255

Top-of-the-line Sea-Doo for '08 — the supercharged "musclecraft."

ENGINE

Rotax 1503 4-TEC

POWER

255 HP · S/C

SUPERCHARGER

16-tooth · intercooled

HOURS

~100 hrs

3-seater


~67 mph stock

Supercharged

THE ONE THING IT NEEDS

Supercharger rebuild

100-HOUR SERVICE · DUE NOW



Inside the supercharger — the kit renews everything highlighted.

Why it's not optional: as the clutch washers wear, the clutch slips. Left too long it can shed metal *into the engine* — turning a ~\$400 job into a new motor. The plastic bearing cages also go brittle with heat over time (that's the "2-year" half of the rule).

HOW THIS WORKS

Dead simple on your end

1

I order the kit

OEM Sea-Doo rebuild kit — shipped straight to your shop.

2

I drop the ski off

On the trailer, whenever suits you. Kit's already waiting.

3

You do the rebuild

Pull the S/C, rebuild on the bench, reinstall, quick test.

4

I pick it up

We square up on your time, and I'm out of your hair.

You don't source a single part — just bring the wrenches.

THE KIT — ALREADY HANDLED

OEM supercharger rebuild kit



Clutch washers



Bearings



Seals



Shaft & gear

Everything in the box — the parts that wear, renewed.



Sea-Doo OEM P/N 420881102

(supersedes 420881100 / 101) — the 16-tooth intercooled kit for the 1503. **Steel washers.**

Your call: OEM kit is my plan (best for the steel washers). If you'd rather run a brand you trust, say so before I order.

WHAT YOU'D NEED

Tools for the bench

TORQUE

Torque wrench (ft-lb)

HOLD

Bench vise

BEARINGS

Shop / arbor press

CLIPS

Snap-ring pliers

LOCK

Blue Loctite (243)

TIDY

Shop towels



The one special bit

The S/C needs a **shaft-holding tool + drive-gear holding tool** to crack the top nut. No Sea-Doo S/C tool set? Tell me — I'll add the tool kit to the order.

HOW LONG IT TAKES

Roughly half a day, tops



~2–3 hrs bench time

The actual rebuild for someone who's done it before.



+ pull & reinstall

Getting the S/C off and back on, plus a test run.

Pro shops quote a **1-day turnaround**, so no rush on my end — whatever fits your schedule.

THAT'S THE WHOLE JOB

Two quick questions for you

1. OEM kit good with you?

2. Need me to add the S/C tool kit?

Give me those two and I'll order the parts and we'll set a drop-off. That's it.

Thanks a ton, Arman —

Shawn

Reference only · always defer to the Sea-Doo shop-manual torque specs. You're the mechanic — this is just the heads-up.