
Name: Tanmay Vishwakarma
UID: 2024300268
Div/Batch: D2

Use Case Diagram:



Use Case Description:

1) Manage Portfolio:

Use Case Name	Generate Report
Actors	Portfolio Manager, Executive Leadership
Brief Description	The actor generates a report containing portfolio, transaction, and analytics information.
Preconditions	The actor is logged into the system and portfolio data is available.
Basic Flow of Events	1. The actor logs into the system. 2. The system authenticates the actor. 3. The actor selects Generate Report. 4. The system retrieves the required portfolio information. 5. The system retrieves the relevant transaction information. 6. The system retrieves the required analytics information. 7. The actor selects the required report parameters. 8. The system processes the selected information. 9. The system generates the report. 10. The system displays the generated report to the actor.
Extensions / Alternative Flows	1a. Authentication fails: The system informs the actor and prevents access. 4a. Portfolio data is unavailable: The system informs the actor that the report cannot be generated. 7a. Invalid report parameters: The system asks the actor to provide valid parameters. 9a. Report generation fails: The system displays an error and asks the actor to try again.
Postconditions	A report containing the requested portfolio information is generated and made available to the actor.
Non-functional Requirements	Report generation should be reliable and reasonably fast. The generated report should maintain data accuracy, confidentiality, and proper formatting.

2) Generate Report:

Use Case Name	Assess Portfolio Risk
Actors	Portfolio Manager, Executive Leadership
Brief Description	The actor assesses the risk associated with a selected investment portfolio using available portfolio information and analytics.
Preconditions	The actor is logged into the system and a portfolio exists with sufficient data for assessment.
Basic Flow of Events	1. The actor logs into the system. 2. The system authenticates the actor. 3. The actor selects Generate Report. 4. The system retrieves the required portfolio information. 5. The system retrieves the relevant transaction information. 6. The system retrieves the required analytics information. 7. The actor selects the required report parameters. 8. The system processes the selected information. 9. The system generates the report. 10. The system displays the generated report to the actor.
Extensions / Alternative Flows	1a. Authentication fails: The system informs the actor and prevents access. 4a. Portfolio data is unavailable: The system informs the actor that the report cannot be generated. 7a. Invalid report parameters: The system asks the actor to provide valid parameters. 9a. Report generation fails: The system displays an error and asks the actor to try again.
Postconditions	A report containing the requested portfolio information is generated and made available to the actor.
Non-functional Requirements	Report generation should be reliable and reasonably fast. The generated report should maintain data accuracy, confidentiality, and proper formatting.

3) Assess Portfolio Risk:

Use Case Name	Assess Portfolio Risk
Actors	Portfolio Manager, Executive Leadership
Brief Description	The actor assesses the risk associated with a selected investment portfolio using available portfolio information and analytics.
Preconditions	The actor is logged into the system and a portfolio exists with sufficient data for assessment.
Basic Flow of Events	1. The actor logs into the system. 2. The system authenticates the actor. 3. The actor selects View Portfolio. 4. The system displays the portfolio information. 5. The actor chooses to assess portfolio risk. 6. The system retrieves the required portfolio and transaction information. 7. The system analyzes the available information. 8. The system calculates the portfolio risk level. 9. The system displays the risk assessment and relevant indicators to the actor.
Extensions / Alternative Flows	1a. Authentication fails: The system informs the actor and prevents access. 4a. Portfolio information is unavailable: The system informs the actor and cannot continue the assessment. 6a. Insufficient data: The system informs the actor that there is insufficient information to perform a reliable risk assessment. 8a. Risk assessment fails: The system displays an error and asks the actor to try again.
Postconditions	The portfolio risk assessment is completed and the risk information is displayed to the actor.
Non-functional Requirements	Risk assessment should be accurate, reliable, secure, and completed within an acceptable response time. Portfolio data must be protected from unauthorized access.