## TMUX QUICK REFERENCE CARD

Command-line options
-2 -8 Force 256, 88 colours.
-c command Execute command.
-f config-file Load configuration file.
-L socket-name Custom socket name.
-1 For backwards compatibility only.
-q Quiet server mode.
-\$\bar{s}\$ socket-path Socket path. (-L ignored)u Guess term UTF-8 support.
-u Guess term UTF-8 support.
-v Verbose logging to tmux-*-PID.log.
command $[flags]$ Command to control tmux.

Default key bindings	
C-b	Send prefix (Ctrl-b).
?	Send prefix (Ctrl-b) List key bindings.
<i>C</i> -z	Suspend client.
\$	Rename current session.
:	Show command prompt.
D	Detach a client.
d	Detach current client.
r	Redraw client.
	New session.
L	Last client session.
t	Show time.
~	Show previous messages.

Pane options
! Break pane into window.
" % Split pane horizontally, vertically.
C-o $M$ -o Rotate panes forwards, backwards.
; Previously active pane.
o Next pane.
q Show pane indexes.
x Kill current pane.
{ } Swap with previous, next pane.
$\uparrow \downarrow \leftarrow \rightarrow$ Change to adjacent pane.
<i>M</i> -1 Arrange even-horizontal.
<i>M</i> -2 Arrange even-vertical.
M-3 Arrange main-horizontal.
M-4 Arrange main-vertical.
M-5 Arrange tiled.
$C-\uparrow\downarrow\leftarrow\rightarrow$ Resize pane by one cell.
$M$ -↑ ↓ $\leftarrow$ → Resize pane by five cells.

Window options	Kill current window.
	Select window index.
	Rename window.
	Move current window.
	Select windows 0 to 9.
	Create new window.
f	Find in open windows.
	Window information.
	Previous, next window.
w	
M-p $M$ -n	. Previous, next with activity.

Client and session comman	nds
attach-session, attach	
detach-session, detach	
actual poppion, actual	session [-t client]
has-session, has	
kill-server	[ 0 30331011]
kill-session	[-a] [-t session]
list sissets les	
list-clients, lsc	[-F Jormat]
	[-t session]
list-commands, lscm	·
list-sessions, ls	
lock-client, lockc	[-t client]
lock-session, locks	[-t session]
new-session, new	$[-d]$ $[-n \ window]$
	$[-\mathtt{s}[session]]$
	session [-x width
	$[-y \ height]$
	[command]
refresh-client, refresh .	
rename-session, rename	
show-messages, showmsgs.	
source-file	
start-server, start	patri
suspend-client, suspendc	[-+ client]
switch-client, switchc	
	[-t $session$ ]

$Copy\ mode$	
[	Enter copy modePaste from buffer.
]	Paste from buffer.
#	List all paste buffers.
=	Paste from buffer.
	Delete last copied buffer.
Page up Copy	mode and scroll up one page.

This card may be freely distributed under the terms of the GNU general public licence. Copyright © 2013 by Steve HHH — v1.2. The author assumes no responsibility for errors on this card. The latest version can be found at:  $\frac{1}{1} \frac{1}{1} \frac{1}$ 

Copy mode selection Selection start Selection clear Selection copy Selection paste Toggle rectangle mode Quit copy mode	$\begin{array}{c} \mathbf{vi} \\ Space \\ Escape \\ Enter \\ \mathbf{p} \\ \mathbf{v} \\ \mathbf{q} \end{array}$	$\begin{array}{c} \mathbf{emacs} \\ C\text{-}Space \\ C\text{-}g \\ M\text{-}w \\ C\text{-}y \\ R \\ Escape \end{array}$
	vi g G C-f C-b C-u C-d C-t C-y C-↓ C-e : / d ? n N H M L	emacs $M->$ $M-<$ $Page\ down$ $Page\ up$ $M-\uparrow$ $M-\downarrow$ $C-\uparrow$ $C-\downarrow$ $g$ $C-s$ $C-r$ $n$ $M-R$ $M-r$
Copy mode lines Cursor up Cursor down Cursor left Cursor right Start of line End of line Back to indentation Delete entire line Delete/Copy to end Jump Jump backward Jump-to, backward Jump again, reverse Next space Next space, end of word Next word Next word Previous word Previous space Transpose chars	vi k j h l O \$ d D f F t T ; W E w e b B	emacs $\uparrow$ $\leftarrow$ $C$ -a $C$ -e $M$ -m $C$ -u $C$ -k $f$ $F$