

CanopyIQ References

APA 7 reference list for final report and presentation

Breiman, L. (2001). Random forests. *Machine Learning*, 45, 5-32.

City of Kitchener. (n.d.). Tree Inventory. Kitchener GeoHub Open Data.

City of Waterloo. (n.d.). Street Tree Inventory. City of Waterloo Open Data.

He, H., & Garcia, E. A. (2009). Learning from imbalanced data. *IEEE Transactions on Knowledge and Data Engineering*, 21(9), 1263-1284.

Nesbitt, L., Meitner, M. J., Girling, C., Sheppard, S. R. J., & Lu, Y. (2019). Who has access to urban vegetation? A spatial analysis of distributional green equity in 10 US cities. *Landscape and Urban Planning*, 181, 51-79.

Ontario. (2011). O. Reg. 191/11: Integrated Accessibility Standards under the Accessibility for Ontarians with Disabilities Act, 2005.

Saito, T., & Rehmsmeier, M. (2015). The precision-recall plot is more informative than the ROC plot when evaluating binary classifiers on imbalanced datasets. *PLOS ONE*, 10(3), e0118432.

Statistics Canada. (2022). Census Profile, 2021 Census of Population.

Statistics Canada. (2023). 2021 Census boundary files.

Vogt, J. M., Hauer, R. J., & Fischer, B. C. (2015). The costs of maintaining and not maintaining the urban forest: A review of the urban forestry and arboriculture literature. *Arboriculture & Urban Forestry*, 41(6), 293-323.

Wirth, R., & Hipp, J. (2000). CRISP-DM: Towards a standard process model for data mining.

Proceedings of the Fourth International Conference on the Practical Application of

Knowledge Discovery and Data Mining.

Ziter, C. D., Pedersen, E. J., Kucharik, C. J., & Turner, M. G. (2019). Scale-dependent

interactions between tree canopy cover and impervious surfaces reduce daytime urban

heat during summer. Proceedings of the National Academy of Sciences, 116(15), 7575-

7580.