- 1. Ashish N and Toga AW. Medical data transformation using rewriting. Frontiers in Neuroinformatics. 2015; 9.
- 2. Barker-Haliski M, Friedman D, White HS et al. How clinical development can, and should, inform translational science. Neuron. 2014;84(3):582-593.
- 3. Barton K. MuMIn: multi-model inference. R Package v. 1.9.0. 2013: http://cran.r-project.org/.
- 4. Bragin, A et al. Pathological electrographic changes after experimental traumatic brain injury. Epilepsia. 2016; in press.
- 5. Brinkmann BH, Bower MR, Stengel KA et al. Multiscale electrophysiology format: an open-source electrophysiology format using data compression, encryption, and cyclic redundancy check. Annual International Conference of the IEEE, Engineering in Medicine and Biology Society, 2009. IEEE. 2009;7083-6.
- 6. Buja A, Cook D, Hofmann H et al. Statistical inference for exploratory data analysis and model diagnostics. Philosophical transactions of the royal society of London A: mathematical, physical and engineering sciences. 2009;367(1906):4361-83.
- 7. Burnham KP and Anderson DR. Multimodel inference understanding AIC and BIC in model selection. Sociological methods & research. 2004;33(2):261-304.
- 8. Burnham KP and Anderson DR. Model Selection and Multimodel Inference: A Practical Information— Theoretic Approach. Springer Science & Business Media. 2003.
- 9. Chu A, Cui J, Dinov ID. SOCR Analyses—an instructional java web-based statistical analysis toolkit. J Online Learn Teach. 2009;5(1):1.
- 10. Coleman HW and Steele WG. Experimentation, validation, and uncertainty analysis for engineers. 3rd ed. John Wiley & Sons. 2009.
- 11. Cook MJ, O'Brien TJ, Berkovic SF et al. Prediction of seizure likelihood with a long-term, implanted seizure advisory system in patients with drug-resistant epilepsy: a first-in-man study. The Lancet Neurology. 2013;12(6):563-71.
- 12. Cook D, Buja A, Lee EK et al. Grand tours, projection pursuit guided tours, and manual controls. Handbook of Data Visualization. Springer Berlin Heidelberg. 2008;295-314.
- 13. Costafreda SG, Dinov ID, Tu Z et al. Automated hippocampal shape analysis predicts the onset of dementia in mild cognitive impairment. Neuroimage. 2011;56(1):212-19.
- 14. Dinov ID, Lozev K, Petrosyan P et al. Neuroimaging study designs, computational analyses and data provenance using the LONI pipeline. PLoS one. 2010;5(9):e13070.
- 15. Dinov ID, Van Horn JD, Lozev KM et al. Efficient, distributed and interactive neuroimaging data analysis using the LONI pipeline. Frontiers in Neuroinformatics. 2009;3.
- 16. Dinov ID, Torri F, Macciardi F et al. Applications of the pipeline environment for visual informatics and genomics computations. BMC Bioinformatics. 2011;12(1):1.
- 17. Dinov ID, Petrosyan P, Liu Z et al. The perfect neuroimaging-genetics-computation storm: collision of petabytes of data, millions of hardware devices and thousands of software tools. Brain Imaging Behav. 2014;8(2):311-22.
- 18. Duncan D, Talmon R, Zaveri HP et al. Identifying preseizure state in intracranial EEG data using diffusion kernels. Mathematical Biosciences and Engineering. 2013;10(3):579-590.
- 19. Echauz JR, Snyder D, Leyde K. Processing for multi-channel signals. U.S. Patent No. 8,786,624. 2014.
- 20. Eguiluz VM, Chialvo DR, Cecchi GA et al. Scale-free brain functional networks. Phys Rev Lett. 2005;94(1):18102.
- 21. Ensor JE. Biomarker validation: common data analysis concerns. The Oncologist. 2014;19(8):886-91.
- 22. Frasier M, Chowdhury S, Eberling J et al. Biomarkers in Parkinson's disease: a funder's perspective. Biomark Med. 2010;4(5):723-9.
- 23. Goh SY, Irimia A, Torgerson CM et al. High-resolution electroencephalographic forward modeling in traumatic brain injury using the finite element method. Biomedical Imaging (ISBI), 2013 IEEE 10th International Symposium. IEEE. 2013;990-3.

- 24. Gomes WA and Shinnar S. Prospects for imaging-related biomarkers of human epileptogenesis: a critical review. Biomark Med 2011;5(5):599-606.
- 25. Green TJ, Karvounarakis G, Ives ZG et al. Update exchange with mappings and provenance. Proceedings of the 33rd international conference on Very large data bases. VLDB Endowment. 2007.
- 26. Green TJ, Ives ZG, Karvounarakis G et al. The ORCHESTRA collaborative data sharing system. SIGMOD Record. 2008;37(3):26-32.
- 27. Grinnon ST, Miller K, Marler JR et al. National institute of neurological disorders and stroke common data element project—approach and methods. Clinical Trials. 2012;9(3):322-9.
- 28. Gyorgy AB, Walker J, Wingo D et al. Reverse phase protein microarray technology in traumatic brain injury. J Neurosci Methods. 2010;192(1)96-101.
- 29. Haneef Z, Lenartowicz A, Yeh HJ et al. Effect of lateralized temporal lobe epilepsy on the default mode network. Epilepsy & Behavior. 2012;25(3):350-7.
- 30. Haneef Z, Lenartowicz A, Yeh HJ et al. Functional connectivity of hippocampal networks in temporal lobe epilepsy. Epilepsia. 2014;55(1):137-45.
- 31. Ho AJ, Raji CA, Saharan P et al. Hippocampal volume is related to body mass index in Alzheimer's disease. Neuroreport. 2011;22(1)10.
- 32. Hurley C and Buja A. Analyzing high-dimensional data with motion graphics. SIAM Journal on Scientific and Statistical Computing. 1990;11(6):1193-211.
- 33. Irimia A, Chambers MC, Torgerson CM et al. Patient-tailored connectomics visualization for the assessment of white matter atrophy in traumatic brain injury. Front Neurol. 2012;3(10).
- 34. Irimia A, Chambers MC, Torgerson CM et al. Three dimensional calculation and quantification of morphometric and volumetric cortical atrophy indices of widespread clinical use from MRI volumes of traumatic brain injury using 3D Slicer. Poster presented at the 41st annual Society for Neuroscience Annual Meeting in Washington, DC. 2011.
- 35. Irimia A, Goh SY, Torgerson CM et al. Structural and connectomic neuroimaging for the personalized study of longitudinal alterations in cortical shape, thickness and connectivity after traumatic brain injury. J Neurosurg Sci, 2014;58(3):129-44.
- 36. Irimia A, Chambers MC, Torgerson CM et al. Circular representation of human cortical networks for subject and population-level connectomic visualization. Neuroimage. 2012;60(2):1340-51.
- 37. Irimia A, Wang B, Aylward SR et al. Neuroimaging of structural pathology and connectomics in traumatic brain injury: Toward personalized outcome prediction. Neuroimage: Clinical. 2012;1(1):1-17.
- 38. Irimia A, Chambers MC, Torgerson CM et al. Circular representation of human cortical networks for subject and population-level connectomic visualization. Neuroimage. 2012;60(2):1340-51.
- 39. Ives ZG, Halevy A, Doan A, Principles of Data Integration, Morgan Kaufmann, 2012.
- 40. Jacobs J, LeVan P, Chander R et al. Interictal high-frequency oscillations (80-500 Hz) are an indicator of seizure onset areas independent of spikes in the human epileptic brain. Epilepsia. 2008;49(11):1893-907.
- 41. Jiang Y and Johnson GA. Microscopic diffuson tensor imaging of the mouse brain. Neuroimage. 2010;50(2):465-71.
- 42. Kochanek PM, Bramlett H, Dietrich WD et al. A novel multicenter preclinical drug screening and biomarker consortium for experimental traumatic brain injury: operation brain trauma therapy. Journal of Trauma and Acute Care Surgery. 2011;71(1):S15-24.
- 43. Kou Z, Wu Z, Tong KA et al. The role of advanced MR imaging findings as biomarkers of traumatic brain injury. J Head Trauma Rehabil. 2010;25(4):267-82.
- 44. Laufs H, Richardson MP, Salek-Haddadi A et al. Converging PET and fMRI evidence for a common area involved in human focal epilepsies. Neurology. 2011;77(9):904-10.
- 45. Liliang PC, Liang CL, Weng HC et al. Tau proteins in serum predict outcome after severe traumatic brain injury. J Surg Res. 2010;160(2):302-7.

- 46. Lorden G and Pollak M. Nonanticipating estimation applied to sequential analysis and changepoint detection. Annals of Statistics, 2005;33:1422-54.
- 47. Lou Y, Irimia A, Vela PA et al. Multimodal deformable registration of traumatic brain injury MR volumes via the Bhattacharyya distance. Biomed Eng, IEEE Transactions. 2013. 60(9):2511-20.
- 48. MacKenzie-Graham A, Payan A, Dinov ID et al. Neuroimaging data provenance using the LONI Pipeline Workflow Environment. Provenance and Annotation of Data and Processes. 2008;208-20.
- 49. Mihaylov S, Ives ZG, Guha S. REX: recursive, delta-based data-centric computation. Proceedings of the VLDB Endowment. 2012;5(11):1280-91.
- 50. Mori S, Oishi K, Jiang H et al. Stereotaxic white matter atlas based on diffusor tensor imaging in an ICBM template. Neuroimage. 2008;40(2):570-82.
- 51. Morra JH, Tu Z, Apostolova LG et al. Automated mapping of hippocampal atrophy in 1-year repeat MRI data from 490 subjects with Alzheimer's disease, mild cognitive impairment, and elderly controls. Neuroimage. 2009;45(1):S3-S15.
- 52. Moye LA. Multiple analyses in clinical trials: fundamentals for investigators. Springer Science & Business Media. 2003.
- 53. Nehlig A. Hippocampal MRI and other structural biomarkers: experimental approach to epileptogenesis. Biomark Med. 2011;5(5):585-98.
- 54. Neu SC, Valentino DJ, Toga AW. The LONI Debabeler: a mediator for neuroimaging software. Neuroimage. 2005;24(4):1170-9.
- 55. Ng B, Toews M, Durrleman S et al. Shape analysis for brain structures. Shape Analysis in Medical Image Analysis. Springer International Publishing. 2014;3-49.
- 56. Oberkampf WL, Trucano TG, Hirsch C. Verification, validation, and predictive capability in computational engineering and physics. Applied Mechanics Reviews. 2004; 57(5):345-84.
- 57. Papadimitriou C and Papadioti D-C (eds). Fast computing techniques for Bayesian uncertainty quantification in structural dynamics. Topics in model validation and uncertainty quantification. Vol 5. Springer New York. 2013. 25-31.
- 58. Salvador R, Suckling J, Schwarzbauer C et al. Undirected graphs of frequency-dependent functional connectivity in whole brain networks. Philos Trans R Soc Lond B Biol Sci. 2005;360(1457):937-46.
- 59. Sargent DJ and Mandrekar SJ. Statistical issues in the validation of prognostics, predictive, and surrogate biomarkers. Clinical Trials. 2013;10(5):647-52.
- 60. Schneider LS, Insel PS, Weiner MW. Treatment with cholinesterase inhibitors and memantine of patients in the Alzheimer's Disease Neuroimaging Initiative. Arch Neurol. 2011;68(1):58-66.
- 61. Shahim P, Tegner Y, Wilson DH et al. Blood biomarkers for brain injury in concussed professional ice hockey players. JAMA Neurol. 2014;71(6):684-92.
- 62. Shi Y, Lai R, Toga AW. Unified geometry and topology correction for cortical surface reconstruction with intrinsic Reeb analysis. Medical Image Computing and Computer-Assisted Intervention—MICCAI 2012. Springer Berlin Heidelberg. 2012;601-8.
- 63. Snyder DE, Echauz J, Grimes DB et al. The statistics of a practical seizure warning system. Journal of neural engineering. 2008;5(4):392-401.
- 64. Staba RJ, Stead M, GA Worrell. Electrophysiological Biomarkers of Epilepsy. Neurotherapeutics. 2014;11(2):334-46.
- 65. Stam CJ. Functional connectivity patterns of human magnetoencephalographic recordings: a 'small-world' network? Neurosci Lett, 2004;355(1):25-8.
- 66. Talukdar PP, Ives ZG, Pereira F. Automatically incorporating new sources in keyword search-based data integration. Proceedings of the 2010 ACM SIGMOD Intl. Conf. on Mgmt. of Data. 2010.
- 67. Taylor NE and Ives ZG. Reliable Storage and Querying for Collaborative Data Sharing Systems. Data Engineering (ICDE), 2010 IEEE 26th Intl. Conf. 2010;40-51.
- 68. Toga AW and Crawford KL. The informatics core of the Alzheimer's Disease Neuroimaging Initiative. Alzheimer's & Dementia. 2010;6(3):247-56.

- 69. Torgerson CM, Irimia A, Leow AD et al. DTI tractography and white matter fiber tract characteristics in euthymic bipolar I patients and healthy control subjects. Brain Imaging Behav. 2013;7(2):129-39.
- 70. Van Horn JD, Irimia A, Torgerson CM et al. Mapping connectivity damage in the case of Phineas Gage. PLoS One. 2012; 7(5):e37454.
- 71. Wang B, Prastawa M, Awate SP et al. Segmentation of serial MRI of TBI patients using personalized atlas construction and topological changes estimation. Proc. 2012 9th IEEE Intl. Symposium Biomed Imaging (ISBI). 2012;1152-5.
- 72. Wickham H, Cook D, Hofmann H et al. tourr: An R package for exploring multivariate data with projections. Journal of Statistical Software. 2011;40(2):1-18.
- 73. Wilcox RR. Introduction to Robust Estimation and Hypothesis Testing, 3rd Edition. Academic Press. 2011.
- 74. Winden KD, Karsten SL, Bragin A et al. A systems level, functional genomics analysis of chronic epilepsy. PloS one. 2011;6(6):e20763.
- 75. Winden KD, Bragin A, Engel J Jr. et al. Molecular alterations in areas generating fast ripples in an animal model of temporal lobe epilepsy. Neurobiology of disease. 2015;78:35-44.
- 76. Wulsin DF, Fox EB, Litt B. Modeling the complex dynamics and changing correlations of epileptic events. Artificial Intelligence. 2014;216:55-75.
- 77. Xiang Z, Valenza M, Cui L et al. Peroxisome-proliferator-activated receptor gamma coactivator 1 alpha contributes to dysmyelination in experimental models of Huntington's disease. J Neurosci. 2011;31(26):9544-53.
- 78. Zingg B, Hintiryan H, Gou L et al. Neural networks of the mouse neocortex. Cell. 2014;156(5):1096-111.