BIBLIOGRAPHY & REFERENCES CITED - EPIBIOS OVERALL

- 1. Anderson GD, Peterson TC, Vonder Haar C, et al. Comparison of the effects of erythropoietin and anakinra on functional recovery and gene expression in a traumatic brain injury model. *Front Pharmacol*. 2013;4:129.
- 2. Apostolova, L.G., et al., Subregional hippocampal atrophy predicts Alzheimer's dementia in the cognitively normal. Neurobiology of Aging, 2010. **31**(7): p. 1077-1088.
- 3. Ayton S, Lei P, Duce JA, et al. Ceruloplasmin dysfunction and therapeutic potential for Parkinson disease. *Ann Neurol*. 2013;73:554-9.
- 4. Barkhoudarian G, Hovda DA, Giza CC (2011) The molecular pathophysiology of concussive brain injury. *Clin Sports Med* 30:33-iii.
- 5. Begley CE, Famulari M, Annegers JF, Lairson DR, Reynolds TF, Coan S, Dubinsky S, Newmark ME, Leibson C, So EL, Rocca WA. The cost of epilepsy in the United States: an estimate from population-based clinical and survey data. *Epilepsia* 41:342-351, 2000.
- Bergsneider M, Hovda DA, Lee SM, Kelly DF, McArthur DL, Vespa PM, Lee JH, Huang SC, Martin NA, Phelps ME, Becker DP (2000) Dissociation of cerebral glucose metabolism and level of consciousness during the period of metabolic depression following human traumatic brain injury. *J Neurotrauma* 17:389-401.
- 7. Bergsneider M, Hovda DA, Shalmon E, Kelly DF, Vespa P, Martin NA, Phelps M, McArthur DL, Caron MJ, Kraus JF, Becker DP (1997) Cerebral Hyperglycolysis Following Severe Human Traumatic Brain Injury in Humans: A Positron Emission Tomography Study. *J Neurosurg* 86:241-251.
- 8. Blümcke I, Thom M, Aronica E, Armstrong DD, Bartolomei F, Bernasconi A, Bernasconi N, Bien CG, Cendes F, Coras R, Cross JH, Jacques TS, Kahane P, Mathern GW, Miyata H, Moshé SL, Oz B, Özkara C, Perucca E, Sisodiya S, Wiebe S, Spreafico R. International consensus classification of hippocampal sclerosis in temporal lobe epilepsy: a Task Force report from the ILAE Commission on Diagnostic Methods. *Epilepsia* 2013;54:1315-1329.
- 9. Bragin, A., Almajano, J., Alvarado-Rojas, C., Reid, A.Y., Staba, R.J. and Engel, J. Jr. Evolution of electrographic changes after experimental traumatic brain injury. *Epilepsia* (in press).
- 10. Bragin, A., Wilson, C.L., Almajano, J., Mody, I. and Engel, J. Jr. High frequency oscillations after status epilepticus: Epileptogenesis and seizure genesis. *Epilepsia* 45:1017-1023, 2004.
- 11. Braskie, M.N., et al., Common Alzheimer's Disease Risk Variant Within the CLU Gene Affects White Matter Microstructure in Young Adults. Journal of Neuroscience, 2011. **31**(18): p. 6764-6770.
- 12. Casillas-Espinosa PM, Hicks A, Jeffreys A, et al. Z944, a Novel Selective T-Type Calcium Channel Antagonist Delays the Progression of Seizures in the Amygdala Kindling Model. *PLoS One*. 2015;10:e0130012.
- 13. Cheng, Y., et al., Structural MRI detects progressive regional brain atrophy and neuroprotective effects in N171-82Q Huntington's disease mouse model. Neuroimage 56;1027-1034, 2011.
- 14. Choy M, Dubé CM, Patterson K, Barnes SR, Maras P, Blood AB, Hasso AN, Obenaus A, Baram TZ. A novel, noninvasive, predictive epilepsy biomarker with clinical potential. *J Neurosci* 2014;34:8672-84.
- 15. Christou, N. and I.D. Dinov, Confidence Interval Based Parameter Estimation—A New SOCR Applet and Activity. PLoS ONE, 2011. **6**(5): p. e19178.
- 16. Costafreda SG et al. Automated hippocampal shape analysis predicts the onset of dementia in mild congestive impairment. *NeuroImage* 56;212-219, 2011.
- 17. D'Ambrosio, R, and Miller, JW: Point. Epilepsy Currents 10:90, 2010.
- 18. D'Ambrosio, R, and Miller, JW: What is an epileptic seizure? Unifying definitions in clinical practice and animal research to develop novel treatments. *Epilepsy Currents* 10:61-66, 2010.
- 19. Dash PK, Zhao J, Hergenroeder G, Moore AN. Biomarkers for the diagnosis, prognosis, and evaluation of treatment efficacy for traumatic brain injury. *Neurotherapeutics*. 2010 Jan;7(1):100-14.
- 20. Del Brutto, O., Engel, J.Jr., Eliashiv, D.S., and Garcia, H.H., Hippocampal sclerosis: the missing link of cysticercosis epileptogenesis? *Epilepsia* 55;2077-2078, 2014.
- 21. Del Brutto, O.H., Engel, J. Jr., Eliashiv, D.S. and Garcia, H.H. Update on cysticercosis epileptogenesis: the role of the hippocampus. *Current Neurology and Neuroscience Reports* 16:1, 2016.
- 22. Diamond ML, Ritter AC, Failla MD, Boles JA, Conley YP, Kochanek PM, Wagner AK. IL-1β associations with posttraumatic epilepsy development: a genetics and biomarker cohort study. *Epilepsia* 2014;55:1109-19.

- 23. Dinov, I., et al., Neuroimaging Study Designs, Computational Analyses and Data Provenance Using the LONI Pipeline. PLoS ONE, 2010. **5**(9): p. e13070. doi:10.1371/journal.pone.0013070.
- 24. Dinov ID, Torri F, Macciardi F, Petrosyan P, Liu Z, Zamanyan A, Eggert P, Pierce J, Genco A, Knowles JA, Clark AP, Van Horn JD, Ames J, Kesselman C, Toga AW. *Applications of the pipeline environment for visual informatics and genomics computations*.BMC *Bioinformatics*. 2011 Jul 26:12:304..PMID: 21791102
- 25. Dudek, FE, and Bertram, EH: Counterpoint to "What is an epileptic seizure?" by D'Ambrosio and Miller. *Epilepsy Currents* 10:91-94, 2010.
- 26. Engel, J. Jr. (Ed.), Biomarkers in Epilepsy. Biomarkers in Medicine, October 5, 529-644, 2011.
- 27. Engel, J. Jr. Biomarkers in epilepsy Introduction. *Biomarkers in Medicine* 5:537-544, 2011.
- 28. Engel, J. Jr., Pitkänen, A., Loeb, J.A., Dudek, F.E., Bertram, E.H. III, Cole, A.J., Moshé, S.L., Wiebe, S., Fureman, B.E., Jensen, F.E., Mody, I., Nehlig, A. and Vezzani, A. Epilepsy biomarkers. *Epilepsia* 54 (Suppl. 4): 61-69, 2013.
- 29. Engel, J. Jr., Thompson, P.M., Stern, J.M., Staba, R.J., Bragin, A. and Mody, I. Connectomics and epilepsy. *Current Opinion in Neurology* 26:186-194, 2013. PMCID: PMC4064674
- 30. Gabriel WM, Rowe AS. Long-term comparison of GOS-E scores in patients treated with phenytoin or levetiracetam for posttraumatic seizure prophylaxis after traumatic brain injury. *Ann Pharmacother*. 2014;48:1440-4.
- 31. Galanopoulou, A.S, Buckmaster, P.S., Staley, K.J., Moshé, S.L., Perucca, E., Engel, J. Jr., Löscher, W., Noebels, J.L. Pitkänen, A., Stables, J., White, H.S., O'Brien, T.J., and Simonato, M. Identification of new epilepsy treatments: issues in preclinical methodology. *Epilepsia* 53:571-582, 2012.
- 32. Galanopoulou AS, Kokaia M, Loeb JA, et al. Epilepsy therapy development: technical and methodologic issues in studies with animal models. *Epilepsia*. 2013;54 Suppl 4:13-23.
- 33. Galanopoulou AS, Moshé SL (2011) In search of epilepsy biomarkers in the immature brain: goals, challenges, strategies. *Biomarkers Medicine* 5:615-628.
- 34. Giacoppo S, Bramanti P, Barresi M, Celi D, Foti Cuzzola V, Palella E, Marino S. Predictive biomarkers of recovery in traumatic brain injury. *Neurocrit Care* 16;470-477, 2012.
- 35. Gomes WA, Shinnar S. Prospects for imaging-related biomarkers of human epileptogenesis: a critical review. *Biomark Med* 5:599-606.
- 36. Gorter JA, Iyer A, White I, Colzi A, van Vliet EA, Sisodiya S, Aronica E. Hippocampal subregion-specific microRNA expression during epileptogenesis in experimental temporal lobe epilepsy. *Neurobiol Dis* 2014;62:508-20.
- 37. Gupta PK, Sayed N, Ding K, Agostini MA, Van Ness PC, Yablon S, Madden C, Mickey B, D'Ambrosio R, Diaz-Arrastia R. Subtypes of post-traumatic epilepsy: clinical, electrophysiological, and imaging features. *J Neurotrauma* 2014;31:1439-43.
- 38. Haneef, Z., Lenartowicz, A., Yeh, H.J., Engel, J. Jr. and Stern, J.M. Effect of lateralized temporal lobe epilepsy on the default mode network. *Epilepsy & Behavior* 25:350-357, 2012.
- 39. Haneef, Z., Lenartowicz, A., Yeh, H. J., Levin, H. S., Engel, J. Jr. and Stern, J. M. Functional connectivity of hippocampal networks in temporal lobe epilepsy. *Epilepsia* 55:137-145, 2014.
- 40. Hegde M, Lowenstein DH. The search for circulating epilepsy biomarkers. *Biomark Med* 2014;8:413-27.
- 41. Hasturk AE, Yilmaz ER, Turkoglu E, et al. Therapeutic evaluation of interleukin 1-beta antagonist Anakinra against traumatic brain injury in rats. *Ulus Travma Acil Cerrahi Derg.* 2015;21:1-8.
- 42. Hibar, D.P., et al., *Voxelwise gene-wide association study (vGeneWAS): multivariate gene-based association testing in 731 elderly subjects. Neuroimage* 56;1875-1891, 2011.
- 43. Ho, A.J., et al., Comparing 3 T and 1.5 T MRI for tracking Alzheimer's disease progression with tensor-based morphometry. Human Brain Mapping, 2010. **31**(4): p. 499-514.
- 44. Holtman L. van Vliet EA, Aronica E, Wouters D, Wadman WJ, Gorter JA. Blood plasma inflammation markers during epileptogenesis in post-status epilepticus rat model for temporal lobe epilepsy. *Epilepsia* 2013;54:589-95.
- 45. Hovda DA (1996) Metabolic Dysfunction. In: *Neurotrauma* (Narayan RK, Wilberger JE, Povlishock JT, eds), New York: McGraw-Hill, Inc., pp 1459-1478.
- 46. Huneau C, Benquet P, Dieuset G, Biraben A, Martin B, Wendling F. Shape features of epileptic spikes are a marker of epileptogenesis in mice. *Epilepsia* 2013;54:2219-27.
- 47. Immonen RJ et al. (2009) Quantitative MRI predicts long-term structural and functional outcome after experimental traumatic brain injury. *NeuroImage* 45(1):1-9.

- 48. Immonen R, Kharatishvili I, Gröhn O, Pitkänen A. MRI biomarkers for post-traumatic epileptogenesis. J *Neurotrauma* 2013;30:1305-9.
- 49. Jennett, B: Epilepsy after Non-missile Head Injuries, ed 2. Chicago: William Heinemann, 1975, p 179.
- 50. Jiang Y, Johnson GA (2010) Microscopic diffuson tensor imaging of the mouse brain. *NeuroImage* 50(2):465-471.
- 51. Kharatishvili I et al. (2007) Quantitative diffusion MRI of hippocampus as a surrogate marker for post-traumatic epileptogenesis. *Brain* 130(Pt 12):3155-3168.
- 52. Kilkenny C, Browne WJ, Cuthill IC, et al. Improving bioscience research reporting: the ARRIVE guidelines for reporting animal research. *PLoS Biol.* 2010;8:e1000412.
- 53. Kochanek PM, Bramlett H, Dietrich WD, Dixon CE, Hayes RL, Povlishock J, Tortella FC, Wang KK. A novel multicenter preclinical drug screening and biomarker consortium for experimental traumatic brain injury: operation brain trauma therapy. *J Trauma*. 2011 Jul;71(1 Suppl):S15-24.
- 54. Kou Z, Wu Z, Tong KA, Holshouser B, Benson RR, Hu J, Haacke EM. The role of advanced MR imaging findings as biomarkers of traumatic brain injury. *J Head Trauma Rehabil*. 2010 Jul-Aug;25(4):267-82.
- 55. Lamar CD, Hurley RA, Rowland JA, Taber KH. Post-traumatic epilepsy: review of risks, pathophysiology, and potential biomarkers. *J Neuropsychiatry Clin Neurosci* 2014;26:iv-113.
- 56. Landis SC, Amara SG, Asadullah K, et al. A call for transparent reporting to optimize the predictive value of preclinical research. *Nature*. 2012;490:187-91.
- 57. Laufs H, Richardson MP, Salek-Haddadi A, Vollmar C, Duncan JS, Gale K, Lemieux L. Löscher W, Koepp MJ. Converging PET and fMRI evidence for a common area involved in human focal epilepsies *Neurology* 2011;77:904-10.
- 58. Li HH, Lee SM, Cai Y, Sutton RL, Hovda DA (2004) Differential Gene Expression in Hippocampus following Experimental Brain Trauma Reveals Distinct Features of Moderate and Severe Injuries. *J Neurotrauma* 21:1141-1153.
- 59. Lin JJ, Salamon N, Lee AD, Dutton RA, Geaga JA, Hayashi KM, Luders E, Toga AW, Engel J Jr, Thompson PM (2007). Reduced neocortical thickness and complexity mapped in mesial temporal lobe epilepsy with hippocampal sclerosis, *Cerebral Cortex* 2007;17:2007-18.
- 60. Lin, J.J., Salamon, N., Dutton, R.A., Lee, A.D., Geaga, J.A., Hayashi, K.M., Toga, A.W., Engel, J. Jr. and Thompson, P.M. Three-dimensional preoperative maps of hippocampal atrophy predict surgical outcomes in temporal lobe epilepsy. *Neurology* 65:1094-1097, 2005.
- 61. Loeb JA (2011) Identifying targets for preventing epilepsy using systems biology. *Neurosci Lett* 497(3):205-212.
- 62. Löscher, W, and Brandt, C: Prevention or modification of epileptogenesis after brain insults: Experimental approaches and translational research. *Pharmacological Rev* 62:668-700, 2010.
- 63. Lukasiuk K. Becker AJ. Molecular biomarkers of epileptogenesis. Neurotherapeutics 2014;11:319-23.
- 64. McIntosh TK, Vink R, Noble L, Yamakami I, Fernyak S, Soares H, Faden AL. Traumatic brain injury in the rat: characterization of a lateral fluid-percussion model. *Neuroscience*. 1989;28:233-44.
- 65. Mori S et al. (2008) Stereotaxic white matter atlas based on diffusor tensor imaging in an ICBM template. *NeuroImage* 40(2):570-582.
- 66. Morra, J.H., et al., Automated mapping of hippocampal atrophy in 1-year repeat MRI data from 490 subjects with Alzheimer's disease, mild cognitive impairment, and elderly controls. NeuroImage, 2009. **45**(1 Suppl).
- 67. Murray CJL, Lopez AD, eds. *Global Comparative Assessment in the Health Sector; Disease Burden, Expenditures, and Intervention Packages.* Geneva: World Health Organization, 1994.
- 68. Narayan RK, Michel ME, Ansell B, Baethmann A, Biegon A, Bracken MB, Bullock MR, Choi SC, Clifton GL, Contant CF, Coplin WM, Dietrich WD, Ghajar J, Grady SM, Grossman RG, Hall ED, Heetderks W, Hovda DA, Jallo J, Katz RK, Knoller N, Kochanek PM, Maas AI, Majde J, Marion DW, Marmarou A, Marshall LF, McIntosh TK, Miller E, Mohberg N, Muizelaar JP, Pitts LH, Quinn P, Riesenfeld G, Robertson CS, Strauss KI, Teasdale G, Temkin N, Tuma R, Wade C, Walker MD, Weinrich M, Whyte J, Wilberger J, Young AB, Yurkewicz L (2002) Clinical Trials in Head Injury. *J Neurotrauma* 19:503-557
- 69. Nash, T.E., Mehanty, S., Loeb, J.A., Theodore, W., Friedman, A., Sander, J.W., Singh, G., Cavaljeiro, E., Del Brutto, O., Takanagui, O., Fleury, A., Verastegui, M., Preux, P.M., Montano, S., Pretell, E.J., Whiyte, A.C., Gonzlaes, D.V.M., Gilman, R.H., and Garcia., H.H., Neurocysticersosis: A natural human model of epileptogenesis. *Epilepsia* 56;177-183, 2015.

- 70. Nehlig, A., Hippocampal MRI and other structural biomarkers: experimental approach to epileptogenesis. *Biomark Med* 5:585-598, 2011.
- 71. Ng B et al. Shape analysis for brain structures. *Shape Analysis in Medical Image Analysis*. Springer International Publishing, 2014, 3-49.
- 72. Obenaus A. Neuroimaging biomarkers for epilepsy: advances and relevance to glial cells. *Neurochem Int* 2013;63:712-8.
- 73. Ogren JA, Bragin A, Wilson CL, C.L., Hoftman, G.D., Lin, J.J., Dutton, R.A., Fields, T.A., Toga, A.W., Thompson, P.M., Engel, J. Jr. and Staba, R.J. (2009). Three-dimensional hippocampal atrophy maps distinguish two common temporal lobe seizure-onset patterns. *Epilepsia* 50: 1361-1370.
- 74. Pitkänen, A: Therapeutic approaches to epileptogenesis—hope on the horizon. *Epilepsia* 51(Suppl 3):2-17, 2010.
- 75. Pitkänen A, Engel J Jr. Past and present definitions of epileptogenesis and its biomarkers. *Neurotherapeutics*. 11:231-41, 2014. PMCID: PMC3996117.
- 76. Pitkänen A and Lukasiuk K (2011) Mechanisms of epileptogenesis and potential treatment targets. *Lancet Neurol* 10(2):173-186.
- 77. Pitkänen A and Lukasiuk K (2011) Molecular biomarkers of epileptogenesis. *Biomark Med* 5(5):629-633.
- 78. Pitkänen A, Nehlig A, Brooks-Kayal AR, Dudek FE, Friedman D, Galanopoulou AS, Jensen FE, Kaminski RM, Kapur J, Klitgaard H, Löscher W, Mody I, Schmidt D. Issues related to development of antiepileptogenic therapies. *Epilepsia*. 2013 Aug;54 Suppl 4:35-43
- 79. Pouratian, N., et al., *Multi-institutional evaluation of deep brain stimulation targeting using probabilistic connectivity-based thalamic segmentation. Journal of Neurosurgery*, 2011: p. 1-10.
- 80. Rakhade, SN, Jensen, FE. Epileptogenesis in the immature brain: emerging mechanisms. *Nat Rev Neurol* 5:380-391, 2009.
- 81. Reid, A., Bragin, A., Giza, C., Staba, R. and Engel, J. Jr. The progression of electrophysiological abnormalities during epileptogenesis after experimental traumatic brain injury (submitted).
- 82. Sanderson KL, Raghupathi R, Saatman KE, et al. Interleukin-1 receptor antagonist attenuates regional neuronal cell death and cognitive dysfunction after experimental brain injury. *J Cereb Blood Flow Metab*. 1999;19:1118-25.
- 83. Savic, I. and Engel, J. Jr. Structural and functional correlates of epileptogenesis does gender matter? *Neurobiology of Disease* 70:69-73, 2014. PMCID: PMC3551973
- 84. Shi Y, Lai R, Toga AW. Unified geometry and topology correction for cortical surface reconstruction with intrinsic reeb analysis. Medical image computing and computer-assisted intervention: MICCAL *International Conference on Medical Image Computing and Computer-Assisted Intervention* 15;601-608, 2012.
- 85. Shultz SR, Cardamone L, Liu YR, Hogan RE, Maccotta L, Wright DK, Zheng P, Koe A, Gregoire MC, Williams JP, Hicks RJ, Jones NC, Myers DE, O'Brien TJ, Bouilleret V. Can structural or functional changes following traumatic brain injury in the rat predict epileptic outcome? *Epilepsia*. 2013;54:1240-50
- 86. Shultz SR, Wright DK, Zheng P, et al. Sodium selenate reduces hyperphosphorylated tau and improves outcomes after traumatic brain injury. *Brain*. 2015;138:1297-313.
- 87. Simonato, M., Brooks-Kayal, A.R., Engel, J. Jr., Galanopoulou, A.S., O'Brien, T.J., Pitkänen, A., Wilcox, K.S. and French, J.A. The challenge and promise of preclinical therapy development for epilepsy. *Lancet Neurology* 13;949-960, 2014.
- 88. Staba, R.J., and Bragin, A, *High-frequency oscillations and other electrophysiological biomarkers of epilepsy: underlying mechanisms. Biomarkers Med* 5:545-556, 2011.
- 89. Staba RJ, Stead M, Worrell GA. Electrophysiological biomarkers of epilepsy. *Neurotherapeutics* 2014;11:334-46.
- 90. Szaflarski JP, Nazzal Y, Dreer LE. Post-traumatic epilepsy: current and emerging treatment options. *Neuropsychiatr Dis Treat*. 2014;10:1469-77.
- 91. Temkin NR. Preventing and treating posttraumatic seizures: the human experience. *Epilepsia* 50(Suppl 2):10-13, 2009.
- 92. Thompson K, Pohlmann-Eden B, Campbell LA, et al. Pharmacological treatments for preventing epilepsy following traumatic head injury. *Cochrane Database Syst Rev.* 2015;8:CD009900.

- 93. Vespa PM, McArthur D, O'Phelan K, Glenn T, Etchepare M, Kelly D, Bergsneider M, Martin NA, Hovda DA (2003) Persistently Low Extracellular Glucose Correlates With Poor Outcome 6 Months After Human Traumatic Brain Injury Despite a Lack of Increased Lactate: A Microdialysis Study. *J Cereb Blood Flow Metab* 23:865-877.
- 94. Vespa PM, McArthur DL, Xu Y, Eliseo M, Etchepare M, Dinov I, Alger J, Glenn TP, Hovda D (2010) Nonconvulsive seizures after traumatic brain injury are associated with hippocampal atrophy. *Neurology* 75:792-798.
- 95. Vespa, PM, Nuwer, MR, Nenov, V, Ronne-Engstrom, E, Hovda, DA, Martin, NA, Becker, DP. Increased incidence and impact of nonconvulsive and convulsive seizures after traumatic brain injury as detected by continuous EEG in the intensive care unit. *J Neurosurg* 91:750-760, 1999. PMID: 10541231
- 96. Wagenaar J, Worrell G, Ives Z, Dumpelmann M, Litt B and Schulze-Bonhage A. Collaborating and Sharing Data in Epilepsy Research. *J. Clinical Neurophysiology* 32;235-239, 2015.
- 97. Wang J, Tan L, Tan L, Tian Y, Ma J, Tan CC, Wang HF, Liu Y, Tan MS, Jiang T, Yu JT. Circulating microRNAs are promising novel biomarkers for drug-resistant epilepsy. *Sci Rep* 5;10201, 2015.
- 98. Wang J, Yu JT, Tan L, Tian Y, Ma J, Tan CC, Wang HF, Liu Y, Tan MS, Jiang T, Tan L. Genome-wide circulating microRNA expression profiling indicates biomarkers for epilepsy. *Sci Rep* 5;9522, 2015.
- 99. Wieser, H.-G., Özkara, Ç., Engel, J. Jr., Hauser, A.W., Moshé, S.L., Avanzini, G., Helmstaedter, C., Henry, T.R. and Sperling, M.R. Mesial temporal lobe epilepsy with hippocampal sclerosis: Report of the ILAE Commission on Neurosurgery of Epilepsy. *Epilepsia* 45:695-714, 2004.
- 100. Worrell, G., and Gotman, J, *High-frequency oscillations and other electrophysiological biomarkers: clinical studies. Biomarkers Med* 5:557-566, 2011.
- 101. Yoshino A, Hovda DA, Kawamata T, Katayama Y, Becker DP (1991) Dynamic changes in local cerebral glucose utilization following cerebral concussion in rats: Evidence of a hyper- and subsequent hypometabolic state. *Brain Res* 561:106-119.
- 102. Zhang, J., et al., Longitudinal characterization of brain atrophy of a Huntington's disease mouse model by automated morphological analyses of magnetic resonance images. NeuroImage, 2010. **49**(3): p. 2340-2351.
- 103. Zou H, Brayer SW, Hurwitz M, et al. Neuroprotective, neuroplastic, and neurobehavioral effects of daily treatment with levetiracetam in experimental traumatic brain injury. *Neurorehabil Neural Repair*. 2013;27:878-88.