Re: Rat MCAo

From: Patrick Lyden | plyden@usc.edu

Friday, Jun 4, 3:43 PM

To: Naomi Sta Maria | nstamari@usc.edu, Russell E. Jacobs | jacobsr@usc.edu
Cc: Padmesh Rajput | prajput@usc.edu, Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

Naomi,

I was able to view the scans from the animal done on 6/3. Then, we looked at the brain after TTC staining and showed the lesion well. The stroke does show up well in the scans you did, but I do not see see a sequence that looks like an ADC/DWI type of scan. Were you able to get the parameters from Russell that match the protocol I got from SPAN? Do we need to tweak it a bit?

Thanks for your help,

PL

Patrick D. Lyden, MD, FAAN, FAHA, FANA
Professor of Physiology and Neuroscience
Professor of Neurology
Zilkha Neurogenetic Institute
Keck School of Medicine of USC
Room 245
MC2821
1501 San Pablo Street
Los Angeles, CA 90089-2821
plyden@usc.edu

From: Russell E. Jacobs | jacobsr@usc.edu

Friday, Jun 4, 4:37 PM

To: Patrick Lyden | plyden@usc.edu, Naomi Sta Maria | nstamari@usc.edu

Cc: Padmesh Rajput | prajput@usc.edu, Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

As I recall, we setup diffusion scans to replicate SPAN – z direction with b values of 0, 500 & 1000. If you can send me the scan numbers, I can check.

rį

From: Patrick Lyden | plyden@usc.edu

To: Naomi Sta Maria I nstamari@usc.edu

Friday, Jun 4, 3:42 PM

Naomi,

I was able to view the scans from the animal done on 6/3. Then, we looked at the brain after TTC staining and showed the lesion well. The stroke does show up well in the scans you did, but I do not see see a sequence that looks like an ADC/DWI type of scan. Were you able to get the parameters from Russell that match the protocol I got from SPAN? Do we need to tweak it a bit?

Thanks for your help,

PL

Patrick D. Lyden, MD, FAAN, FAHA, FANA Professor of Physiology and Neuroscience Professor of Neurology Zilkha Neurogenetic Institute Keck School of Medicine of USC Room 245 MC2821 1501 San Pablo Street Los Angeles, CA 90089-2821 plyden@usc.edu

From: Russell E. Jacobs | jacobsr@usc.edu

Friday, Jun 4, 7:55 PM

To: Patrick Lyden | plyden@usc.edu, Naomi Sta Maria | nstamari@usc.edu

Cc: Padmesh Rajput | prajput@usc.edu, Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

Naomi tells me that for subject 1717 the DWI is scan 28028.

I checked and it is a DWI with the attached btable. Table indicates that there are three "sub scans" with b-values 1000, 0 & 500 with weighting in z direction. SNR is pretty marginal – we'll have to look into that issue.

rį

From: **Patrick Lyden** | plyden@usc.edu To: **Naomi Sta Maria** | nstamari@usc.edu

Friday, Jun 4, 3:42 PM

Naomi,

I was able to view the scans from the animal done on 6/3. Then, we looked at the brain after TTC staining and showed the lesion well. The stroke does show up well in the scans you did, but I do not see see a sequence that looks like an ADC/DWI type of scan. Were you able to get the parameters from Russell that match the protocol I got from SPAN? Do we need to tweak it a bit?

Thanks for your help,

plyden@usc.edu

PL

Patrick D. Lyden, MD, FAAN, FAHA, FANA Professor of Physiology and Neuroscience Professor of Neurology Zilkha Neurogenetic Institute Keck School of Medicine of USC Room 245 MC2821 1501 San Pablo Street Los Angeles, CA 90089-2821