Re: [External] SPAN: U lowa TTC analysis Assignment requested 7/22/21

From: Karisma A Nagarkatti I nagarkat@usc.edu

Friday, Jul 9, 9:46 AM

- To: Dhanesha, Nirav A | nirav-dhanesha@uiowa.edu, Chauhan, Anil | anil-chauhan@uiowa.edu, Leira, Enrique C | enrique-leira@uiowa.edu
- Cc: Patrick Lyden | plyden@usc.edu, Jessica Lamb | lambj@usc.edu, cayata@mgh.harvard.edu | cayata@mgh.harvard.edu, Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

From:

Hi Nirav,

We are writing to kindly ask for your help in validating our image analysis pipeline by providing manual segmentations of brain and lesion extent from our TTC-stained tissue images. LONI has built an online tool for drawing outlines, and there are about 140 single coronal slices stained with TTC that we ask each site to help annotate. You can follow the link below and use the given username and password to login:

<url> : www.spinhub.io/span-colab-24842

<username>:

span

<password>:

q1KdsT4nYt8dCFih

There is an instructional video on the site that describes and demonstrates how to use the tool. Some slices may be poorly stained or have missing parts. Please use your best judgement in defining the brain and lesion outlines, like when you are measuring infarct volumes for your own projects. Whatever rules you follow when outlining the slices, please apply to all brains. If there is no lesion, you can skip that label, but every image should have at least a brain label. You may also label any other features that you find relevant using a custom label. Your work will be saved automatically to the server, so you won't have to worry about sending results back to us. **Please let the coordinating center know when you are finished with the task.** It should take 30 seconds to 1 minute per image, so the task should take less than two hours. If you leave the site, you can return and find your previous work, but you will need to skip ahead to the image where you left off.

If you have any questions you can email Ryan Cabeen at <u>rcabeen@loni.usc.edu</u>. Your help with this is very much appreciated!

Best wishes, the CC

From:

From: Dhanesha, Nirav A I nirav-dhanesha@uiowa.edu

Friday, Jul 9, 10:16 AM

To: Karisma A Nagarkatti I nagarkat@usc.edu, Ryan Cabeen I Ryan.Cabeen@loni.usc.edu

Cc: Jessica Lamb | lambj@usc.edu, Chauhan, Anil | anil-chauhan@uiowa.edu, Leira, Enrique C | enrique-leira@uiowa.edu

Thanks for the opportunity, happy to do this.


I have one question:

Are these slices are arranged for right side infarctions? In other words, should I label lesion on right or left or both side?

For example, the below image (taken from the LONI) white part is visible on both the side. In such case what is the best way to label infarction?

Kindly advise

Nirav



From: Karisma A Nagarkatti I nagarkat@usc.edu

To: Dhanesha

Friday, Jul 9, 11:46 AM

Hi Nirav,

We are writing to kindly ask for your help in validating our image analysis pipeline by providing manual segmentations of brain and lesion extent from our TTC-stained tissue images. LONI has built an online tool for drawing outlines, and there are about 140 single coronal slices stained with TTC that we ask each site to help annotate. You can follow the link below and use the given username and password to login:

<url> : http://www.spinhub.io/span-colab-24842

<username>:

span

<password>:

q1KdsT4nYt8dCFih

There is an instructional video on the site that describes and demonstrates how to use the tool. Some slices may

be poorly stained or have missing parts. Please use your best judgement in defining the brain and lesion outlines, like when you are measuring infarct volumes for your own projects. Whatever rules you follow when outlining the slices, please apply to all brains. If there is no lesion, you can skip that label, but every image should have at least a brain label. You may also label any other features that you find relevant using a custom label. Your work will be saved automatically to the server, so you won't have to worry about sending results back to us. **Please let the coordinating center know when you are finished with the task.** It should take 30 seconds to 1 minute per image, so the task should take less than two hours. If you leave the site, you can return and find your previous work, but you will need to skip ahead to the image where you left off.

If you have any questions you can email Ryan Cabeen at <u>rcabeen@loni.usc.edu</u>. Your help with this is very much appreciated!

Best wishes, the CC

Notice: This UI Health Care e-mail (including attachments) is covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521 and is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If you are not the intended recipient, any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately and delete or destroy all copies of the original message and attachments thereto. Email sent to or from UI Health Care may be retained as required by law or regulation. Thank you.

From:

From: Ryan Cabeen | ryan.cabeen@loni.usc.edu

Friday, Jul 9, 6:05 PM

To: Ayata, Cenk, M.D. I cayata@mgh.harvard.edu

Cc: Jessica Lamb | lambi@usc.edu, Karisma A Nagarkatti | nagarkat@usc.edu, Patrick Lyden | plyden@usc.edu

Hi all,

Just wanted to check in about the question from Nirav below about doing TTC annotation. Perhaps we should decide together how to field these?

My inclination is to give raters as little guidance as possible, so as to avoid biasing the labeling process. We could tell them that the consecutive slices come from the same specimen, and perhaps also, that it is okay to not label lesion, since they might not realize that some sections have none.

What do you think?

Ryan P. Cabeen, PhD
Chan Zuckerberg Imaging Scientist
Assistant Professor of Research Neurology

Laboratory of Neuro Imaging
USC Stevens Neuroimaging and Informatics Institute
Keck School of Medicine of USC
University of Southern California
2025 Zonal Ave.

Los Angeles, CA 90033 Tel: (323) 44-BRAIN

Email: rcabeen@loni.usc.edu

Web: <u>cabeen.io</u> <u>www.ini.usc.edu</u>

From: Nirav A I nirav-dhanesha@uiowa.edu

Friday, Jul 9, 10:16 AM

Thanks for the opportunity, happy to do this.

I have one question:

Are these slices are arranged for right side infarctions? In other words, should I label lesion on right or left or both side?

For example, the below image (taken from the LONI) white part is visible on both the side. In such case what is the best way to label infarction?

Kindly advise

Nirav

<image003.png>

From: Karisma A Nagarkatti I nagarkat@usc.edu

To: **Dhanesha**

Friday, Jul 9, 11:46 AM

Hi Nirav,

We are writing to kindly ask for your help in validating our image analysis pipeline by providing manual segmentations of brain and lesion extent from our TTC-stained tissue images. LONI has built an online tool for drawing outlines, and there are about 140 single coronal slices stained with TTC that we ask each site to help annotate. You can follow the link below and use the given username and password to login:

<url> : http://www.spinhub.io/span-colab-24842

<username>:

span

<password>:

q1KdsT4nYt8dCFih

There is an instructional video on the site that describes and demonstrates how to use the tool. Some slices may

be poorly stained or have missing parts. Please use your best judgement in defining the brain and lesion outlines, like when you are measuring infarct volumes for your own projects. Whatever rules you follow when outlining the slices, please apply to all brains. If there is no lesion, you can skip that label, but every image should have at least a brain label. You may also label any other features that you find relevant using a custom label. Your work will be saved automatically to the server, so you won't have to worry about sending results back to us. **Please let the coordinating center know when you are finished with the task.** It should take 30 seconds to 1 minute per image, so the task should take less than two hours. If you leave the site, you can return and find your previous work, but you will need to skip ahead to the image where you left off.

If you have any questions you can email Ryan Cabeen at <u>rcabeen@loni.usc.edu</u>. Your help with this is very much appreciated!

Best wishes, the CC

Notice: This UI Health Care e-mail (including attachments) is covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521 and is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If you are not the intended recipient, any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately and delete or destroy all copies of the original message and attachments thereto. Email sent to or from UI Health Care may be retained as required by law or regulation. Thank you.

From:

From: Ayata, Cenk, M.D. | CAYATA@mgh.harvard.edu

Friday, Jul 9, 8:36 PM

To: Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

Cc: Jessica Lamb (USC) | lambj@usc.edu, Karisma Nagarkatti (USC) | nagarkat@usc.edu, Patrick Lyden (USC) | plyden@usc.edu

Well, it is a double edged sword. I agree we do not want to create bias by leading them, since we would like to make a point in the paper that TTC analyses suck.

However, if we leave them completely alone, I suspect the TTC-MRI correlation will also suck, which beats the purpose of doing a " validation" pilot.

In other words, for validation we need the real TTC lesion outlined. For showing superiority of MRI, we need real world simulation.

My suggestion:

- 1) Indicate consecutive sections from same brain, since in the real world this is something an investigator would know.
- 2) Indicate which side the infarct is on, since in the real world this is also something an investigator would know.
- 3) If they do not see a convincing lesion, they should not label.

4) We run two analyses: a) entire sample of TTCs (good and bad technique) and use this as a real world simulation; b) select a sufficiently high quality TTC subset (good section without distortion or missing pieces + good staining with clear contrast to identify the infarct) and use this for validation.

Thoughts?

С

The information in this e-mail is intended only for the person to whom it is addressed. If you believe this e-mail was sent to you in error and the e-mail contains patient information, please contact the Mass General Brigham Compliance HelpLine at www.massgeneralbrigham.org/complianceline. If the e-mail was sent to you in error but does not contain patient information, please contact the sender and properly dispose of the e-mail.

Please note that this e-mail is not secure (encrypted). If you do not wish to continue communication over unencrypted e-mail, please notify the sender of this message immediately. Continuing to send or respond to e-mail after receiving this message means you understand and accept this risk and wish to continue to communicate over unencrypted e-mail.

From: Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

Friday, Jul 9, 9:05 PM

External Email - Use Caution

Hi all,

Just wanted to check in about the question from Nirav below about doing TTC annotation. Perhaps we should decide together how to field these?

My inclination is to give raters as little guidance as possible, so as to avoid biasing the labeling process. We could tell them that the consecutive slices come from the same specimen, and perhaps also, that it is okay to not label lesion, since they might not realize that some sections have none.

What do you think?

Ryan P. Cabeen, PhD
Chan Zuckerberg Imaging Scientist
Assistant Professor of Research Neurology
Laboratory of Neuro Imaging
USC Stevens Neuroimaging and Informatics Institute
Keck School of Medicine of USC
University of Southern California
2025 Zonal Ave.
Los Angeles, CA 90033

Tel: (323) 44-BRAIN

Email: rcabeen@loni.usc.edu

Web: <u>cabeen.io</u> <u>www.ini.usc.edu</u>

From: Nirav A I nirav-dhanesha@uiowa.edu

Friday, Jul 9, 10:16 AM

Thanks for the opportunity, happy to do this.

I have one question:

Are these slices are arranged for right side infarctions? In other words, should I label lesion on right or left or both side?

For example, the below image (taken from the LONI) white part is visible on both the side. In such case what is the best way to label infarction?

Kindly advise

Nirav

<image003.png>

From: Karisma A Nagarkatti I nagarkat@usc.edu To: Dhanesha Friday, Jul 9, 11:46 AM

Hi Nirav,

We are writing to kindly ask for your help in validating our image analysis pipeline by providing manual segmentations of brain and lesion extent from our TTC-stained tissue images. LONI has built an online tool for drawing outlines, and there are about 140 single coronal slices stained with TTC that we ask each site to help annotate. You can follow the link below and use the given username and password to login:

<url> : http://www.spinhub.io/span-colab-24842

<username>:

span

<password>:

q1KdsT4nYt8dCFih

There is an instructional video on the site that describes and demonstrates how to use the tool. Some slices may be poorly stained or have missing parts. Please use your best judgement in defining the brain and lesion outlines, like when you are measuring infarct volumes for your own projects. Whatever rules you follow when outlining the slices, please apply to all brains. If there is no lesion, you can skip that label, but every image should have at least a brain label. You may also label any other features that you find relevant using a custom label. Your work will be saved automatically to the server, so you won't have to worry about sending results back to us. **Please let the coordinating center know when you are finished with the task.** It should take 30 seconds to 1 minute per image, so the task should take less than two hours. If you leave the

site, you can return and find your previous work, but you will need to skip ahead to the image where you left off.

If you have any questions you can email Ryan Cabeen at <u>rcabeen@loni.usc.edu</u>. Your help with this is very much appreciated!

Best wishes, the CC

Notice: This UI Health Care e-mail (including attachments) is covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521 and is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If you are not the intended recipient, any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately and delete or destroy all copies of the original message and attachments thereto. Email sent to or from UI Health Care may be retained as required by law or regulation. Thank you.

From:

From: Patrick Lyden | plyden@usc.edu

Saturday, Jul 10, 5:35 AM

To: Ayata, Cenk, M.D. | CAYATA@mgh.harvard.edu, Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

Cc: Jessica Lamb | lambj@usc.edu, Karisma A Nagarkatti | nagarkat@usc.edu

I agree with the plan as given by Cenk. It is not "real world" to give them sections out of order, or without right and left labelled, although in retrospect that is exactly how prior investigators SHOULD have done TTC staining. But I agree with Cenk, we need to show "real-world" TTC imaging, and then use a subset of 'best case' TTC images to know how well our MRI lesion volumes correlate.

Р

From: Ayata | CAYATA@mgh.harvard.edu

To: Ryan.Cabeen@loni.usc.edu

Friday, Jul 9, 11:36 PM

Well, it is a double edged sword. I agree we do not want to create bias by leading them, since we would like to make a point in the paper that TTC analyses suck.

However, if we leave them completely alone, I suspect the TTC-MRI correlation will also suck, which beats the purpose of doing a " validation" pilot.

In other words, for validation we need the real TTC lesion outlined. For showing superiority of MRI, we need real world simulation.

My suggestion:

- 1) Indicate consecutive sections from same brain, since in the real world this is something an investigator would know.
- 2) Indicate which side the infarct is on, since in the real world this is also something an investigator would know.

- 3) If they do not see a convincing lesion, they should not label.
- 4) We run two analyses: a) entire sample of TTCs (good and bad technique) and use this as a real world simulation; b) select a sufficiently high quality TTC subset (good section without distortion or missing pieces + good staining with clear contrast to identify the infarct) and use this for validation.

Thoughts?

C

The information in this e-mail is intended only for the person to whom it is addressed. If you believe this e-mail was sent to you in error and the e-mail contains patient information, please contact the Mass General Brigham Compliance HelpLine at http://www.massgeneralbrigham.org/complianceline. If the e-mail was sent to you in error but does not contain patient information, please contact the sender and properly dispose of the e-mail.

Please note that this e-mail is not secure (encrypted). If you do not wish to continue communication over unencrypted e-mail, please notify the sender of this message immediately. Continuing to send or respond to e-mail after receiving this message means you understand and accept this risk and wish to continue to communicate over unencrypted e-mail.

From: Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

Friday, Jul 9, 9:05 PM

External Email - Use Caution

Hi all,

Just wanted to check in about the question from Nirav below about doing TTC annotation. Perhaps we should decide together how to field these?

My inclination is to give raters as little guidance as possible, so as to avoid biasing the labeling process. We could tell them that the consecutive slices come from the same specimen, and perhaps also, that it is okay to not label lesion, since they might not realize that some sections have none.

What do you think?

Ryan P. Cabeen, PhD
Chan Zuckerberg Imaging Scientist
Assistant Professor of Research Neurology
Laboratory of Neuro Imaging
USC Stevens Neuroimaging and Informatics Institute
Keck School of Medicine of USC
University of Southern California
2025 Zonal Ave.
Los Angeles, CA 90033

Tel: (323) 44-BRAIN

Email: rcabeen@loni.usc.edu

Web: http://cabeen.io www.ini.usc.edu

From: Nirav A I nirav-dhanesha@uiowa.edu

Friday, Jul 9, 10:16 AM

Thanks for the opportunity, happy to do this.

I have one question:

Are these slices are arranged for right side infarctions? In other words, should I label lesion on right or left or both side?

For example, the below image (taken from the LONI) white part is visible on both the side. In such case what is the best way to label infarction?

Kindly advise

Nirav

<image003.png>

From: Karisma A Nagarkatti I nagarkat@usc.edu

To: **Dhanesha** Fric

Friday, Jul 9, 11:46 AM

Hi Nirav,

We are writing to kindly ask for your help in validating our image analysis pipeline by providing manual segmentations of brain and lesion extent from our TTC-stained tissue images. LONI has built an online tool for drawing outlines, and there are about 140 single coronal slices stained with TTC that we ask each site to help annotate. You can follow the link below and use the given username and password to login:

<url> : http://www.spinhub.io/span-colab-24842

<username>:

span

<password>:

q1KdsT4nYt8dCFih

There is an instructional video on the site that describes and demonstrates how to use the tool. Some slices may be poorly stained or have missing parts. Please use your best judgement in defining the brain and lesion outlines, like when you are measuring infarct volumes for your own projects. Whatever rules you follow when outlining the slices, please apply to all brains. If there is no lesion, you can skip that label, but every image should have at least a brain label. You may also label any other features that you find relevant using a custom label. Your work will be saved automatically to the server, so you won't have to worry about sending results back to us. **Please let the coordinating center know when you are finished with the**

task. It should take 30 seconds to 1 minute per image, so the task should take less than two hours. If you leave the site, you can return and find your previous work, but you will need to skip ahead to the image where you left off.

If you have any questions you can email Ryan Cabeen at <u>rcabeen@loni.usc.edu</u>. Your help with this is very much appreciated!

Best wishes, the CC

Notice: This UI Health Care e-mail (including attachments) is covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521 and is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If you are not the intended recipient, any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately and delete or destroy all copies of the original message and attachments thereto. Email sent to or from UI Health Care may be retained as required by law or regulation. Thank you.

From:

From: Ayata, Cenk, M.D. | CAYATA@mgh.harvard.edu

Monday, Jul 12, 6:46 PM

To: Patrick Lyden (USC) | plyden@usc.edu

Cc: Ryan Cabeen | Ryan.Cabeen@loni.usc.edu, Jessica Lamb (USC) | lambj@usc.edu, Karisma Nagarkatti (USC) | nagarkat@usc.edu

Ryan, Karisma,

Is there a way to label R/L and put the sections in order, if they are not already?

We need to get this done soon, I don't think we should make the staff do the outlining twice.

Let me know your thoughts...

Thanks,

С

The information in this e-mail is intended only for the person to whom it is addressed. If you believe this e-mail was sent to you in error and the e-mail contains patient information, please contact the Mass General Brigham Compliance HelpLine at www.massgeneralbrigham.org/complianceline. If the e-mail was sent to you in error but does not contain patient information, please contact the sender and properly dispose of the e-mail.

Please note that this e-mail is not secure (encrypted). If you do not wish to continue communication over unencrypted e-mail, please notify the sender of this message immediately. Continuing to send or respond to e-mail after receiving this message means you understand and accept this risk and wish to continue to communicate over unencrypted e-mail.

From: Patrick Lyden | plyden@usc.edu

Saturday, Jul 10, 8:35 AM

I agree with the plan as given by Cenk. It is not "real world" to give them sections out of order, or without right and left labelled, although in retrospect that is exactly how prior investigators SHOULD have done TTC staining. But I agree with Cenk, we need to show "real-world" TTC imaging, and then use a subset of 'best case' TTC images to know how well our MRI lesion volumes correlate.

Р

From: Ayata | CAYATA@mgh.harvard.edu

To: Ryan.Cabeen@loni.usc.edu

Friday, Jul 9, 11:36 PM

Well, it is a double edged sword. I agree we do not want to create bias by leading them, since we would like to make a point in the paper that TTC analyses suck.

However, if we leave them completely alone, I suspect the TTC-MRI correlation will also suck, which beats the purpose of doing a "validation" pilot.

In other words, for validation we need the real TTC lesion outlined. For showing superiority of MRI, we need real world simulation.

My suggestion:

- 1) Indicate consecutive sections from same brain, since in the real world this is something an investigator would know.
- 2) Indicate which side the infarct is on, since in the real world this is also something an investigator would know.
- 3) If they do not see a convincing lesion, they should not label.
- 4) We run two analyses: a) entire sample of TTCs (good and bad technique) and use this as a real world simulation; b) select a sufficiently high quality TTC subset (good section without distortion or missing pieces + good staining with clear contrast to identify the infarct) and use this for validation.

Thoughts?

С

The information in this e-mail is intended only for the person to whom it is addressed. If you believe this e-mail was sent to you in error and the e-mail contains patient information, please contact the Mass General Brigham Compliance HelpLine at http://www.massgeneralbrigham.org/complianceline. If the e-mail was sent to you in error but does not contain patient information, please contact the sender and properly dispose of the e-mail.

Please note that this e-mail is not secure (encrypted). If you do not wish to continue communication over unencrypted e-mail, please notify the sender of this message immediately. Continuing to send or respond to e-mail after receiving this message means you understand and accept this risk and wish to continue to communicate over unencrypted e-mail.

From: Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

Friday, Jul 9, 9:05 PM

External Email - Use Caution

Hi all,

Just wanted to check in about the question from Nirav below about doing TTC annotation. Perhaps we should decide together how to field these?

My inclination is to give raters as little guidance as possible, so as to avoid biasing the labeling process. We could tell them that the consecutive slices come from the same specimen, and perhaps also, that it is okay to not label lesion, since they might not realize that some sections have none.

What do you think?

Ryan P. Cabeen, PhD
Chan Zuckerberg Imaging Scientist
Assistant Professor of Research Neurology
Laboratory of Neuro Imaging
USC Stevens Neuroimaging and Informatics Institute
Keck School of Medicine of USC
University of Southern California
2025 Zonal Ave.

Los Angeles, CA 90033 Tel: (323) 44-BRAIN

Email: rcabeen@loni.usc.edu

Web: http://cabeen.io
http://www.ini.usc.edu

From: Nirav A I nirav-dhanesha@uiowa.edu

Friday, Jul 9, 10:16 AM

Thanks for the opportunity, happy to do this.

I have one question:

Are these slices are arranged for right side infarctions? In other words, should I label lesion on right or left or both side?

For example, the below image (taken from the LONI) white part is visible on both the side.

In such case what is the best way to label infarction?

Kindly advise

Nirav

From: Karisma A Nagarkatti I nagarkat@usc.edu To: Dhanesha Friday, Jul 9, 11:46 AM

Hi Nirav,

We are writing to kindly ask for your help in validating our image analysis pipeline by providing manual segmentations of brain and lesion extent from our TTC-stained tissue images. LONI has built an online tool for drawing outlines, and there are about 140 single coronal slices stained with TTC that we ask each site to help annotate. You can follow the link below and use the given username and password to login:

<url> : http://www.spinhub.io/span-colab-24842

<username>:

span

<password>:

q1KdsT4nYt8dCFih

There is an instructional video on the site that describes and demonstrates how to use the tool. Some slices may be poorly stained or have missing parts. Please use your best judgement in defining the brain and lesion outlines, like when you are measuring infarct volumes for your own projects. Whatever rules you follow when outlining the slices, please apply to all brains. If there is no lesion, you can skip that label, but every image should have at least a brain label. You may also label any other features that you find relevant using a custom label. Your work will be saved automatically to the server, so you won't have to worry about sending results back to us. **Please let the coordinating center know when you are finished with the task.** It should take 30 seconds to 1 minute per image, so the task should take less than two hours. If you leave the site, you can return and find your previous work, but you will need to skip ahead to the image where you left off.

If you have any questions you can email Ryan Cabeen at <u>rcabeen@loni.usc.edu</u>. Your help with this is very much appreciated!

Best wishes, the CC

Notice: This UI Health Care e-mail (including attachments) is covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521 and is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If you are not the intended recipient, any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately and delete or destroy all copies of the original message and attachments thereto. Email sent to or from UI Health Care may be retained as required by law or regulation. Thank you.



From: Ryan Cabeen | ryan.cabeen@loni.usc.edu

Monday, Jul 12, 7:03 PM

To: Patrick Lyden (USC) | plyden@usc.edu, Ayata, Cenk, M.D. | CAYATA@mgh.harvard.edu Cc: Jessica Lamb (USC) | lambj@usc.edu, Karisma Nagarkatti (USC) | nagarkat@usc.edu

That all sounds reasonable to me — the images are already in order and each rate has the full set for each case they were assigned, so perhaps we can recommend going ahead a few sections to check when they are not sure?

It might be more difficult to label/reorient the images though. I considered this initially, but the full images were not labeled left and right, and there were quite a few cases where I couldn't tell myself which side had the lesion (and otherwise the visible lesions were mixed left and right in the view from the camera). It would also involve rebuilding the websites to change the images, fyi.

Ryan P. Cabeen, PhD
Chan Zuckerberg Imaging Scientist
Assistant Professor of Research Neurology
Laboratory of Neuro Imaging
USC Stevens Neuroimaging and Informatics Institute
Keck School of Medicine of USC
University of Southern California
2025 Zonal Ave.
Los Angeles, CA 90033

Los Angeles, CA 90033

Tel: (323) 44-BRAIN

Email: rcabeen@loni.usc.edu

Web: <u>cabeen.io</u> <u>www.ini.usc.edu</u>

From: CAYATA@mgh.harvard.edu

Monday, Jul 12, 6:46 PM

Ryan, Karisma,

Is there a way to label R/L and put the sections in order, if they are not already?

We need to get this done soon, I don't think we should make the staff do the outlining twice.

Let me know your thoughts...

Thanks,

С

The information in this e-mail is intended only for the person to whom it is addressed. If you believe this e-mail was sent to you in error and the e-mail contains patient information, please contact the Mass General Brigham Compliance HelpLine at www.massgeneralbrigham.org/complianceline. If the e-mail was sent to you in error but does not contain patient information, please contact the sender and properly dispose of the e-mail.

Please note that this e-mail is not secure (encrypted). If you do not wish to continue communication over unencrypted e-mail, please notify the sender of this message immediately. Continuing to send or respond to e-

mail after receiving this message means you understand and accept this risk and wish to continue to communicate over unencrypted e-mail.

From: Patrick Lyden | plyden@usc.edu

Saturday, Jul 10, 8:35 AM

External Email - Use Caution

I agree with the plan as given by Cenk. It is not "real world" to give them sections out of order, or without right and left labelled, although in retrospect that is exactly how prior investigators SHOULD have done TTC staining. But I agree with Cenk, we need to show "real-world" TTC imaging, and then use a subset of 'best case' TTC images to know how well our MRI lesion volumes correlate.

Ρ

From: **Ayata** | CAYATA@mgh.harvard.edu

To: Ryan.Cabeen@loni.usc.edu

Friday, Jul 9, 11:36 PM

Well, it is a double edged sword. I agree we do not want to create bias by leading them, since we would like to make a point in the paper that TTC analyses suck.

However, if we leave them completely alone, I suspect the TTC-MRI correlation will also suck, which beats the purpose of doing a "validation" pilot.

In other words, for validation we need the real TTC lesion outlined. For showing superiority of MRI, we need real world simulation.

My suggestion:

- 1) Indicate consecutive sections from same brain, since in the real world this is something an investigator would know.
- 2) Indicate which side the infarct is on, since in the real world this is also something an investigator would know.
- 3) If they do not see a convincing lesion, they should not label.
- 4) We run two analyses: a) entire sample of TTCs (good and bad technique) and use this as a real world simulation; b) select a sufficiently high quality TTC subset (good section without distortion or missing pieces + good staining with clear contrast to identify the infarct) and use this for validation.

Thoughts?

С

The information in this e-mail is intended only for the person to whom it is addressed. If you believe this e-mail was sent to you in error and the e-mail contains patient information, please contact the Mass General Brigham Compliance HelpLine at http://www.massgeneralbrigham.org/complianceline. If the e-mail was sent to you in error but does not contain patient information, please contact the sender and properly dispose of

the e-mail.

Please note that this e-mail is not secure (encrypted). If you do not wish to continue communication over unencrypted e-mail, please notify the sender of this message immediately. Continuing to send or respond to e-mail after receiving this message means you understand and accept this risk and wish to continue to communicate over unencrypted e-mail.

From: Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

Friday, Jul 9, 9:05 PM

External Email - Use Caution

Hi all,

Just wanted to check in about the question from Nirav below about doing TTC annotation. Perhaps we should decide together how to field these?

My inclination is to give raters as little guidance as possible, so as to avoid biasing the labeling process. We could tell them that the consecutive slices come from the same specimen, and perhaps also, that it is okay to not label lesion, since they might not realize that some sections have none.

What do you think?

Ryan P. Cabeen, PhD

Chan Zuckerberg Imaging Scientist

Assistant Professor of Research Neurology

Laboratory of Neuro Imaging

USC Stevens Neuroimaging and Informatics Institute

Keck School of Medicine of USC

University of Southern California

2025 Zonal Ave.

Los Angeles, CA 90033

Tel: (323) 44-BRAIN

Email: rcabeen@loni.usc.edu

Web: http://cabeen.io
http://www.ini.usc.edu

From: Nirav A I nirav-dhanesha@uiowa.edu

Friday, Jul 9, 10:16 AM

Thanks for the opportunity, happy to do this.

I have one question:

Are these slices are arranged for right side infarctions? In other words, should I label lesion on right or left or both side?

For example, the below image (taken from the LONI) white part is visible on both the side. In such case what is the best way to label infarction?

Kindly advise

Nirav

<image003.png>

From: **Karisma A Nagarkatti** I nagarkat@usc.edu To: **Dhanesha** Friday, Jul 9, 11:46 AM

Hi Nirav,

We are writing to kindly ask for your help in validating our image analysis pipeline by providing manual segmentations of brain and lesion extent from our TTC-stained tissue images. LONI has built an online tool for drawing outlines, and there are about 140 single coronal slices stained with TTC that we ask each site to help annotate. You can follow the link below and use the given username and password to login:

<url> : http://www.spinhub.io/span-colab-24842

<username>:

span

<password>:


q1KdsT4nYt8dCFih

There is an instructional video on the site that describes and demonstrates how to use the tool. Some slices may be poorly stained or have missing parts. Please use your best judgement in defining the brain and lesion outlines, like when you are measuring infarct volumes for your own projects. Whatever rules you follow when outlining the slices, please apply to all brains. If there is no lesion, you can skip that label, but every image should have at least a brain label. You may also label any other features that you find relevant using a custom label. Your work will be saved automatically to the server, so you won't have to worry about sending results back to us. **Please let the coordinating center know when you are finished with the task.** It should take 30 seconds to 1 minute per image, so the task should take less than two hours. If you leave the site, you can return and find your previous work, but you will need to skip ahead to the image where you left off.

If you have any questions you can email Ryan Cabeen at <u>rcabeen@loni.usc.edu</u>. Your help with this is very much appreciated!

Best wishes, the CC

Notice: This UI Health Care e-mail (including attachments) is covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521 and is intended only for the use of the individual or



From: Ayata, Cenk, M.D. | CAYATA@mgh.harvard.edu

Monday, Jul 12, 8:40 PM

To: Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

Cc: Patrick Lyden (USC) | plyden@usc.edu, Jessica Lamb (USC) | lambj@usc.edu, Karisma Nagarkatti (USC) | nagarkat@usc.edu

Ok, let's just release what Ryan said to the group in case they wanted to know.

The information in this e-mail is intended only for the person to whom it is addressed. If you believe this e-mail was sent to you in error and the e-mail contains patient information, please contact the Mass General Brigham Compliance HelpLine at www.massgeneralbrigham.org/complianceline. If the e-mail was sent to you in error but does not contain patient information, please contact the sender and properly dispose of the e-mail.

Please note that this e-mail is not secure (encrypted). If you do not wish to continue communication over unencrypted e-mail, please notify the sender of this message immediately. Continuing to send or respond to e-mail after receiving this message means you understand and accept this risk and wish to continue to communicate over unencrypted e-mail.

From: Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

Monday, Jul 12, 10:03 PM

External Email - Use Caution

That all sounds reasonable to me — the images are already in order and each rate has the full set for each case they were assigned, so perhaps we can recommend going ahead a few sections to check when they are not sure?

It might be more difficult to label/reorient the images though. I considered this initially, but the full images were not labeled left and right, and there were quite a few cases where I couldn't tell myself which side had the lesion (and otherwise the visible lesions were mixed left and right in the view from the camera). It would also involve rebuilding the websites to change the images, fyi.

Ryan P. Cabeen, PhD
Chan Zuckerberg Imaging Scientist
Assistant Professor of Research Neurology
Laboratory of Neuro Imaging

USC Stevens Neuroimaging and Informatics Institute

Keck School of Medicine of USC

University of Southern California

2025 Zonal Ave.

Los Angeles, CA 90033

Tel: (323) 44-BRAIN

Email: rcabeen@loni.usc.edu

Web: <u>cabeen.io</u> <u>www.ini.usc.edu</u>

From: CAYATA@mgh.harvard.edu

Monday, Jul 12, 6:46 PM

Ryan, Karisma,

Is there a way to label R/L and put the sections in order, if they are not already?

We need to get this done soon, I don't think we should make the staff do the outlining twice.

Let me know your thoughts...

Thanks,

С

The information in this e-mail is intended only for the person to whom it is addressed. If you believe this e-mail was sent to you in error and the e-mail contains patient information, please contact the Mass General Brigham Compliance HelpLine at http://www.massgeneralbrigham.org/complianceline. If the e-mail was sent to you in error but does not contain patient information, please contact the sender and properly dispose of the e-mail.

Please note that this e-mail is not secure (encrypted). If you do not wish to continue communication over unencrypted e-mail, please notify the sender of this message immediately. Continuing to send or respond to e-mail after receiving this message means you understand and accept this risk and wish to continue to communicate over unencrypted e-mail.

From: Patrick Lyden | plyden@usc.edu

Saturday, Jul 10, 8:35 AM

External Email - Use Caution

I agree with the plan as given by Cenk. It is not "real world" to give them sections out of order, or without right and left labelled, although in retrospect that is exactly how prior investigators SHOULD have done TTC staining. But I agree with Cenk, we need to show "real-world" TTC imaging, and then use a subset of 'best case' TTC images to know how well our MRI lesion volumes correlate.

Р

From: Ayata | CAYATA@mgh.harvard.edu

To: Ryan.Cabeen@loni.usc.edu

Friday, Jul 9, 11:36 PM

Well, it is a double edged sword. I agree we do not want to create bias by leading them, since we would like to make a point in the paper that TTC analyses suck.

However, if we leave them completely alone, I suspect the TTC-MRI correlation will also suck, which beats the purpose of doing a "validation" pilot.

In other words, for validation we need the real TTC lesion outlined. For showing superiority of MRI, we need real world simulation.

My suggestion:

- 1) Indicate consecutive sections from same brain, since in the real world this is something an investigator would know.
- 2) Indicate which side the infarct is on, since in the real world this is also something an investigator would know.
- 3) If they do not see a convincing lesion, they should not label.
- 4) We run two analyses: a) entire sample of TTCs (good and bad technique) and use this as a real world simulation; b) select a sufficiently high quality TTC subset (good section without distortion or missing pieces + good staining with clear contrast to identify the infarct) and use this for validation.

Thoughts?

С

The information in this e-mail is intended only for the person to whom it is addressed. If you believe this e-mail was sent to you in error and the e-mail contains patient information, please contact the Mass General Brigham Compliance HelpLine at http://www.massgeneralbrigham.org/complianceline . If the e-mail was sent to you in error but does not contain patient information, please contact the sender and properly dispose of the e-mail.

Please note that this e-mail is not secure (encrypted). If you do not wish to continue communication over unencrypted e-mail, please notify the sender of this message immediately. Continuing to send or respond to e-mail after receiving this message means you understand and accept this risk and wish to continue to communicate over unencrypted e-mail.

From: Ryan Cabeen | Ryan.Cabeen@loni.usc.edu

Friday, Jul 9, 9:05 PM

External Email - Use Caution

Hi all,

Just wanted to check in about the question from Nirav below about doing TTC annotation. Perhaps we should decide together how to field these?

My inclination is to give raters as little guidance as possible, so as to avoid biasing the labeling process. We could tell them that the consecutive slices come from the same specimen, and perhaps also, that it is okay to not label lesion, since they might not realize that some sections have none.

What do you think?

Ryan P. Cabeen, PhD

Chan Zuckerberg Imaging Scientist

Assistant Professor of Research Neurology

Laboratory of Neuro Imaging

USC Stevens Neuroimaging and Informatics Institute

Keck School of Medicine of USC

University of Southern California

2025 Zonal Ave.

Los Angeles, CA 90033

Tel: (323) 44-BRAIN

Email: rcabeen@loni.usc.edu

Web: http://cabeen.io
http://www.ini.usc.edu

From: Nirav A I nirav-dhanesha@uiowa.edu

Friday, Jul 9, 10:16 AM

Thanks for the opportunity, happy to do this.

I have one question:

Are these slices are arranged for right side infarctions? In other words, should I label lesion on right or left or both side?

For example, the below image (taken from the LONI) white part is visible on both the side. In such case what is the best way to label infarction?

Kindly advise

Nirav

<image003.png>

From: Karisma A Nagarkatti I nagarkat@usc.edu

To: **Dhanesha**

Friday, Jul 9, 11:46 AM

Hi Nirav,

We are writing to kindly ask for your help in validating our image analysis pipeline by providing manual segmentations of brain and lesion extent from our TTC-stained tissue images. LONI has built an online tool for drawing outlines, and there are about 140 single coronal slices stained with TTC that we ask each site to help annotate. You can follow the link below and use the given username and password to login:

<url> : http://www.spinhub.io/span-colab-24842 <username>:

span

<password>:

q1KdsT4nYt8dCFih

There is an instructional video on the site that describes and demonstrates how to use the tool. Some slices may be poorly stained or have missing parts. Please use your best judgement in defining the brain and lesion outlines, like when you are measuring infarct volumes for your own projects. Whatever rules you follow when outlining the slices, please apply to all brains. If there is no lesion, you can skip that label, but every image should have at least a brain label. You may also label any other features that you find relevant using a custom label. Your work will be saved automatically to the server, so you won't have to worry about sending results back to us. **Please let the coordinating center know when you are finished with the task.** It should take 30 seconds to 1 minute per image, so the task should take less than two hours. If you leave the site, you can return and find your previous work, but you will need to skip ahead to the image where you left off.

If you have any questions you can email Ryan Cabeen at rcabeen@loni.usc.edu. Your help with this is very much appreciated!

Best wishes, the CC

Notice: This UI Health Care e-mail (including attachments) is covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521 and is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If you are not the intended recipient, any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately and delete or destroy all copies of the original message and attachments thereto. Email sent to or from UI Health Care may be retained as required by law or regulation. Thank you.

From: