

Floor-standing and wall-mounted media units


Floor-standing and wall-hung media units may look similar but transfer loads differently. Distinguish cabinet support from screen support and prepare the substrate, connection and service review.

What you will accomplish

- Separate cabinet and screen support paths
- Document the substrate and connection chain
- Review access and approval sequence

Separate cabinet and screen support paths


A floor-standing unit transfers weight through base or legs to the floor and may need anti-tip restraint according to its system and use. A wall-hung unit transfers through carcass joints to suspension and wall. A screen may sit on the unit or use a separate mount: draw its path independently and never assume decorative cladding support is adequate for the screen.



Bearing, restraint and screen support are distinct functions.

Document the substrate and connection chain


Visible finish does not identify the supporting substrate. Obtain wall construction, condition and concealed-service information from the site. Trace carcass, carcass connection, suspension member, substrate fixing and supporting material, assigning review responsibility. A qualified party must select fixing type, number, dimensions and locations for the actual system, substrate and loads; the schematic is not drilling guidance.



Each link needs identification and a review reference.

Review access and approval sequence

Draw tool access and removal routes for cabinet and screen without damaging finishes; keep service points reachable. Establish hold points for site information, system/load review, component inspection before concealment and qualified installation inspection. Record evidence, owners and open items. A level front or smooth door action alone does not establish suspension adequacy.



Inspect concealed connections before closure and preserve service access.

Worked case and decision

The proposal hangs a cabinet on timber cladding with no information about the wall behind it. Hold approval until the substrate, carcass, suspension and screen-support path are reviewed. A floor-standing alternative may be studied, but its stability and restraint still need review; changing type does not remove verification.

Decision: hold suspension approval until the support chain is documented and reviewed.

Check understanding

Can a level cabinet front justify suspension approval without substrate data?

- No; complete support data and review
- Yes, appearance is correct
- Yes, if the door opens

Correct: No; complete support data and review. Alignment does not establish the adequacy of the support chain.

Lesson questions

Does floor support remove the need to review restraint?

No. Review restraint needs for the system and use in addition to vertical bearing.

Practice

Submit floor-standing/wall-hung alternatives, screen load paths, substrate data, connection chain and approval/access plan.

Alternatives and load paths

Substrate and connection chain

Acceptance and service access

Review your work against the criteria. Saving it does not constitute technical project approval.

- Screen/cabinet paths distinguished
- No guessed fixing specification
- Owners and evidence at hold points