

Bathroom fixtures, layout and openings


Bathroom planning coordinates fixtures, movement and openings around the users and surveyed site. Produce a layout with explicit conflicts and unresolved inputs.

What you will accomplish

- Establish surveyed boundaries and inputs
- Test openings with occupied use
- Compare alternatives and unresolved items

Establish surveyed boundaries and inputs


Record finished boundaries, doors, windows, fixed elements and services. Distinguish measured facts from assumptions and identify each source. Represent fixtures using product codes and documented envelopes rather than generic symbols alone. A changed basin or toilet can alter service interfaces, so keep dependent locations provisional until the product is identified.



Document measured facts, assumptions and product envelopes.

Test openings with occupied use


Show room and shower-door swings, drawer extension and user positions together. Check entry and access in operating states, recording bottlenecks and clashes. Review project and accessibility requirements with the responsible specialist. Reversing a door may move a conflict into the adjacent space, so include that space in the comparison.



Review simultaneous openings and neighbouring space.

Compare alternatives and unresolved items

Compare two options using equivalent site boundaries and product assumptions. Review routes, use access, cleaning and service coordination, recording any product change. Visual spaciousness does not prove code compliance. State advantages, trade-offs, missing inputs and decision owners, distinguishing a coordination proposal from an approved execution drawing.



Keep proposal status and required reviews explicit.

Worked case and decision

In A, an extended vanity drawer conflicts with the room door. B relocates the vanity and resolves movement, but service access at the new position needs review. Prefer B as a coordination option while holding final location approval for the responsible specialist's confirmation.

Decision: prefer B subject to service confirmation.

Check understanding

Does resolving the door clash approve the relocation?

- No; review services and remaining conditions
- Yes, automatically
- A perspective is sufficient

Correct: No; review services and remaining conditions. Resolving one clash does not close every review.

Lesson questions

Can a generic fixture symbol fix the final location?

Only for early comparison; final approval needs the selected product and service interfaces.

Practice

Submit two layouts with openings/users, dimension sources, conflicts and unresolved review owners.

Site/products

Openings and movement

Conflicts and decision

Review your work against the criteria. Saving it does not constitute technical project approval.

- Facts distinguished from assumptions
- Adjacent space checked
- No unsupported compliance claim