

Coordinate electricity, gas, lighting and ventilation


Build a service-coordination drawing and approval record without replacing qualified electrical, gas or ventilation design and installation.

What you will accomplish

- Collect referenced service requirements
- Distinguish extraction from room ventilation
- Resolve conflicts before concealment

Collect referenced service requirements


Link each model's service and access requirements to its manual and specialist drawing. The Bosch CPA565GS0B example assigns connection without a plug to a licensed professional. Furniture coordination identifies interfaces and owners; it does not select wiring, protection or connection procedures.



Each service has a requirement, source and responsible specialist.

Distinguish extraction from room ventilation


Do not assume a hood provides room ventilation. Miele DA7198W documentation distinguishes recirculation above a gas hob from ventilation of the room. Record operating mode, model and airflow route for ventilation/gas specialist review; do not derive a universal distance or duct size from an image.



Operating mode and room requirements need specialist review.

Resolve conflicts before concealment

Use common datums and mark proposed, approved and open items. Log drawer, access or airflow conflicts with owner, response, revised drawing and inspection evidence. Qualified specialists retain responsibility for electrical/gas work and testing under the applicable site and product requirements.



Concealing a conflict does not close it.

Worked case and decision

A cover blocks required service access while the specialist drawing remains unapproved. Hold concealment, coordinate removable access or an alternative, and record the specialist approval.

Decision: document access and service approval before closure.

Check understanding

Does a finished front prove service acceptance?

- No; specialist approvals and inspection are needed
- Yes, if connections are hidden
- Yes, if the colour matches

Correct: No; specialist approvals and inspection are needed. Acceptance is evidenced and assigned, not inferred from appearance.

Lesson questions

Does every hood replace room ventilation?

No. Review the model, mode and room requirements with the specialist.

Practice

Submit a furniture/service overlay, referenced appliance record, three approval points and a conflict requiring a response.

Collect referenced service requirements

Distinguish extraction from room ventilation

Resolve conflicts before concealment

Review your work against the criteria. Saving it does not constitute technical project approval.

- Referenced service owners
- Approval states explicit
- No invented connection instructions or sizes