

Coordinate electrical, plumbing and ventilation work

Coordinate service envelopes, inputs and responsibilities without substituting for specialist electrical, plumbing or ventilation design.

What you will accomplish

- Register service needs and review ownership
- Coordinate plumbing envelopes and access
- Coordinate lighting, ventilation and service

Register service needs and review ownership

Register product model, proposed location, function, required inputs, responsible specialist and status. The electrical specialist reviews location and protection against the applicable jurisdiction/reference edition and product data. Do not generalise a poster's zones or protection ratings to every bathroom. Keep unresolved points visible until settled before furniture fixing or concealment.


Input	Reference / owner
Product	Exact model
Location	Specialist review
Status	Resolved / pending

Coordination does not replace specialist design

Identify jurisdiction, reference, product and review owner.

Coordinate plumbing envelopes and access


Obtain supply/waste interfaces and service envelopes from the plumbing specialist and reconcile them with the basin, drawers and supports. Show clashes and removable maintenance access in section. Routing, slopes, pipe sizing and test procedures belong to the project specialist. Propagate moved interfaces to coordination drawings and affected parts before fabrication.



Coordinate physical interfaces; retain specialist design ownership.

Coordinate lighting, ventilation and service

Overlay luminaires, ventilation openings and service components with mirror, cabinet and ceiling. Check that furniture does not obstruct approved openings or replacement access, and coordinate operation with the specialist. A lighting mock-up tests shadows/reflections, not ventilation performance or electrical safety. Receive distinct commissioning/inspection evidence for each system.



Keep each system's acceptance evidence separate.

Worked case and decision

A revised tall cabinet covers a documented ventilation opening. Review cabinet placement or a specialist-approved alternative rather than moving or reducing the opening by guesswork. Update drawings after resolution and recheck service access and the system's required verification.

Decision: resolve the clash with the system design owner.

Check understanding

A cabinet blocks ventilation: what should happen?

- Coordinate an approved alternative and revise
- Reduce the opening by guesswork
- Permanently cover it

Correct: Coordinate an approved alternative and revise. Service requirements need review by the responsible system designer.

Lesson questions

Does a successful lighting trial approve all services?

No. Electrical, plumbing and ventilation need their own reviews and evidence.

Practice

Submit a coordination overlay and register of references, products, envelopes, conflicts, owners and statuses.

References/products

Envelopes and clashes

Ownership and evidence

Review your work against the criteria. Saving it does not constitute technical project approval.

- No universal code values
- No improvised execution design
- Separate system evidence