

Desks, storage and cable management


Coordinate desk surface, storage and cable routes around usable space, actual products, movement and service access.

What you will accomplish

- Calculate and define usable space
- Coordinate storage and movement
- Plan cable routing and access

Calculate and define usable space


Exercise only: a 1400 mm under-desk envelope with storage occupying 400 mm leaves $1400 - 400 = 1000$ mm. This is geometric remainder, not proof of comfort or accessibility. Define measurement boundaries and check frame, base, chair and user movement.



1000 mm is the geometric remainder only.

Coordinate storage and movement


Draw drawers open with the chair in use. Define contents, access and product-specific stability requirements. Fitting beneath the top does not prove freedom of movement. Test mobile storage in its actual working position, not a convenient display position.



Review storage with the chair and open drawers.

Plan cable routing and access

List devices, cable entries, supports and access covers. For moving or height-adjustable desks, check the documented route at travel limits under system instructions so cables are not pulled or trapped. Furniture details do not authorize electrical cable alterations; specialists review services while furniture provides coordinated routing and access.



Check the route through its movement states.

Worked case and decision

The 1000 mm remainder is correct, yet an open drawer obstructs the chair. Revise storage position and review access and cables, then repeat the task trial.

Decision: complete the calculation with a movement check.

Check understanding

What remains from 1400 mm after 400 mm storage?

- 1000 mm
- 1800 mm
- 400 mm

Correct: 1000 mm. The remainder is 1000 mm; actual use still needs review.

Lesson questions

Does hiding cables prove the route is suitable?

No. Review movement, protection, access and system/service requirements.

Practice

Submit desk/storage drawings, opening states, the exercise calculation and cable routing in two positions with service access.

Calculate and define usable space

Coordinate storage and movement

Plan cable routing and access

Review your work against the criteria. Saving it does not constitute technical project approval.

- Measurement boundaries explicit
- 1000 mm identified as assumed
- Movement and access reviewed