

Edges, veneers and finish layers


A finished face is only one part of the specification. Identify the core, facing, edge treatment and visible surfaces, then approve a representative sample.

What you will accomplish

- Separate core, facing and finish
- Identify visible faces and edge treatments
- Approve a representative finished sample

Separate core, facing and finish


Identify the core and product code, then the facing or paint-ready substrate and final finish. State colour and sheen without using them as a description of the build-up. Check the selected system's requirements for the back and edges rather than assuming every surface is treated alike.



Core, facing and final finish are separate specification items.

Identify visible faces and edge treatments


Tag the part faces and edges in drawings and schedules. Specify visible edges, their treatment and stated dimensions. Declare whether scheduled sizes are finished or pre-treatment. Calculate edge effects for the agreed system instead of applying an arbitrary deduction, and record facing direction where it affects the appearance.



Edge treatment links to the part identity and dimension stage.

Approve a representative finished sample

Request a sample containing core, face and edge in the proposed system. Review it under lighting relevant to the site and record its code, colour, sheen, facing direction and decision. A face-only sample does not demonstrate the edge junction. Revisit approval whenever a material or finish is substituted.



The sample shows the face-to-edge junction as well as colour.

Worked case and decision

A light-coloured shelf has a side edge visible from the entrance. The specification names only the colour, and the supplier provides a face-only sample. The complete appearance remains unconfirmed.

Decision: define the visible edge treatment and review a face-to-edge sample before approving the system.

Check understanding

Which sample demonstrates the edge junction?

- A colour swatch alone
- A sample with core, face and edge in the proposed system
- A distant photograph

Correct: A sample with core, face and edge in the proposed system. The sample must show the layer junction within the selected system.

Lesson questions

Can I approve colour from a screen image?

Use the image for initial comparison; approval needs an identified physical sample with the specified finish under suitable lighting.

Practice

Specify a shelf visible from two directions, including face tags, edges and approval sample.

Core, facing and finish

Edges and dimension stage

Sample and approval record

Review your work against the criteria. Saving it does not constitute technical project approval.

- Layers are specified separately
- Visible edges are identified
- The sample demonstrates the junction