

Sink units and plumbing coordination


Coordinate the sink, cabinet and service space using product/site data, while distinguishing furniture coordination from plumbing design and approval.

What you will accomplish

- Draw the sink below the top
- Coordinate the service envelope
- Review access, protection and acceptance

Draw the sink below the top


Draw the bowl, rim, mounting arrangement and underside clips from the selected model/template. Compare the underside envelope with rails, hinges and drawers. Keep sink-body dimensions distinct from the worktop cut-out and reference both before fabrication.



The bowl envelope and cut-out are different.

Coordinate the service envelope


Overlay approved plumbing locations and routes onto the furniture section from a shared datum. Do not infer pipe sizes or gradients from cabinet geometry. Check drawers, bins, shelves and connection access; return conflicts for specialist review before altering a site route.



Coordination identifies conflicts; it does not replace plumbing design.

Review access, protection and acceptance

Show service access and removable parts. Coordinate water-exposed edges, joints and care with the relevant suppliers. Before concealment, obtain the specialist's service inspection record and inspect furniture against its drawing. A finished front does not prove hidden services accepted.



Link service and furniture inspection records.

Worked case and decision

A moving waste bin intersects the approved drainage envelope. Review the bin product or furniture arrangement; any service alteration returns to the specialist before execution.

Decision: coordinate the conflict before release.

Check understanding

How should a drawer/drain conflict be resolved?

- Coordinate furniture and services with the specialist
- Guess a new drain route
- Block service access

Correct: Coordinate furniture and services with the specialist. The resolution must retain approved service requirements and access.

Lesson questions

Does cabinet size determine drain diameter?

No. The specialist defines services; furniture coordinates space and access.

Practice

Submit a sink/service section, an access review, a conflict record and an acceptance hold point.

Draw the sink below the top

Coordinate the service envelope

Review access, protection and acceptance

Review your work against the criteria. Saving it does not constitute technical project approval.

- Envelope/template distinguished
- Referenced specialist routes
- Access and inspection before concealment