

# Survey a site and record obstacles


A polished drawing cannot repair an incomplete survey. Record dimensions against clear references, document obstacles and keep unverified measurements visible.

## What you will accomplish

- Choose a reference
- Document obstacles and movement
- Check dimensions and disagreements

## Choose a reference


Sketch the walls and openings and name a measurement reference. Use one unit throughout and define the height datum. Record whether flooring and wall finishes are final. A preliminary measurement is not a fabrication dimension if the site build-up can still change.



Measure from a shared reference and record the unit.

## Document obstacles and movement


Record door swings, windows, skirting, outlets, pipes and projections, and link photographs to the plan. Consider moving parts as well as the furniture's closed footprint. A photograph does not establish a fixing substrate or its capacity; identify what information still needs specialist confirmation.



Record door movement, projections and services before placing furniture.

## Check dimensions and disagreements

Measure at additional positions when unevenness is possible and retain the actual readings. Compare dimension chains with the overall dimension. A mismatch calls for investigation, not an invented allowance. Deliver a dated survey plan, linked photographs and a list of open questions before releasing construction drawings.



The 6 mm difference needs investigation; it is not an installation allowance.

## Worked example

In this teaching example, an opening measures 1200 mm near the floor and 1194 mm higher up. Retain both readings and their locations. Review the surface condition before deciding the cabinet width or infill detail.

Decision: the 6 mm difference needs investigation; it is not an approved installation allowance.

## Check understanding

### What should you do when the dimension chain disagrees with the overall measurement?

- Change the readings to make them match
- Recheck the measurement and reference and record the cause
- Ignore the overall dimension

Correct: Recheck the measurement and reference and record the cause. Decision: the 6 mm difference needs investigation; it is not an approved installation allowance.

## Practice

Survey a storage location: include a dated plan, door swing, services, numbered photographs and any differing readings.

### References, units and readings

---

---

---

---

### Obstacles and linked photographs

---

---

---

---

### Disagreements and open questions

---

---

---

---

### Review your work against the criteria. Saving it does not constitute technical project approval.

- Each decision connects to a fact or a clear open question.
- The deliverable is complete, dated and reviewable.
- Unconfirmed information is identified before release.