

QUANTIFY YOUR SLEEP HEALTH

Julian Cabrera and Sebastian Chacon

PRIORITIZE SLEEP HEALTH



GOALS for Mustang Metrics



The NHT (NightHorse Tracker)

Track & Display
User's
Heart Rate,
Stress Level,
Sleep Duration, &
More.




User and Provider
Benefits of Cloud
Data for User and
Provider



Supervised ML & Cloud to predict Users Sleeping Disorders




Unsupervised ML and Cloud to Raise Users
Heart Health
Concerns





PREDICTING PRESENCE OF SLEEP DISORDERS


- 1. Calorie Intake
- 2. Quality of Sleep
- 3. Physical Activity
- 4. Heart Rate
- 5. Stress Level
- 6. Sleep Duration






SUPERVISED LEARNING








ANOMALY DETECTION FOR AFIB





Higher Heart Rate



"inadequate sleep can raise the likelihood of AFib episodes by up to 18%" – Michigan Medicine

"people may be more prone to experiencing AFib symptoms at night, including heart palpitations, a fast heartbeat." – Medical News Today






Unsupervised Iso Forest Algorithm using Boundary Lines to Separate Normality's from Anomalies

Ex 1: Sarah - 34 Years Old, Sleeping Heart Rate of 85 BPM 🛕



NHT tells user that
Sarah has a high
heart rate for her
age which could
put her at risk for AFIB



Makes Sense since Average heartbeat of Adult during Sleep is 40 – 60 BPM in the U.S.

ANOMALY DETECTION WITH AI ALGORITHM




Unsupervised Iso Forest Algorithm using Boundary Lines to Separate Normality's from Anomalies

Ex 2: Jose - 7 hours Sleep Duration, 83 BPM





NHT tells user that Sleep is most likely not the underlying cause of A-FIB Symptom



Background: Americans on average sleeps 6.5 hours Daily

MORE AI INTEGRATION WITH NHT



Unsupervised ML Algorithm Predictor Insights give Mild Warning Notification because of relationship between 2 variables and comparison to general data (Use of Unlabeled Data)



Clustering & Boundary Detection of Users Data signals the instance of Mild Warning on a Weekly basis


Supervised ML Algorithm Predictor Insights give Severe Warning Notification because of Prediction (Use of Labeled Data)



Gradient Booster predicts the presence of Sleep Disorder based on inputs running 5 folds. As accuracy builds between inputs and Sleep Disorder a Severe Warning will be sent out

PERSONALIZED HEALTH PLANS









Weekly Health Plans based on Warnings Received

Ex:

| Sleep Warnings | Hours of Sleep to Add |
|------------------------------------|-----------------------|
| | |
| No Warnings | 0 |
| | |
| Only Severe Warning | 2 |
| | |
| Only Mild Warning | 1 |
| | |
| Both Mild Warning & Severe Warning | 4 |

CLOSING PITCHES



- Keeps you Healthy in the Long Term,
 Detect it Early
- Cloud & Al integration helps Company, User, & World
- Need Funding for Scaling Larger Data, which would provide more insight



SOURCES & TOOLS



https://www.kaggle.com/code/tanshihjen/eda-sleep-health-and-lifestyle-dataset

https://www.sleepfoundation.org/mental-health/eating-disorders-and-sleep

https://www.sleepcycle.com/sleep-reports/mr-and-mrs-usa-sleep-cycle-2022/

https://www.michiganmedicine.org/health-lab/7-common-afib-triggers-may-surprise-you#:~:text=Even%20small%20interruptions%20in%20an,more%20likely%20to%20develop%20Afib.

https://www.mayoclinic.org/diseases-conditions/atrial-fibrillation/expert-answers/atrial-fibrillation-age-risk/faq-20118478#:~:text=Yes.,more%20common%20in%20older%20adults.

https://www.medicalnewstoday.com/articles/atrial-fibrillation-symptoms-at-night#:~:text=Sleep%20may%20be%20a%20trigger,sweating%2C%20and%20shortness%20of%20breath.

Python, NumPy, Pandas, Sklearn

Excel

THANK YOU

