INTERNATIONAL PATENT CLASSIFICATION

Prepared by:

ENGR. CLARK DARWIN M. GOZON

ITSU Technical Expert

Innovation and Technology Support Office

ustp.itso@ustp.edu.ph

Learning Objectives

- Learn the importance of the patent classification system
- Understand how patents are classified using the IPC system
- Navigate through the IPC Official Publication website
- Understand the concept of classification search using the IPC

How would you find?

Ancient architecture in Egypt

LIBRARY

What you might miss?

- **Synonyms and Related Terms**

  e.g. primitive building techniques

- **Technical Jargon**

  e.g. pre-2nd dynasty morphogenesis

- **Obfuscation**

  e.g. painters and builders of the Nile

- **Language Barriers**

  e.g. Arquitectura egipcia antigua

DEWEY DECIMAL SYSTEM

000 – General works, Computer science and Information
100 – Philosophy and psychology
200 – Religion
300 – Social sciences
400 – Language
500 – Pure Science
600 – Technology
700 – Arts & recreation
800 – Literature
900 – History & geography



DEWEY DECIMAL SYSTEM

- 722 – Architecture from earliest times to ca. 300
- 962 – Egypt, Sudan, South Sudan



PATENT CLASSIFICATION SYSTEMS

- International Patent Classification (IPC)
  - WIPO (World Intellectual Property Organization)
- US Patent Classification (USPC)
  - USPTO (US Patent & Trademark Office)
- European Classification (ECLA)
  - EPO (European Patent Office)
- Cooperative Patent Classification (CPC)
  - USPTO-EPO Partnership
- File index (FI) and F-Terms
  - JPO (Japan Patent Office)
- Derwent Manual Codes
  - DWPI (Derwent World Patents Index)

ADVANTAGES and DISADVANTAGES

of using classification in patent search?

- **Pros**
  - Language independent
  - Applied in a standardized manner to patent docs
  - Available for patent documents published (nearly) anywhere in the world
  - Available for (old) patent documents for which little or no searchable text is available
  - Specially adapted for patent documentation
- **Cons**
  - May not be available for all areas of technology
  - May not be specific enough for a particular search
  - May not be available for all documents
  - Potentially complex

INTERNATIONAL PATENT CLASSIFICATION (IPC)

US005626882A

United States Patent [19]

Marrone et al.

[11] **Patent Number: 5,626,882**

[45] **Date of Patent: May 6, 1997**

[54] **METHOD OF USING EMU OIL AS AN INSECT REPELLENT**

[75] Inventors: **Pamela G. Marrone**; **Stephen A. Judd**, both of Davis, Calif.

[73] Assignees: **AgraQuest, Inc.**; **P.E. Zoogen**, both of Davis, Calif.

[21] Appl. No.: **616,708**

[22] Filed: **Mar. 15, 1996**

[51] **Int. Cl.**[6] **A61K 35/12**

[52] **U.S. Cl.** **424/522**; 424/DIG. 10

[58] **Field of Search** 424/522, 520, 424/DIG. 10

[56] **References Cited**

U.S. PATENT DOCUMENTS

5,208,209	5/1993	Otsuji et al.	503/221
5,346,922	9/1994	Beldock et al.	514/703

OTHER PUBLICATIONS

Wantanabe et al., "Rotundial, a new natural mosquito repellent from the leaves of *Vitex rotundifolia*" *Biotech Biochem.* (1995) 59(10):1979–1980.

Wantanabe et al., "New mosquito repellent from *Eucalyptus camaldulensis*" *J. Agric. Food Chem.* (1993) 41:2164–2166.

Sharma et al., "Mosquito repellent action of Neem" *Azadirachta indica oil J. Am. Mosquito Control Assn.* (1993) 9(3):359–360.

Primary Examiner—Raymond Henley, III
Attorney, Agent, or Firm—Morrison & Foerster

[57] **ABSTRACT**

This invention provides a method for repelling biting insects such as mosquitoes by topically applying emu oil to the skin.

1 Claim, No Drawings

INTERNATIONAL PATENT CLASSIFICATION (IPC)

[19] **Intellectual Property Office of the Philippines**
Bureau of Patents

[11] Patent No.: 1/2009/000197

[45] Issued: 19/06/2014

[21]	Application No:	1/2009/000197
[22]	Filing date:	25/06/2009
[43]	Publication date:	07/02/2011
[60]	Division of Application No.:	
[54]	Title:	TSAANG GUBAT (CARMONA RETUSA) TABLET AS ANTICOLIC/SPASM
[71]	Applicant(s):	PHILIPPINE COUNCIL FOR HEALTH RESEARCH & DEVELOPMENT OF THE DEPARTMENT OF SCIENCE AND TECHNOLOGY (DOST-PCHRD), [METRO MANILA, PH]
[72]	Inventor(s):	DR.CECILIA ZAMORA [METRO MANILA, PHILIPPINES]: DR. ROMEO QUIJANO [METRO MANILA, PHILIPPINES]: PROF. LETICIA BARBARA GUTIERREZ [METRO MANILA, PHILIPPINES]: EVANGELINE AMOR [METRO MANILA, PHILIPPINES]: DR. NELIA CORTES MARAMBA [METRO MANILA, PHILIPPINES]: DR. NATIVIDAD DE CASTRO [METRO MANILA, PHILIPPINES]: PROF. ERNESTA QUINTANA [METRO MANILA, PHILIPPINES]: DR. HORACIO ESTRADA [METRO MANILA, PHILIPPINES]: DR. CLARA LIM SYLIANCO [METRO MANILA, PHILIPPINES]
[30]	Foreign Application Priority Data:	NONE
[51]	Int. Class[8]:	A 61K 36/00, 36/30
[58]	Field of search:	A 61K 36/00, 36/30

[56] Reference(s) Considered/Cited:

Category	Document description	Relevant to claim No.	Document No.
	PHILIPPINE NATIONAL DRUG FORMULARY. ESSENTIAL MEDICINES LIST VOL. I, 7TH ED. 2008.		1
	MEDICINAL AND AROMATIC PLANTS. VOL. II. UNITED NATIONS INDUSTRIAL DEVELOPMENT ORGANIZATION AND THE INTERNATIONAL CENTER		2

INTERNATIONAL PATENT CLASSIFICATION (IPC)

- A hierarchical system of language independent symbols for the classification of patents and utility models according to the different areas of technology to which they pertain

IPC PUBLICATION

- Go to http://www.wipo.int/classifications/ipc/en/

International Patent Classification (IPC)

The International Patent Classification (IPC), established by the Strasbourg Agreement 1971, provides for a hierarchical system of language independent symbols for the classification of patents and utility models according to the different areas of technology to which they pertain. A new version of the IPC enters into force each year on January 1. Find out more about the IPC.

Access the International Patent Classification

SECTIONS OF THE IPC

Scheme | RCL | Compilation | Catchwords

A	HUMAN NECESSITIES
B	PERFORMING OPERATIONS; TRANSPORTING
C	CHEMISTRY; METALLURGY
D	TEXTILES; PAPER
E	FIXED CONSTRUCTIONS
F	MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING
G	PHYSICS
H	ELECTRICITY

IPC HIERARCHICAL STRUCTURE



WIPO
WORLD
INTELLECTUAL PROPERTY
ORGANIZATION

EXAMPLE



C	**Chemistry**
C04	**Cements; concrete; artificial stone; ceramics; refractories**
C04B	**Lime; magnesia; slag; cements; compositions thereof; artificial stone; ceramics; refractories; treatment of natural stone**
C04B 7/00	**Hydraulic cements**
C04B 7/02	**Portland cement**
C04B 7/06	**using alkaline raw**

Subgroups

- **SYMBOL**
  - Subdivisions of main group
  - Subclass symbol followed by a 1 to 3 digit number of main group, slash and at least 2 digit number other than 00, plus the title preceded by 1 or more dots

C04B 7/02 .Portland cement

or

C04B 7/06 .. Using alkaline raw materials

IPC STRUCTURE: SUBGROUPS

C04B 7/00	**Hydraulic cements [2006.01]**
C04B 7/02	• Portland cement [2006.01]
C04B 7/04	• • using raw materials containing gypsum [2006.01]
C04B 7/06	• • using alkaline raw materials [2006.01]
C04B 7/12	• Natural pozzuolanas; Natural pozzuolana cements [2006.01]
C04B 7/13	• • Mixtures thereof with inorganic cementitious materials, e.g. Portland cements [2006.01]
C04B 7/14	• Cements containing slag [2006.01]
C04B 7/147	• • Metallurgical slag [2006.01]
C04B 7/153	• • • Mixtures thereof with other inorganic cementitious materials or other activators [2006.01]
C04B 7/17	• • • • with calcium oxide containing activators [2006.01]
C04B 7/19	• • • • • Portland cements [2006.01]
C04B 7/21	• • • • with calcium sulfate containing activators [2006.01]
C04B 7/22	• Iron ore cements [2006.01]
C04B 7/24	• Cements from oil shales, residues or waste other than slag [2006.01]
C04B 7/26	• • from raw materials containing flue dust [2006.01]
C04B 7/28	• • from combustion residues (C04B 7/26 takes precedence) [2006.01]

More dots = lower hierarchical level

EXAMPLE

C09D 11/00	**Inks** [2014.01]
C09D 11/02	• Printing inks (C09D 11/30 takes precedence) [2014.01]
C09D 11/023	• • Emulsion inks [2014.01]
C09D 11/0235	• • • Duplicating inks, e.g. for stencil printing [2014.01]
C09D 11/03	• • characterised by features other than the chemical nature of the binder [2014.01]
C09D 11/033	• • • characterised by the solvent [2014.01]
C09D 11/037	• • • characterised by the pigment [2014.01]
C09D 11/04	• • based on proteins [2006.01]
C09D 11/06	• • based on fatty oils [2006.01]
C09D 11/08	• • based on natural resins [2006.01]
C09D 11/10	• • based on artificial resins [2014.01]
C09D 11/101	• • • Inks specially adapted for printing processes involving curing by wave energy or particle radiation, e.g. with UV-curing following the printing [2014.01]
C09D 11/102	• • • containing macromolecular compounds obtained by reactions other than those only involving unsaturated carbon-to-carbon bonds [2014.01]
C09D 11/103	• • • • of aldehydes, e.g. phenol-formaldehyde resins [2014.01]
C09D 11/104	• • • • Polyesters [2014.01]
C09D 11/105	• • • • • Alkyd resins [2014.01]
C09D 11/106	• • • containing macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds [2014.01]
C09D 11/107	• • • • from unsaturated acids or derivatives thereof [2014.01]
C09D 11/108	• • • • Hydrocarbon resins [2014.01]
C09D 11/12	• • based on waxes or bitumen [2006.01]
C09D 11/14	• • based on carbohydrates [2006.01]
C09D 11/16	• Writing inks [2014.01]

X

EXAMPLE

C09D 11/00	**Inks** [2014.01]
C09D 11/02	• Printing inks (C09D 11/30 takes precedence) [2014.01]
C09D 11/023	• • Emulsion inks [2014.01]
C09D 11/0235	• • • Duplicating inks, e.g. for stencil printing [2014.01]
C09D 11/03	• • characterised by features other than the chemical nature of the binder [2014.01]
C09D 11/033	• • • characterised by the solvent [2014.01]
C09D 11/037	• • • characterised by the pigment [2014.01]
C09D 11/04	• • based on proteins [2006.01]
C09D 11/06	• • based on fatty oils [2006.01]
C09D 11/08	• • based on natural resins [2006.01]
C09D 11/10	• • based on artificial resins [2014.01]
C09D 11/101	• • • Inks specially adapted for printing processes involving curing by wave energy or particle radiation, e.g. with UV-curing following the printing [2014.01]
C09D 11/102	• • • containing macromolecular compounds obtained by reactions other than those only involving unsaturated carbon-to-carbon bonds [2014.01]
C09D 11/103	• • • • of aldehydes, e.g. phenol-formaldehyde resins [2014.01]
C09D 11/104	• • • • Polyesters [2014.01]
C09D 11/105	• • • • • Alkyd resins [2014.01]
C09D 11/106	• • • containing macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds [2014.01]
C09D 11/107	• • • • from unsaturated acids or derivatives thereof [2014.01]
C09D 11/108	• • • • Hydrocarbon resins [2014.01]
C09D 11/12	• • based on waxes or bitumen [2006.01]
C09D 11/14	• • based on carbohydrates [2006.01]
C09D 11/16	• Writing inks [2014.01]

EXAMPLE

In main group A21D 2/00, where would you classify treatment of dough by adding seed germs?

A21D 2/00	**Treatment of flour or dough by adding materials thereto before or during baking** (batters, dough or mixtures before baking A21D 10/00) [2006.01]
	Note(s) In groups A21D 2/02-A21D 2/40, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication to the contrary, a substance is classified in the last appropriate place.
A21D 2/02	• by adding inorganic substances [2006.01]
A21D 2/04	• • Oxygen; Oxygen-generating compounds, e.g. ozone, peroxides [2006.01]
A21D 2/06	• • Reducing agents [2006.01]
A21D 2/08	• by adding organic substances [2006.01]
A21D 2/10	• • Hydrocarbons [2006.01]
A21D 2/12	• • Halohydrocarbons [2006.01]
A21D 2/14	• • Organic oxygen compounds [2006.01]
A21D 2/16	• • • Fatty acid esters [2006.01]
A21D 2/18	• • • Carbohydrates [2006.01]
A21D 2/20	• • • Peroxides [2006.01]
A21D 2/22	• • • Ascorbic acid [2006.01]
A21D 2/24	• • Organic nitrogen compounds [2006.01]
A21D 2/26	• • • Proteins [2006.01]
A21D 2/28	• • Organic sulfur compounds [2006.01]
A21D 2/30	• • Organic phosphorus compounds [2006.01]
A21D 2/32	• • • Phosphatides [2006.01]
A21D 2/34	• • Animal material [2006.01]
A21D 2/36	• • Vegetable material [2006.01]
A21D 2/38	• • • Seed germs; Germinated cereals; Extracts thereof [2006.01]
A21D 2/40	• Apparatus for the chemical treatment of flour or dough [2006.01]

A21D 2/38

EXAMPLE

- **In main group A47C 1/00, where would you classify: (a) devices for reserving a theatre chair? (b) a theatre chair tipping upwards? (c) devices for reserving beach chairs?**

A47C 1/00		**Chairs adapted for special purposes** (features relating to vertical adjustability A47C 3/20; convertible chairs A47C 13/00; chairs or personal conveyances specially adapted for patients or disabled persons A61G 3/00, A61G 5/00; operating chairs, dental chairs A61G 15/00) **[2006.01]**
A47C 1/02		• Reclining or easy chairs (supports for parts of body A47C 7/36, A47C 7/50, A47C 7/54) **[2006.01]**
A47C 1/022		• • having independently-adjustable supporting parts **[2006.01]**
A47C 1/031		• • having coupled adjustable supporting parts **[2006.01]**
A47C 1/032		• • • the parts being movably-coupled seat and back-rest (A47C 1/035 takes precedence) **[2006.01]**
A47C 1/034		• • • the parts including a leg-rest or foot-rest (A47C 1/037 takes precedence) **[2006.01]**
A47C 1/036		• • • the parts including a head-rest **[2006.01]**
A47C 1/04		• Hairdressers' or similar chairs **[2006.01]**
A47C 1/12		• Theatre, auditorium, or similar chairs (seats for stadium benches A47C 1/16) **[2006.01]**
A47C 1/121	(b)	• • having tipping-up seats **[2006.01]**
A47C 1/124		• • Separate chairs, connectible together into a row **[2006.01]**
A47C 1/126		• • stowable in floor or wall **[2006.01]**
A47C 1/13	(a)	• • Indicators; Devices for reserving or the like **[2006.01]**
A47C 1/14	(c)	• Beach chairs **[2006.01]**
A47C 1/16		• Seats detachably mounted on stadium benches (detachably mounted children's chairs A47D 1/10) **[2006.01]**

EXAMPLE

- **In A47G, clothes hangers are in 25/00 and subordinate groups. Where would you classify a wire clothes hanger?**

A47G 25/00		**Household implements used in connection with wearing apparel; Dress, hat or umbrella holders** (wardrobes A47B 61/00) **[2006.01]**
A47G 25/02		• Dress holders; Dress suspending devices; Clothes-hanger assemblies; Clothing lifters (clothing or suit hangers A47G 25/14; clothing holders with locking devices E05B 69/00) **[2006.01]**
A47G 25/10		• Hat holders; Hat racks **[2006.01]**
A47G 25/12		• Cane or umbrella stands or holders **[2006.01]**
A47G 25/14		• Clothing hangers, e.g. suit hangers (A47G 25/60 takes precedence; wardrobes with extensible garment holders A47B 61/02) **[2006.01]**
A47G 25/16		• • for complete outfits (A47G 25/40, A47G 25/44 take precedence) **[2006.01]**
A47G 25/18		• • for two or more similar garments, e.g. constructed to connect to, or support, a similar hanger **[2006.01]**
A47G 25/20		• • with devices for preserving the shape of the clothes **[2006.01]**
A47G 25/22		• • specially adapted for furs **[2006.01]**
A47G 25/24	✓	• • made of wire (A47G 25/42, A47G 25/46, A47G 25/52, A47G 25/64, A47G 25/70 take precedence) **[2006.01]**
A47G 25/26		• • • specially adapted to prevent slipping-off of the clothes. e.g. with non-slip surfaces (A47G 25/30 takes precedence) **[2006.01]**
A47G 25/28		• • Hangers characterised by their shape **[2006.01]**
A47G 25/40		• • Collapsible hangers **[2006.01]**
A47G 25/42	X	• • • made of wire **[2006.01]**
A47G 25/44		• • Slidable hangers **[2006.01]**
A47G 25/46	X	• • • made of wire **[2006.01]**
A47G 25/48		• • Hangers with clamps or the like, e.g. for trousers or skirts **[2006.01]**
A47G 25/50		• • • Hooks on hangers for supporting trousers or skirts **[2006.01]**
A47G 25/52		• • • made of wire **[2006.01]**
A47G 25/54		• Dust- or moth-proof garment bags, e.g. with suit hangers **[2006.01]**
A47G 25/60		• Hangers having provision for perfumes or for pesticides or pest repellants, e.g. for storing in moth-proof bags **[2006.01]**
A47G 25/62		• Trouser or skirt stretchers or tensioners of the hanger type (with application of heat or steam D06F) **[2006.01]**
A47G 25/64		• • made of wire **[2006.01]**
A47G 25/66		• Trouser-stretchers with creasing or expanding devices (with application of heat or steam D06F) **[2006.01]**
A47G 25/68		• • stretching in longitudinal direction **[2006.01]**
A47G 25/70		• • made of wire **[2006.01]**

IPC VERSION INDICATOR, NOTES AND REFERENCES

A47	**FURNITURE; DOMESTIC ARTICLES OR APPLIANCES; COFFEE MILLS; SPICE MILLS; SUCTION CLEANERS IN GENERAL**
	Note(s) In this class, the following term is used with the meaning indicated: • "furniture" covers also easels or stands, e.g. for blackboards or drawing tables.
A47B	**TABLES; DESKS; OFFICE FURNITURE; CABINETS; DRAWERS; GENERAL DETAILS OF FURNITURE** (jointing of furniture F16B 12/00)
A47C	**CHAIRS** (seats specially adapted for vehicles B60N 2/00); **SOFAS; BEDS** (upholstery in general B68G)
A47D	**FURNITURE SPECIALLY ADAPTED FOR CHILDREN** (school benches or desks A47B 39/00, A47B 41/00)
A47D 1/00	**Children's chairs** (chairs generally A47C; vehicle seats for children B60N 2/26) **[2006.01]**
A47D 1/02	• Foldable chairs **[2006.01]**
A47D 1/04	• convertible from a high chair to a low one by reversing **[2006.01]**
A47D 1/06	• convertible to a push chair **[2006.01]**
A47D 1/08	• convertible to a rocking chair **[2006.01]**
A47D 1/10	• capable of being suspended from, or attached to, tables or other articles **[2006.01]**
A47D 3/00	**Children's tables** **[2006.01]**
A47D 5/00	**Dressing-tables for children** (chests of drawers A47B 67/00) **[2006.01]**
A47D 7/00	**Children's beds** (beds in general A47C) **[2006.01]**
A47D 7/01	• with adjustable parts, e.g. for adapting the length to the growth of the children **[2006.01]**
A47D 7/02	• • with side wall that can be lowered **[2006.01]**

PRINCIPLES AND RULES ON PATENT DOCUMENT CLASSIFICATION

Function-oriented place

- The intrinsic nature or function of a thing

Application-oriented place

- The way a thing is used or applied

Residual place

- places in the IPC which should be considered for classification if and only if no other place of the IPC provides for the subject matter under consideration.

➢ **The term "thing" is used in this context to mean any technical matter, tangible or not, for example, process, product or apparatus.**

PRINCIPLES AND RULES ON PATENT DOCUMENT CLASSIFICATION

FUNCTION-ORIENTED

INTRINSIC NATURE OR FUNCTION

Valves characterised by constructional or functional aspects that do not depend on the nature of the particular fluid

F16K VALVES; TAPS; ACTUATING FLOATS

APPLICATION-ORIENTED

SPECIALLY ADAPTED FOR A PARTICULAR PURPOSE

Mechanical valve specially adapted for insertion into a human heart

A61F 2/24 HEART VALVES

PRINCIPLES AND RULES ON PATENT DOCUMENT CLASSIFICATION

FUNCTION-ORIENTED

INDEPENDENT OF A PARTICULAR FIELD OF USE

Organic chemical compounds characterised by their chemical structure but not by their application

C07

ORGANIC CHEMISTRY

APPLICATION-ORIENTED

CLASSIFIED ACCORDING TO BRANCH OF INDUSTRY OR HUMAN ACTIVITY

Chemical compounds as organic fertilizer

C05 FERTILIZERS; MANUFACTURE THEREOF

PRINCIPLES AND RULES ON PATENT DOCUMENT CLASSIFICATION

RESIDUAL PLACE

IF NO OTHER PLACE OF THE IPC PROVIDES FOR THE SUBJECT MATTER UNDER CONSIDERATION

- A99 Subject matter “not otherwise provided for” in this section
- A61K 35/768 … Oncolytic viruses “not provided for in” groups A61K 35/761-A61K 35/766
- C08J After-treatment “not covered by” subclasses C08B, C08C, C08F, C08G or C08H

Function-oriented or Application-oriented classification?

If a particular field of use is specified, but is not the essential feature of the invention, classification is made using the **function-oriented approach.**

If the subject of the invention concerns both the intrinsic nature and the field of use, classification is made using both **function-oriented** and **application – oriented approach.**

Scenario 1

- **A group of researchers synthesized a tetrapeptide (Met-Ile-Thr-Leu) derived from soybean and filed a patent application for this composition. In which place should the invention be classified – function-oriented or application-oriented?**

C	CHEMISTRY; METALLURGY
	CHEMISTRY
C07	ORGANIC CHEMISTRY [2]
C07K	PEPTIDES (peptides containing β-lactam rings C07D; cyclic dipeptides not having in their molecule any other peptide link than those which form their ring, e.g. piperazine-2,5-diones, C07D; ergot alkaloids of the cyclic peptide type C07D 519/02; single cell proteins, enzymes C12N; genetic engineering processes for obtaining peptides C12N 15/00) [4]
C07K 5/00	Peptides having up to four amino acids in a fully defined sequence; Derivatives thereof [2006.01]
C07K 5/04	• containing only normal peptide links [2006.01]
C07K 5/10	• • Tetrapeptides [2006.01]
C07K 5/103	• • • the side chain of the first amino acid being acyclic, e.g. Gly, Ala [2006.01]
C07K 5/107	• • • the side chain of the first amino acid containing carbocyclic rings, e.g. Phe, Tyr [2006.01]
C07K 5/11	• • • the side chain of the first amino acid containing more amino groups than carboxyl groups, or derivatives thereof, e.g. Lys, Arg [2006.01]
C07K 5/113	• • • the side chain of the first amino acid containing more carboxyl groups than amino groups, or derivatives thereof, e.g. Asp, Glu, Asn [2006.01]
C07K 5/117	• • • the first amino acid being heterocyclic, e.g. Pro, His, Trp [2006.01]

Scenario 2

- **Further experiments confirm that the composition containing said tetrapeptide effectively stimulates hair growth and slows down or limits hair loss. In which place should the invention be classified – function-oriented or application-oriented?**

A	HUMAN NECESSITIES
	HEALTH; LIFE-SAVING; AMUSEMENT
A61	MEDICAL OR VETERINARY SCIENCE; HYGIENE
A61Q	SPECIFIC USE OF COSMETICS OR SIMILAR TOILET PREPARATIONS [2006.01]
	Note(s) [2012.01] 1. This subclass covers the use of cosmetics or similar toilet preparations already classified as such in main group A61K 8/00, in subclasses C11D or C12N, or in classes C01, C07 or C08. 2. When classifying in this subclass, classification is also made in subclass A61P if the preparation is stated to have therapeutic activity. 3. In this subclass, the use of cosmetics or similar toilet preparations is classified in all appropriate places. 4. Attention is drawn to cases where the subject of the invention concerns only the specific use of cosmetics or toilet preparations, and the chemical structure, compound, mixture or composition of this subject of the invention is known. In such cases, classification is made in main group A61K 8/00 or in subclass C11D, and also in subclass A61Q as invention information. In addition, if the chemical structure, compound, mixture or composition or any individual ingredient of a mixture or composition is considered to represent information of interest for search, it may also be classified as additional information. 5. The classification symbols of this subclass are not listed first when assigned to patent documents.
A61Q 7/00	**Preparations for affecting hair growth [2006.01]**
A61Q 7/02	• Preparations for inhibiting or slowing hair growth [2006.01]

Features of the IPC Official Publication

- **Access and browse the electronic IPC publication at http://www.wipo.int/ipcpub/**



IPC Official Publication: Version



IPC Official Publication: Symbol box



IPC Official Publication: View Options



IPC Official Publication: View Options



IPC Official Publication: Full view

WIPO IP PORTAL | MENU | *IPC Publication* | HELP | ENGLISH | LOGIN | WIPO

A47J 31/10

1 2 3 4 5 6 7 8 9 0 /

A47J 31/10

PDF

English version
French version
English/French

Path view
Full view
Hierarchic view
Maingroup view

Scheme | RCL | Compilation | Catchwords | Search

A47J 29/00	**Egg-cookers [2006.01]**
A47J 29/02	• for eggs or poached eggs; Time-controlled cookers **[2006.01]**
A47J 29/04	• • Cookers for eggs with devices for automatically lifting the eggs from the boiling water **[2006.01]**
A47J 29/06	• Grasping devices for eggs; Supporting devices for eggs during boiling **[2006.01]**
A47J 31/00	**Apparatus for making beverages** (household machines or implements for straining foodstuffs A47J 19/00; preparation of non-alcoholic beverages, e.g. by adding ingredients to fruit or vegetable juices, A23L 2/00; coffee or tea pots A47G 19/14; tea infusers A47G 19/16; brewing of beer C12C; preparation of wine or other alcoholic beverages C12G) **[2006.01]**
A47J 31/02	• Coffee-making machines with removable extraction cups, to be placed on top of drinking-vessels, e.g. cafe filtre (filters A47J 31/06) **[2006.01]**
A47J 31/04	• Coffee-making apparatus with rising pipes **[2006.01]**
A47J 31/043	• • Vacuum-type coffee-making apparatus with rising pipes in which hot water is passed to the upper bowl in which the ground coffee is placed and subsequently the heat source is cut-off and the water is sucked through the filter by the vacuum in the lower bowl **[2006.01]**
A47J 31/047	• • • with automatic cut-off of heat supply **[2006.01]**
A47J 31/053	• • with repeated circulation of the extract through the filter **[2006.01]**
A47J 31/057	• • with water container separated from beverage container, the hot water passing the filter only once **[2006.01]**
A47J 31/06	• Filters or strainers for coffee or tea makers **[2006.01]**
A47J 31/08	• • Paper filter inlays therefor **[2006.01]**
A47J 31/10	• Coffee-making apparatus, in which the brewing vessel is placed above or in the upper part of the beverage containers; Drip coffee-makers (A47J 31/02 takes precedence) **[2006.01]**

IPC Official Publication: Path view

WIPO IP PORTAL MENU | *IPC Publication* | HELP | ENGLISH | LOGIN | WIPO

A47J 31/10

1 2 3
4 5 6 7
8 9 0 /

A47J 31/10

PDF

- English version
- French version
- English/French
- Path view
- Full view
- Hierarchic view
- Maingroup view

Scheme | RCL | Compilation | Catchwords | Search

	A	HUMAN NECESSITIES
		PERSONAL OR DOMESTIC ARTICLES
	A47	FURNITURE; DOMESTIC ARTICLES OR APPLIANCES; COFFEE MILLS; SPICE MILLS; SUCTION CLEANERS IN GENERAL
		Note(s) In this class, the following term is used with the meaning indicated: • "furniture" covers also easels or stands, e.g. for blackboards or drawing tables.
D	A47J	KITCHEN EQUIPMENT; COFFEE MILLS; SPICE MILLS; APPARATUS FOR MAKING BEVERAGES [6]
		Cooking; Apparatus for making beverages
	A47J 31/00	**Apparatus for making beverages** (household machines or implements for straining foodstuffs A47J 19/00; preparation of non-alcoholic beverages, e.g. by adding ingredients to fruit or vegetable juices, A23L 2/00; coffee or tea pots A47G 19/14; tea infusers A47G 19/16; brewing of beer C12C; preparation of wine or other alcoholic beverages C12G) [2006.01]
	A47J 31/10	• Coffee-making apparatus, in which the brewing vessel is placed above or in the upper part of the beverage containers; Drip coffee-makers (A47J 31/02 takes precedence) [2006.01]
	A47J 31/12	• • in which the vapour from the boiling water is raised above the filter and after condensing passes through the filter [2006.01]

IPC Official Publication: Hierarchic view

WIPO IP PORTAL | MENU | *IPC Publication* | HELP | ENGLISH | LOGIN | WIPO

A47J 31/10

1 2 3
4 5 6 7
8 9 0 /

A47J 31/10

PDF

- English version
- French version
- English/French
- Path view
- Full view
- Hierarchic view
- Maingroup view

Scheme | RCL | Compilation | Catchwords | Search

- "furniture" covers also easels or stands, e.g. for blackboards or drawing tables.

D	−	A47J	KITCHEN EQUIPMENT; COFFEE MILLS; SPICE MILLS; APPARATUS FOR MAKING BEVERAGES [6]
			Cooking; Apparatus for making beverages
	−	A47J 31/00	**Apparatus for making beverages** (household machines or implements for straining foodstuffs A47J 19/00; preparation of non-alcoholic beverages, e.g. by adding ingredients to fruit or vegetable juices, A23L 2/00; coffee or tea pots A47G 19/14; tea infusers A47G 19/16; brewing of beer C12C; preparation of wine or other alcoholic beverages C12G) [2006.01]
		A47J 31/02	• Coffee-making machines with removable extraction cups, to be placed on top of drinking-vessels, e.g. cafe filtre (filters A47J 31/06) [2006.01]
	+	A47J 31/04	• Coffee-making apparatus with rising pipes [2006.01]
	+	A47J 31/06	• Filters or strainers for coffee or tea makers [2006.01]
	+	A47J 31/10	• Coffee-making apparatus, in which the brewing vessel is placed above or in the upper part of the beverage containers; Drip coffee-makers (A47J 31/02 takes precedence) [2006.01]
		A47J 31/14	• Coffee- or tea-making apparatus with filters placed in or behind pouring spouts [2006.01]
		A47J 31/16	• Inverting coffee-making apparatus in which water is boiled in the lower part and the apparatus is subsequently inverted to pass the water through the filter [2006.01]
D	+	A47J 31/18	• Apparatus in which ground coffee or tea-leaves are immersed in the hot liquid in the beverage container [2006.01]
		A47J 31/22	• Centrifuges for producing filtered coffee (A47J 31/20 takes precedence) [2006.01]
	+	A47J 31/24	• Coffee-making apparatus in which hot water is passed through the filter under pressure (A47J 31/043 takes precedence) [2006.01]
	+	A47J 31/40	• Beverage-making apparatus with dispensing means for adding a measured quantity of ingredients, e.g. coffee, water, sugar, cocoa, milk, tea [2006.01]

IPC Official Publication: Maingroup view

WIPO IP PORTAL MENU | *IPC Publication* | HELP | ENGLISH | LOGIN | WIPO

Scheme | RCL | Compilation | Catchwords | Search

A47J 31/10

PDF

- English version
- French version
- English/French
- Path view
- Full view
- Hierarchic view
- Maingroup view
- Tree view
- CPC FI
- Deleted entries
- Subclass indexes
- Guidance Headings
- Notes

IPCPUB v8.4
Last modified: 2020.03.24
CPC 2020.02 FI 2019.10.01

	A47J 21/00	**Devices for removing stalks from fruit** (machines A23N 15/02) **[2006.01]**
	A47J 23/00	**Devices for stoning fruit** (machines for stoning fruit in bulk A23N 3/00, A23N 4/00) **[2006.01]**
	A47J 25/00	**Devices for coring fruit** (machines for coring fruit in bulk A23N 3/00, A23N 4/12) **[2006.01]**
		Cooking; Apparatus for making beverages
+	**A47J 27/00**	**Cooking-vessels** (A47J 29/00-A47J 33/00 take precedence) **[2006.01]**
+	**A47J 29/00**	**Egg-cookers** **[2006.01]**
−	**A47J 31/00**	**Apparatus for making beverages** (household machines or implements for straining foodstuffs A47J 19/00; preparation of non-alcoholic beverages, e.g. by adding ingredients to fruit or vegetable juices, A23L 2/00; coffee or tea pots A47G 19/14; tea infusers A47G 19/16; brewing of beer C12C; preparation of wine or other alcoholic beverages C12G) **[2006.01]**
	A47J 31/02	• Coffee-making machines with removable extraction cups, to be placed on top of drinking-vessels, e.g. cafe filtre (filters A47J 31/06) **[2006.01]**
−	A47J 31/04	• Coffee-making apparatus with rising pipes **[2006.01]**
−	A47J 31/043	• • Vacuum-type coffee-making apparatus with rising pipes in which hot water is passed to the upper bowl in which the ground coffee is placed and subsequently the heat source is cut-off and the water is sucked through the filter by the vacuum in the lower bowl **[2006.01]**
	A47J 31/047	• • • with automatic cut-off of heat supply **[2006.01]**
	A47J 31/053	• • with repeated circulation of the extract through the filter **[2006.01]**
	A47J 31/057	• • with water container separated from beverage container, the hot water passing the filter only once **[2006.01]**
−	A47J 31/06	• Filters or strainers for coffee or tea makers **[2006.01]**
	A47J 31/08	• • Paper filter inlays therefor **[2006.01]**
−	A47J 31/10	• Coffee-making apparatus, in which the brewing vessel is placed above or in the upper part of the beverage containers; Drip coffee-makers (A47J 31/02 takes precedence) **[2006.01]**

IPC Official Publication: Tree view

WIPO IP PORTAL | MENU | *IPC Publication* | Covid-19 Update | HELP | ENGLISH | LOGIN | WIPO

A47J 31/10

PDF

- English version
- French version
- English/French
- Path view
- Full view
- Hierarchic view
- Maingroup view
- Tree view
- CPC FI
- Deleted entries
- Subclass indexes
- Guidance Headings
- Notes

IPCPUB v8.4
Last modified: 2020.03.24
CPC 2020.02, FI 2019.10.01

Scheme | RCL | Compilation | Catchwords | Search

	A47J 31/00	**Apparatus for making beverages** (household machines or implements for straining foodstuffs A47J 19/00; preparation of non-alcoholic beverages, e.g. by adding ingredients to fruit or vegetable juices, A23L 2/00; coffee or tea pots A47G 19/14; tea infusers A47G 19/16; brewing of beer C12C; preparation of wine or other alcoholic beverages C12G) [2006.01]
	A47J 31/02	• Coffee-making machines with removable extraction cups, to be placed on top of drinking-vessels, e.g. cafe filtre (filters A47J 31/06) [2006.01]
	A47J 31/04	• Coffee-making apparatus with rising pipes [2006.01]
	A47J 31/043	• Vacuum-type coffee-making apparatus with rising pipes in which hot water is passed to the upper bowl in which the ground coffee is placed and subsequently the heat source is cut-off and the water is sucked through the filter by the vacuum in the lower bowl [2006.01]
	A47J 31/047	• with automatic cut-off of heat supply [2006.01]
	A47J 31/053	• with repeated circulation of the extract through the filter [2006.01]
	A47J 31/057	• with water container separated from beverage container, the hot water passing the filter only once [2006.01]
	A47J 31/06	• Filters or strainers for coffee or tea makers [2006.01]
	A47J 31/08	• Paper filter inlays therefor [2006.01]
	A47J 31/10	• Coffee-making apparatus, in which the brewing vessel is placed above or in the upper part of the beverage containers; Drip coffee-makers (A47J 31/02 takes precedence) [2006.01]
	A47J 31/12	• in which the vapour from the boiling water is raised above the filter and after condensing passes through the filter [2006.01]
	A47J 31/14	• Coffee- or tea-making apparatus with filters placed in or behind pouring spouts [2006.01]
	A47J 31/16	• Inverting coffee-making apparatus in which water is boiled in the lower part and the apparatus is subsequently inverted to pass the water through the filter [2006.01]
D	A47J 31/18	• Apparatus in which ground coffee or tea-leaves are immersed in the hot liquid in the beverage container [2006.01]
	A47J 31/20	• having immersible, e.g. rotatable, filters [2006.01]
	A47J 31/22	• Centrifuges for producing filtered coffee (A47J 31/20 takes precedence) [2006.01]

IPC Official Publication: CPC and FI checkbox

WIPO IP PORTAL | MENU | *IPC Publication* | Covid-19 Update | HELP | ENGLISH | LOGIN | WIPO

A47J 31/10

PDF

- English version
- French version
- English/French
- Path view
- Full view
- Hierarchic view
- Maingroup view
- Tree view
- CPC
- FI
- Deleted entries
- Subclass indexes
- Guidance Headings
- Notes

IPCPUB v8.4
Last modified: 2020.03.24
CPC 2020.02, FI 2019.10.01

Scheme | RCL | Compilation | Catchwords | Search

C/F	A47J 31/00	**Apparatus for making beverages** (household machines or implements for straining foodstuffs A47J 19/00; preparation of non-alcoholic beverages, e.g. by adding ingredients to fruit or vegetable juices, A23L 2/00; coffee or tea pots A47G 19/14; tea infusers A47G 19/16; brewing of beer C12C; preparation of wine or other alcoholic beverages C12G) [2006.01]
	A47J 31/002	• following a specific operational sequence, e.g. for improving the taste of the extraction product
	A47J 31/005	• Portable or compact beverage making apparatus, e.g. for travelling, for use in automotive vehicles
	A47J 31/007	• for brewing on a large scale, e.g. for restaurants, or for use with more than one brewing container
	A47J 31/02	• Coffee-making machines with removable extraction cups, to be placed on top of drinking-vessels, e.g. cafe filtre (filters A47J 31/06) [2006.01]
	A47J 31/04	• Coffee-making apparatus with rising pipes [2006.01]
	A47J 31/043	• • Vacuum-type coffee-making apparatus with rising pipes in which hot water is passed to the upper bowl in which the ground coffee is placed and subsequently the heat source is cut-off and the water is sucked through the filter by the vacuum in the lower bowl [2006.01]
	A47J 31/047	• • • with automatic cut-off of heat supply [2006.01]
	A47J 31/053	• • with repeated circulation of the extract through the filter [2006.01]
C/F	A47J 31/057	• • with water container separated from beverage container, the hot water passing the filter only once [2006.01]
C/F	A47J 31/06	• Filters or strainers for coffee or tea makers [2006.01]
C/F	A47J 31/10	• Coffee-making apparatus, in which the brewing vessel is placed above or in the upper part of the beverage containers; Drip coffee-makers (A47J 31/02 takes precedence) [2006.01]
	A47J 31/103	• • with a siphon in the water heating container
	A47J 31/106	• • with a valve at the water heating container outlet
	A47J 31/12	• • in which the vapour from the boiling water is raised above the filter and after condensing passes through the filter [2006.01]
	A47J 31/14	• Coffee- or tea-making apparatus with filters placed in or behind pouring spouts [2006.01]
C	A47J 31/16	• Inverting coffee-making apparatus in which water is boiled in the lower part and the apparatus is subsequently inverted to pass the

IPC Official Publication: CPC and FI checkbox

WIPO IP PORTAL | MENU | *IPC Publication* | Covid-19 Update | HELP | ENGLISH | LOGIN | WIPO

Scheme | RCL | Compilation | Catchwords | Search

A47J 31/10

PDF

- English version
- French version
- English/French
- Path view
- Full view
- Hierarchic view
- Maingroup view
- Tree view
- CPC ☑ FI
- Deleted entries
- Subclass indexes
- Guidance Headings
- Notes

IPCPUB v8.4
Last modified: 2020.03.24
CPC 2020.02, FI 2019.10.01

	A47J 31/00,101	• Tea supply machine, e.g. for decocting large volume (for coffee, for all-purpose A47J31/00, 307)
	A47J 31/00,103	• Piping type tea supply device, e.g. sushi-go-round
	A47J 31/00,106	• Tea ceremony tools
	A47J 31/00,201	• Water-drip coffee making device
	A47J 31/00,302	• following specific sequence, e.g. improve taste of extract product, characterised by extracting control
	A47J 31/00,305	• portable beverage manufacturing device or simplified beverage manufacturing device, e.g. for travel or inside vehicle
	A47J 31/00,307	• for large-scale extraction, e.g. for restaurant , for using multiple extracting container
	A47J 31/02	• Coffee-making machines with removable extraction cups, to be placed on top of drinking-vessels, e.g. cafe filtre (filters A47J 31/06) [2006.01]
−	A47J 31/04	• Coffee-making apparatus with rising pipes [2006.01]
−	A47J 31/043	• • Vacuum-type coffee-making apparatus with rising pipes in which hot water is passed to the upper bowl in which the ground coffee is placed and subsequently the heat source is cut-off and the water is sucked through the filter by the vacuum in the lower bowl [2006.01]
	A47J 31/047	• • • with automatic cut-off of heat supply [2006.01]
	A47J 31/053	• • with repeated circulation of the extract through the filter [2006.01]
+ C/F	A47J 31/057	• • with water container separated from beverage container, the hot water passing the filter only once [2006.01]
+ C/F	A47J 31/06	• Filters or strainers for coffee or tea makers [2006.01]
− C/F	A47J 31/10	• Coffee-making apparatus, in which the brewing vessel is placed above or in the upper part of the beverage containers; Drip coffee-makers (A47J 31/02 takes precedence) [2006.01]
	A47J 31/10,103	• • with siphon in water heater
	A47J 31/10,106	• • with valve at outlet of water heater
	A47J 31/12	• • in which the vapour from the boiling water is raised above the filter and after condensing passes through the filter [2006.01]
	A47J 31/14	• Coffee- or tea-making apparatus with filters placed in or behind pouring spouts [2006.01]

IPC Official Publication: Catchword Index

WIPO IP PORTAL | MENU | *IPC Publication* | Covid-19 Update | HELP | ENGLISH | LOGIN | WIPO

IPC HOME | DOWNLOAD

2020.01 Version

English version

French version

Scheme | RCL | Compilation | Catchwords | Search

A

ABACUSES - ADHESION
ADHESIVE(S) - ALKALI METALS
ALKALINE EARTH METALS - ANEMOMETERS
ANEROID - ANTI-TOXINS
ANVILS - ASPIRATOR
ASSEMBLIES - AWNS
AXES - AZOXY

B

BABIES - BARIUM
BARK - BEAUTY
BECKMANN - BISMUTH
BISULFITES - BOLT(S)
BOMBS - BRASSIERES
BRAZIERS - BUILDING(S)
BULBS - BUZZERS

C

CABINET(S) - CANDIES
CANDLE(S) - CARCASES, CARCASSES
CARCINOGENS - CATARACT(S)
CATATHERMOMETERS - CHALK
CHALKERS - CHIPS
CHIROMANTIC - CIRCUMCISION
CIRCUS(ES) - COASTS

IPCPUB v8.4
Last modified: 2020.03.24
CPC 2020.02, FI 2019.10.01

Tools of the IPC Official Publication



Tools of the IPC Official Publication: Terms Search



- **The Terms search tool can be used for searching simple technical terms or a combination of terms in the textual parts of the Scheme of the IPC, of the alphabetically ordered Catchword Index and of all Definitions of the IPC.**

Tools of the IPC Official Publication: Cross-references



- **The cross-reference tool can be used for searching for reference(s) to IPC symbol in IPC scheme, Definitions and/or Catchwords.**

Tools of the IPC Official Publication: STATS



- **The STATS assistance function can be used for searching simple terms or a combination of terms in order to identify IPC places most frequently referenced in the PatentScope database based on the statistical analysis of patent documents containing the specified search terms.**

Tools of the IPC Official Publication: IPCCAT



- **IPCCAT provides IPC place predictions based on a given text at class, subclass or main group level. Users can change the number of predictions (3 to 5), the classification level (class, subclass, maingroup, subgroup) and the input language.**

Find relevant IPCs

- A patch for administering vaccines that comprises microscopic projections made of silicon produced using deep reactive ion etching, with a length adapted to reach Langerhans cells, for improving immune responses through delivery and eliminating the cold chain.

CONCEPTS

- **A patch for administering vaccines that comprises microscopic projections made of silicon produced using deep reactive ion etching, with a length adapted to reach Langerhans cells, for improving immune responses through delivery and eliminating the cold chain.**
  - **vaccine**
  - **patch**
  - **microscopic projection**
  - immune response
  - cold chain
  - silicon
  - deep reactive ion etching
  - langerhans cell

IPC for VACCINE?



IPC for VACCINE?

WIPO IP PORTAL | MENU | *IPC Publication* | HELP | ENGLISH | LOGIN | WIPO

IPC HOME | DOWNLOAD

2020.01 Version

English version

French version

Advanced Search

Terms

Cross-references

STATS

IPCCAT

Terms search:

Stemming

A01N,A01I Limit to

A01N,A01I Exclude

Path

Scheme titles

Scheme | RCL | Compilation | Catchwords | Search

vaccine

Search | Reset

Scheme terms

A61B 17/20
A61D 1/02
A61B 10/00
A61B
A61K

Prepare copy

Catchword terms

VACCINES
VACCINATION

Definition terms

IPC for VACCINE?

Scheme RCL Compilation Catchwords

V

VACCINATION - VEST(S)

VACCINATION

VACCINATION of animals A61D 1/02

VACCINATION methods or instruments A61B 10/00, A61B 17/20

VACCINES A61K 39/00, C12N

IPC for VACCINE?

WIPO IP PORTAL MENU | IPC Publication | HELP | ENGLISH | LOGIN | WIPO

IPC HOME | DOWNLOAD

2020.01 Version

type an IPC Symbol

A61K 39/00

PDF

- English version
- French version
- English/French
- Path view
- Full view
- Hierarchic view
- Maingroup view

Scheme | RCL | Compilation | Catchwords | Search

A61K 39/00	**Medicinal preparations containing antigens or antibodies** (materials for immunoassay G01N 33/53) [2006.01]
	Note(s) [3] 1. Preparation of antigen or antibody compositions is also classified in subclass C12N, if the step of cultivating the microorganism is of interest. 2. Groups A61K 39/002-A61K 39/12 cover preparations containing protozoa, bacteria, viruses, or subunits thereof, e.g. membrane parts.
A61K 39/002	• Protozoa antigens [2006.01]
A61K 39/005	• • Trypanosoma antigens [2006.01]
A61K 39/008	• • Leishmania antigens [2006.01]
A61K 39/012	• • Coccidia antigens [2006.01]
A61K 39/015	• • Hemosporidia antigens, e.g. Plasmodium antigens [2006.01]
A61K 39/018	• • • Babesia antigens, e.g. Theileria antigens [2006.01]
A61K 39/02	• Bacterial antigens [2006.01]
A61K 39/04	• • Mycobacterium, e.g. Mycobacterium tuberculosis [2006.01]
A61K 39/05	• • Corynebacterium; Propionibacterium [2006.01]
A61K 39/07	• • Bacillus [2006.01]
A61K 39/08	• • Clostridium, e.g. Clostridium tetani [2006.01]
A61K 39/085	• • Staphylococcus [2006.01]

IPC for VACCINE?



IPC for VACCINE?

	−	A	HUMAN NECESSITIES
			HEALTH; LIFE-SAVING; AMUSEMENT
	−	A61	MEDICAL OR VETERINARY SCIENCE; HYGIENE
D	−	A61B	DIAGNOSIS; SURGERY; IDENTIFICATION (analysing biological material G01N, e.g. G01N 33/48)
			Note(s) This subclass covers instruments, implements, and processes for diagnostic, surgical and person-identification purposes, including obstetrics, instruments for cutting corns, vaccination instruments, finger-printing, psycho-physical tests.
			Surgery
▲	−	A61B 17/00	**Surgical instruments, devices or methods, e.g. tourniquets** (A61B 18/00 takes precedence; contraceptive devices, pessaries, or applicators therefor A61F 6/00; eye surgery A61F 9/007; ear surgery A61F 11/00) **[2006.01]**
			Note(s) **[2006.01]** When classifying in this group, classification is also made in group A61B 17/94 if the endoscopic features of the surgical instrument are of interest.
D		A61B 17/20	• for vaccinating or cleaning the skin previous to the vaccination (apparatus for injections A61M 3/00, A61M 5/00) **[2006.01]**

CONCEPTS

- **A patch for administering vaccines that comprises microscopic projections made of silicon produced using deep reactive ion etching, with a length adapted to reach Langerhans cells, for improving immune responses through delivery and eliminating the cold chain.**
  - **vaccine**
  - **patch**
  - **microscopic projection**
  - immune response
  - cold chain
  - patch
  - silicon
  - deep reactive ion etching
  - langerhans cell

IPC for PATCH?



IPC for PATCH?

WIPO IP PORTAL MENU | IPC Publication | HELP | ENGLISH | LOGIN | WIPO

IPC HOME | DOWNLOAD

2020.01 Version

type an IPC Symbol

A41H 27/00

PDF

English version
French version
English/French

Path view
Full view
Hierarchic view
Maingroup view

Tree view
CPC FI

Scheme | RCL | Compilation | Catchwords | Search

	A	HUMAN NECESSITIES
		PERSONAL OR DOMESTIC ARTICLES
	A41	WEARING APPAREL
	A41H	APPLIANCES OR METHODS FOR MAKING CLOTHES, e.g. FOR DRESS-MAKING, FOR TAILORING, NOT OTHERWISE PROVIDED FOR (machines, appliances or methods for making particular articles of apparel, see the relevant groups for these articles in A41B-A41F; cutting tools or machines in general B26; weaving, braiding, lace-making, knitting, tufting, treating of textiles D03-D06; sewing-machines, sewing appliances, seam-ripping devices D05B; cutting or otherwise severing textile materials D06H 7/00)
	A41H 27/00	Mending garments by adhesives or adhesive patches [2006.01]

IPC for PATCH?



IPC for PATCH?

WIPO IP PORTAL MENU | IPC Publication | HELP | ENGLISH | LOGIN | WIPO

IPC HOME | DOWNLOAD

2020.01 Version

English version

French version

Scheme | RCL | Compilation | Catchwords | Search

PATCHES

repairing tyres by applying PATCHES B29C 73/04

PATERNOSTER

lifts of PATERNOSTER type B66B 9/10

PATERNOSTER lifts in parking garages E04H 6/14

PATH

PATH configuration in networks H04L 12/28

PATIENCE

PATIENCE games A63F 9/06

PATIENTS

gowns or dresses for PATIENTS A41D 13/12

IPC for PATCH?

Home > International Patent Classification > IPC Publication

IPC HOME | DOWNLOAD

2024.01 Version

English version

French version

Advanced Search

Terms

Cross-references

STATS

IPCCAT

Categorization (IPCCAT):

3 Number of predictions

SubGr Classification level

English Input language

A01N Start From

Scheme RCL Compilation Catchwords Search

patch

Search Reset

IPCCAT

★ **Predictions**

5 A61K 9/70

5 H01Q 9/04

5 G06F 8/65

IPC for PATCH?

Home › International Patent Classification › IPC Publication

IPC HOME | DOWNLOAD

2024.01 Version

type an IPC Symbol

A61K 9/70

PDF

English version
French version
English/French

Path view
Full view
Hierarchic view
Maingroup view

Tree view
CPC FI
Deleted entries
Subclass indexes

Scheme RCL Compilation Catchwords Search

4. In this subclass, with the exception of group A61K 8/00, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication to the contrary, classification is made in the last appropriate place.

5. Therapeutic activity of medicinal preparations is further classified in subclass A61P.

D	A61K 6/00	**Preparations for dentistry [2020.01]**
D	A61K 8/00	**Cosmetics or similar toiletry preparations [2006.01]**
D	A61K 9/00	**Medicinal preparations characterised by special physical form [2006.01]**
	A61K 9/02	• Suppositories; Bougies; Bases for suppositories or bougies (apparatus for making A61J 3/08; devices for introducing into the body A61M 31/00) **[2006.01]**
	A61K 9/06	• Ointments; Bases therefor (apparatus for making A61J 3/04) **[2006.01]**
	A61K 9/08	• Solutions **[2006.01]**
	A61K 9/10	• Dispersions; Emulsions **[2006.01]**
	A61K 9/14	• Particulate form, e.g. powders (microcapsules A61K 9/50) **[2006.01]**
	A61K 9/20	• Pills, lozenges or tablets **[2006.01]**
	A61K 9/22	• • Sustained or differential release type **[2006.01]**
	A61K 9/28	• • Dragees; Coated pills or tablets **[2006.01]**
	A61K 9/44	• • printed, embossed, grooved, or perforated **[2006.01]**
	A61K 9/46	• • effervescent **[2006.01]**
	A61K 9/48	• Preparations in capsules, e.g. of gelatin, of chocolate **[2006.01]**
D	~~A61K 9/68~~	~~• chewing gum type [2006.01]~~
D	A61K 9/70	• Web, sheet or filament bases **[2006.01]**
	A61K 9/72	• for smoking or inhaling **[2006.01]**

Note(s) **[2006.01]**

1. A composition, i.e. a mixture of two or more components, is classified in the last of groups A61K 31/00-A61K 47/00 that provides for at least one of these

CONCEPTS

- **A patch for administering vaccines that comprises microscopic projections made of silicon produced using deep reactive ion etching, with a length adapted to reach Langerhans cells, for improving immune responses through delivery and eliminating the cold chain.**
  - **vaccine**
  - **patch**
  - **microscopic projection**
  - immune response
  - cold chain
  - patch
  - silicon
  - deep reactive ion etching
  - langerhans cell

IPC for MICROSCOPIC PROJECTION?



IPC for MICROSCOPIC PROJECTION?

WIPO IP PORTAL | MENU | *IPC Publication* | HELP | ENGLISH | LOGIN | WIPO

IPC HOME | DOWNLOAD

2020.01 Version

type an IPC Symbol

G02B

PDF

English version
French version
English/French

Path view
Full view
Hierarchic view
Maingroup view

Tree view
CPC FI

Scheme | RCL | Compilation | Catchwords | Search

	G02	**OPTICS**
		Note(s) [4] In this class, the following expression is used with the meaning indicated: • "optical" applies not only to visible light but also to ultra-violet or infra-red radiations.
D	G02B	**OPTICAL ELEMENTS, SYSTEMS, OR APPARATUS** (G02F takes precedence; optical elements specially adapted for use in lighting devices or systems thereof F21V 1/00-F21V 13/00; measuring-instruments, see the relevant subclass of class G01, e.g. optical rangefinders G01C; testing of optical elements, systems, or apparatus G01M 11/00; spectacles G02C; apparatus or arrangements for taking photographs or for projecting or viewing them G03B; sound lenses G10K 11/30; electron and ion "optics" H01J; X-ray "optics" H01J, H05G 1/00; optical elements structurally combined with electric discharge tubes H01J 5/16, H01J 29/89, H01J 37/22; microwave "optics" H01Q; combination of optical elements with television receivers H04N 5/72; optical systems or arrangements in colour television systems H04N 9/00; heating arrangements specially adapted for transparent or reflecting areas H05B 3/84) [7]
		Note(s) [7] 1. Attention is drawn to the Notes following the titles of class B81 and subclass B81B relating to "microstructural devices" and "microstructural systems".
	G02B 1/00	**Optical elements characterised by the material of which they are made** (compositions of optical glasses C03C 3/00); **Optical coatings for optical elements** [2006.01]
	G02B 1/02	• made of crystals, e.g. rock-salt, semiconductors (G02B 1/08 takes precedence) [2006.01]
	G02B 1/04	• made of organic materials, e.g. plastics (G02B 1/08 takes precedence) [2006.01]
	G02B 1/06	• made of fluids in transparent cells [2006.01]
	G02B 1/08	• made of polarising materials [2006.01]
	G02B 1/10	• Optical coatings produced by application to, or surface treatment of, optical elements (G02B 1/08 takes precedence) [2015.01]





Image source: http://www.news.gatech.edu/hg/image/592998/original

This close-up image shows the **microneedle** vaccine patch, which contains tiny needles that dissolve into the skin, carrying vaccine. A majority of study participants said they would prefer to receive the influenza vaccine using patches rather than traditional hypodermic needles.

IPC for MICRONEEDLE?



IPC for MICRONEEDLE?



IPC for MICRONEEDLE?

WIPO IP PORTAL MENU | *IPC Publication* | HELP | ENGLISH | LOGIN | WIPO

IPC HOME | DOWNLOAD

2020.01 Version

type an IPC Symbol

A61M 37/00

PDF

English version
French version
English/French

Path view
Full view
Hierarchic view
Maingroup view

Tree view

CPC FI

Scheme | RCL | Compilation | Catchwords | Search

A **HUMAN NECESSITIES**

HEALTH; LIFE-SAVING; AMUSEMENT

A61 **MEDICAL OR VETERINARY SCIENCE; HYGIENE**

D **A61M** **DEVICES FOR INTRODUCING MEDIA INTO, OR ONTO, THE BODY** (introducing media into or onto the bodies of animals A61D 7/00; means for inserting tampons A61F 13/26; devices for administering food or medicines orally A61J; containers for collecting, storing or administering blood or medical fluids A61J 1/05); **DEVICES FOR TRANSDUCING BODY MEDIA OR FOR TAKING MEDIA FROM THE BODY** (surgery A61B; chemical aspects of surgical articles A61L; magnetotherapy using magnetic elements placed within the body A61N 2/10); **DEVICES FOR PRODUCING OR ENDING SLEEP OR STUPOR** [5]

Note(s) [2006.01]

1. This subclass covers suction, pumping or atomising devices for medical use (e.g. cups, breast relievers, irrigators, sprays, powder insufflators, atomisers, inhalers), apparatus for general or local anaesthetics, devices or methods for causing a change in the state of consciousness, catheters, dilators, apparatus for introducing medicines into the body other than orally.
2. In this subclass, group A61M 36/00, which relates to the application of radioactive material to the body, takes precedence over other groups.
3. When classifying in this subclass, classification is also made in group B01D 15/08 insofar as subject matter of general interest relating to chromatography is concerned.

A61M 37/00 **Other apparatus for introducing media into the body** (for reproduction or fertilisation A61B 17/425; apparatus for iontophoresis or cataphoresis A61N 1/30); **Percutany, i.e. introducing medicines into the body by diffusion through the skin** (salt baths A61H 33/04) [2006.01]

Identified IPCs for each concept

vaccine	A61B 17/20 (Surgical instruments, devices or methods) for vaccinating or cleaning the skin previous to the vaccination
patch	A61K 9/70 (Medicinal preparations characterised by special physical form:) Web, sheet or filament bases
microscopic projections	A61M 37/00 Other apparatus for introducing media into the body; Percutany, i.e. introducing medicines into the body by diffusion through the skin

INVENTION

- **A patch for administering vaccines that comprises microscopic projections made of silicon produced using deep reactive ion etching, with a length adapted to reach Langerhans cells, for improving immune responses through delivery and eliminating the cold chain.**
  - **vaccine**
  - **patch**
  - **microscopic projection**
  - immune response
  - cold chain
  - patch
  - silicon
  - deep reactive ion etching
  - langerhans cell

Replacing keywords with IPC

- ~~vaccine~~ A61B 17/20 (Surgical instruments, devices or methods) for vaccinating or cleaning the skin previous to the vaccination
- patch
- microscopic projection
- silicon
- deep reactive ion etching
- Langerhans cell

Replacing keywords with IPC

- vaccine
- ~~patch~~ A61K 9/70 (Medicinal preparations characterised by special physical form:) Web, sheet or filament bases
- microscopic projection
- silicon
- deep reactive ion etching
- Langerhans cell

Replacing keywords with IPC

- vaccine
- patch
- ~~microscopic projection~~ A61M 37/00 Other apparatus for introducing media into the body; Percutany, i.e. introducing medicines into the body by diffusion through the skin
- silicon
- deep reactive ion etching
- Langerhans cell

Replacing keywords with IPC

- **With the identified IPCs (A61B 17/20, A61K 9/70, A61M 37/00) replacing some of the essential keywords (vaccine, patch, microscopic projection), the patent searcher can now formulate search queries that are not purely based on keywords.**

End of Presentation

Questions on Prior Art Search?

Email: ip_search@ipophil.gov.ph

Thank You!

Scan this to
Visit our page

Intellectual Property Center
#28 Upper McKinley Road
McKinley Hill Town Center
Fort Bonifacio, Taguig City
Philippines

IPOPHL

Like and follow us for more updates