I

Behav

User

Model

itsm*:* Trail System Manager

I add/creak Trail Group)

Request trail Gmp Nande

submit (Tral Group Name)

create

Trail

Group

1

1.0

(*Trail* Group Name) ((my

)

inserte)

select Trails

I

for each user-selected Traill.

sub nit (trail Name)

Finst

select (all Trails) F

all Trails

Submit (selected Trail Name)

F

trail added to

sp

Done

all Trees :

Troul Collection

옷 옷 브

Tral

tgm: Trail

Group Membership

Group

Trail

Reposing Repository

옷

Trail

Group | Membership Repository

Trail Group

Dala

IDPA Name | Notes

Model.

Trail Group Memberslung

2)

Trail Group Trail ID

ID (FE)

Istore k (Trail Grmp Name, . √) inser (tg)

(tg)

HI

instantial (trail Name) data

doi= retrieve All (trofiNG

creak Trails And Store

K

(date)

5

TID == Get Trail ID(selected Traul

create (tg.getId(), TID)

insert ( )

Frail Wank)

1

store (--)

ok

I

insert (tgim)

1

H

**

Trail

ID Name Lat. Long. Notes

CREATE TRAIL GROUP

رئے

A

-Domain Solution Domain Suction - Domani Solution-Domain

Entity (LL)

Entity (22)

Human+ Client | React Entities?

Entity

User

I *GUI*

Trail

REST Controller Aws:

System an Manage

Trail Group

DAO (Data

Aws:

Access Object)

- ?

1

Membership
Trail Group DAO

1 AWS:

<?

2

Trail

DAO

1) Ans :

Trail Collection DAO

* : Collection needed because we need to access the Trail IDs associated with the

Trail Names for proper persistence

Collechm

| ANS:

?

Trail Repo.

External

`Aws`. DynamoDB?

Trail Group

Membership Rep . . .

вер

Trail Group Repo.

2

Dala

epositrie

ota

User

1

++'s

4sm; Trail System Manager

tge: Trail (Group Collection

: Trad

Group

웃

옷

Trail Group

Repository

Modify Trail Group

<Request trail Group Name

Submit (Trail Group Name)

UPDATE TRAIL GROUP

instantiate (trul Gring Name) dala:= retrieve All (trail Group Name)

Trail Group

Membership Repositor

creak Trail Groups And Store (data)

salut (tsc) <

tgc

Submit Itrail group (love)

instantiate (trail group Name)

1 dl := retrieve (trail Grap Ney)

2

JOIN

1,42)

な

fecit

remove (tg trail Name)

(tg, treal.

+*g*

d2 := retrieve All (Area *off*. ID)

creak And Store Trail

Group Membership (a

Angstr

remove Trail (tg, trail Name)

+gm ID:=

remove Fromself (tg, trail Name)

Loremore Treul Group Membership

delete (+jmID)

Is Question: Is this an actual delete

or stating chang

stating chang

Trail deleted

04

update Name (New Name)

set (New Name)

Name

chayed

updatel）

!

update (tg）

add (Trail Namy）

** BEHAVIOR HERE SAME AS IN THE LOOP OF CREATE TRAIL GROUD Auto

Problem-domain |

Souction-doman |

Siluhon-domain

Entity

Entity (LI)

entity (42)

User

Human+ Client- React

Entities?

side GUI

2

Trail System Manajer

REST Contviller

ANS :

Trail Group Colechon

DAO Collection

Aws

9

Trail Group

DAO + Business Love"

* AWS.

a

Trail Group Repo

External

Trant Group

Membuship Repa..

Trail Rap...

*

Trail Grop a collection of Data Reposimer

now encapsulates State (as wide-realize) because it hits

Trail

Group membership objects, and is

responsible for the

In the words

proper addition / deletion of Djects from this collection. it plays the to roles

fo how do ve mimas кафтар it to

AWS entities

off both

a

DAO/D TO & Bo

と

Data Transfer

Transfer

Shiret

is Business Lye object.

Aws : Dynamo DB?

2

ok

tsm; Trail Group Managu

n: User/

User

1 Create User

14

provide user name, email, puid

submit (usu name, email, puid)

(

옷

you

Repository

co Credential I

Alection

creak (usee name, email, pwd)

и

instantiate ( )

cc

Z 1 Cretenhall Repo

retrieve (asce mnome, email)

fail

Usu

Data man

Roli (FR)!

Is UName Email foodh

Credeinal /Role

Rile ID Credential

=

data-retrieve All!

Create And Store Credentials

(data)

L

Select (c2) submit (cc.

MeID)

REATE USER

ECREATE

setRole (cc.role ID) insert()

insert, (u)

User

oe

DD & Name Email

Authentication-Credentia

RD User ID (FE) /wd creden