

➤ 1)

```
MySQL 8.0 Command Line Client
-> MobileNo NUMBER(10),
-> City VARCHAR(15)
-> );
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '{
RegNo NUMBER(3),
Name VARCHAR(15),
Gender CHAR(1),
DOB DATE,
' at line 2
mysql> CREATE TABLE STUDENT
-> (
-> RegNo INT(3) PRIMARY KEY,
-> Name VARCHAR(15),
-> Gender CHAR(1),
-> DOB DATE,
-> MobileNo BIGINT,
-> City VARCHAR(15)
-> );
Query OK, 0 rows affected, 1 warning (0.05 sec)

mysql> desc student;
+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+
| RegNo | int  | NO   | PRI | NULL    |       |
| Name  | varchar(15) | YES |     | NULL    |       |
| Gender | char(1) | YES |     | NULL    |       |
| DOB   | date  | YES |     | NULL    |       |
| MobileNo | bigint | YES |     | NULL    |       |
| City  | varchar(15) | YES |     | NULL    |       |
+-----+
6 rows in set (0.01 sec)

mysql>
```

➤ 2)

```
MySQL 8.0 Command Line Client
+-----+
| DOB   | date  | YES |     | NULL    |       |
| MobileNo | bigint | YES |     | NULL    |       |
| City  | varchar(15) | YES |     | NULL    |       |
+-----+
6 rows in set (0.01 sec)

mysql> CREATE TABLE FACULTY
-> (
-> FacNo VARCHAR(4) PRIMARY KEY,
-> FacName VARCHAR(15),
-> Gender CHAR(1),
-> DOB DATE,
-> DOJ DATE,
-> MobileNo BIGINT
-> );
Query OK, 0 rows affected (0.03 sec)

mysql> desc faculty
-> ;
+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+
| FacNo | varchar(4) | NO   | PRI | NULL    |       |
| FacName | varchar(15) | YES |     | NULL    |       |
| Gender | char(1) | YES |     | NULL    |       |
| DOB   | date  | YES |     | NULL    |       |
| DOJ   | date  | YES |     | NULL    |       |
| MobileNo | bigint | YES |     | NULL    |       |
+-----+
6 rows in set (0.00 sec)

mysql>
```

➤ 3)

```
MySQL 8.0 Command Line Client
-> MobileNo BIGINT
-> );
Query OK, 0 rows affected (0.03 sec)

mysql> desc faculty
-> ;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| FacNo | varchar(4) | NO | PRI | NULL | |
| FacName | varchar(15) | YES | | NULL | |
| Gender | char(1) | YES | | NULL | |
| DOB | date | YES | | NULL | |
| DOJ | date | YES | | NULL | |
| MobileNo | bigint | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql> CREATE TABLE DEPARTMENT
-> (
-> DeptNo VARCHAR(4) PRIMARY KEY,
-> DeptName VARCHAR(15),
-> DeptHead VARCHAR(4)
-> );
Query OK, 0 rows affected (0.03 sec)

mysql> desc department;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| DeptNo | varchar(4) | NO | PRI | NULL | |
| DeptName | varchar(15) | YES | | NULL | |
| DeptHead | varchar(4) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> _
```

➤ 4)

```
MySQL 8.0 Command Line Client
Query OK, 0 rows affected (0.03 sec)

mysql> desc department;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| DeptNo | varchar(4) | NO | PRI | NULL | |
| DeptName | varchar(15) | YES | | NULL | |
| DeptHead | varchar(4) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> CREATE TABLE COURSE
-> (
-> CourseNo VARCHAR(3) PRIMARY KEY,
-> CourseDesc VARCHAR(14),
-> CourseType CHAR(1),
-> SemNo CHAR(1),
-> HallNo VARCHAR(4),
-> FacNo VARCHAR(4)
-> );
Query OK, 0 rows affected (0.03 sec)

mysql> desc course;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| CourseNo | varchar(3) | NO | PRI | NULL | |
| CourseDesc | varchar(14) | YES | | NULL | |
| CourseType | char(1) | YES | | NULL | |
| SemNo | char(1) | YES | | NULL | |
| HallNo | varchar(4) | YES | | NULL | |
| FacNo | varchar(4) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql>
```

➤ 5)

```
MySQL 8.0 Command Line Client
>> );
Query OK, 0 rows affected (0.03 sec)

mysql> desc course;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| CourseNo | varchar(3) | NO | PRI | NULL | |
| CourseDesc | varchar(14) | YES | | NULL | |
| CourseType | char(1) | YES | | NULL | |
| SemNo | char(1) | YES | | NULL | |
| HallNo | varchar(4) | YES | | NULL | |
| FacNo | varchar(4) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql> ALTER TABLE FACULTY
-> ADD Dept VARCHAR(10);
Query OK, 0 rows affected (0.08 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> desc faculty;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| FacNo | varchar(4) | NO | PRI | NULL | |
| FacName | varchar(15) | YES | | NULL | |
| Gender | char(1) | YES | | NULL | |
| DOB | date | YES | | NULL | |
| DOJ | date | YES | | NULL | |
| MobileNo | bigint | YES | | NULL | |
| Dept | varchar(10) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)

mysql>
```