

```
mysql> USE CollegeDB;
Database changed
mysql> CREATE TABLE employee (
->     employeeid INT,
->     firstname VARCHAR(50),
->     lastname VARCHAR(50),
->     deviceserial VARCHAR(15),
->     salary INT
-> );
Query OK, 0 rows affected (0.05 sec)
```

```
mysql> INSERT INTO employee VALUES
-> (11, 'Arun', 'Kumar', 'DEV101', 50000),
-> (12, 'Divya', 'Raj', 'DEV102', 62000),
-> (13, 'Karthik', 'Rao', 'DEV103', 74000),
-> (14, 'Priya', 'Sharma', 'DEV104', 81000),
-> (15, 'Vijay', 'Das', 'DEV105', 95000),
-> (16, 'Anitha', 'Paul', 'DEV106', 105000),
-> (17, 'Ravi', 'Singh', 'DEV107', 118000),
-> (18, 'Keerthi', 'Nair', 'DEV108', 125000),
-> (19, 'Manoj', 'Reddy', 'DEV109', 138000),
-> (20, 'Sneha', 'Jain', 'DEV110', 145000);
Query OK, 10 rows affected (0.01 sec)
Records: 10  Duplicates: 0  Warnings: 0
```

```
mysql> SELECT * FROM employee;
```

employeeid	firstname	lastname	deviceserial	salary
11	Arun	Kumar	DEV101	50000
12	Divya	Raj	DEV102	62000
13	Karthik	Rao	DEV103	74000
14	Priya	Sharma	DEV104	81000
15	Vijay	Das	DEV105	95000
16	Anitha	Paul	DEV106	105000
17	Ravi	Singh	DEV107	118000
18	Keerthi	Nair	DEV108	125000
19	Manoj	Reddy	DEV109	138000
20	Sneha	Jain	DEV110	145000

```
10 rows in set (0.00 sec)
```

```
mysql> |
```

```
mysql> CREATE VIEW v1 AS  
-> SELECT employeeid, salary  
-> FROM employee;  
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> DESC v1;
```

Field	Type	Null	Key	Default	Extra
employeeid	int	YES		NULL	
salary	int	YES		NULL	

```
2 rows in set (0.03 sec)
```

```
mysql>
mysql> SELECT * FROM v1;
+-----+-----+
| employeeid | salary |
+-----+-----+
|          11 | 50000  |
|          12 | 62000  |
|          13 | 74000  |
|          14 | 81000  |
|          15 | 95000  |
|          16 | 105000 |
|          17 | 118000 |
|          18 | 125000 |
|          19 | 138000 |
|          20 | 145000 |
+-----+-----+
10 rows in set (0.01 sec)
```

```
mysql>
mysql> DELETE FROM v1
      -> WHERE employeeid = 16;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> SELECT * FROM v1;
+-----+-----+
| employeeid | salary |
+-----+-----+
|          11 | 50000  |
|          12 | 62000  |
|          13 | 74000  |
|          14 | 81000  |
|          15 | 95000  |
|          17 | 118000 |
|          18 | 125000 |
|          19 | 138000 |
|          20 | 145000 |
+-----+-----+
9 rows in set (0.00 sec)
```

```
1 row in set, 1 warning (0.01 sec)
```

Query OK, 0 rows affected (0.08 sec)
Records: 0 Duplicates: 0 Warnings: 0

```
-> SELECT firstname
-> FROM employee
```

id	select_type	table
1	PRIMARY	tbl1
2	SUBQUERY	tbl2

```
1 row in set, 1 warning (0.00 sec)
```

```

-> WHERE employeeid = 19;
+-----+
| 19 |
+-----+

```

1 now in rot (0.00 sec)

```
mysql> EXPEND
-> SELECT firstname
-> FROM employee
```

id	select_type	table
----	-------------	-------

```
1 row in set, 1 warning (0.00 s)
```

Query OK, 0 rows affected (0.07 sec)
Records: 0 Duplicates: 0 Warnings: 0

```
-> SELECT firstname
-> FROM employee
```

10	select_type	table
1	SINGLE	one row

```
mysql> SHOW INDEX FROM employees
```

employee	1	index
----------	---	-------

```
2 rows in set (0.02 sec)
```

