```php
<?php
session_start();
require_once "../config/database.php";

if (!isset($_SESSION["user_id"]) || ($_SESSION["role"] ?? "") !== "REGISTRAR") {
    header("Location: ../auth/auth.php");
    exit();
}

function h($s){
    return htmlspecialchars((string)($s ?? ""), ENT_QUOTES, "UTF-8");
}

/* IMPORTANT: change this to your actual Tesseract path */
define('TESSERACT_PATH', 'C:\\Program Files\\Tesseract-OCR\\tesseract.exe');

$requestId = (int)($_GET["id"] ?? $_POST["request_id"] ?? 0);
if ($requestId <= 0) {
    die("Missing request ID.");
}

/* Registrar name */
$registrarId = (int)$_SESSION["user_id"];
$registrarName = "Registrar";
$me = $conn->prepare("SELECT first_name, last_name FROM users WHERE id=? LIMIT 1");
$me->bind_param("i", $registrarId);
$me->execute();
$mr = $me->get_result()->fetch_assoc();
if ($mr) {
    $registrarName = trim(($mr["first_name"] ?? "") . " " . ($mr["last_name"] ?? ""));
}

/* Fetch selected request + student */
$sql = "
    SELECT
        r.id,
        r.reference_no,
        r.document_type,
        r.title_type,
        r.purpose,
        r.copies,
        r.status,
        r.created_at,
        u.id AS user_id,
```

```
        u.first_name,
        u.middle_name,
        u.last_name,
        u.student_id,
        u.course,
        u.major,
        u.year_graduated,
        u.email,
        u.contact_number
    FROM requests r
    JOIN users u ON u.id = r.user_id
    WHERE r.id = ?
    LIMIT 1
";
$stmt = $conn->prepare($sql);
$stmt->bind_param("i", $requestId);
$stmt->execute();
$request = $stmt->get_result()->fetch_assoc();

if (!$request) {
    die("Request not found.");
}

$studentName = trim(
    ($request["last_name"] ?? "") . ", " .
    ($request["first_name"] ?? "") . " " .
    ($request["middle_name"] ?? "")
);

$year = date("Y");
$soNumber = "SO-" . $year . "-" . random_int(1000, 9999);
$docTitle = trim($_POST["doc_title"] ?? ("School Order for " . ($request["document_type"] ??
"Document")));

$previewPath = "";
$previewExt = "";
$ocrText = "";
$ocrMessage = "";

/* Parsed fields */
$parsed = [
    "receipt_no"   => "",
    "date"         => "",
    "name"         => "",
```

```
    "student_id"   => "",
    "reference_no" => "",
    "amount"       => ""
];

/* Fetched fallback values */
$fetchedReceiptNo   = "";
$fetchedDate        = date("F j, Y", strtotime($request["created_at"] ?? "now"));
$fetchedName        = $studentName;
$fetchedStudentId   = (string)($request["student_id"] ?? "");
$fetchedReferenceNo = (string)($request["reference_no"] ?? "");
$fetchedAmount      = "";

/* Final display values */
$displayParsed = [
    "receipt_no"   => $fetchedReceiptNo,
    "date"         => $fetchedDate,
    "name"         => $fetchedName,
    "student_id"   => $fetchedStudentId,
    "reference_no" => $fetchedReferenceNo,
    "amount"       => $fetchedAmount
];

/* ==========================
   HELPERS
========================== */
function is_tesseract_available(): bool {
    return file_exists(TESSERACT_PATH);
}

function run_tesseract_ocr(string $imagePath, string &$error = ""): string {
    if (!is_tesseract_available()) {
        $error = "Tesseract OCR not found. Check TESSERACT_PATH in process_create.php.";
        return "";
    }

    $base = sys_get_temp_dir() . DIRECTORY_SEPARATOR . "ocr_" . uniqid();
    $cmd = "" . TESSERACT_PATH . "" ' .
           escapeshellarg($imagePath) . ' ' .
           escapeshellarg($base) . ' 2>&1';

    exec($cmd, $output, $returnVar);

    if ($returnVar !== 0) {
```

```
        $error = "OCR failed: " . implode("\n", $output);
        return "";
    }

    $txtFile = $base . ".txt";
    if (!file_exists($txtFile)) {
        $error = "OCR output file was not created.";
        return "";
    }

    $text = file_get_contents($txtFile);
    @unlink($txtFile);

    return trim((string)$text);
}

function convert_pdf_first_page_to_image(string $pdfPath, string &$error = ""): string {
    if (!extension_loaded('imagick')) {
        $error = "PDF OCR requires Imagick extension to convert PDF pages to image.";
        return "";
    }

    try {
        $imagick = new Imagick();
        $imagick->setResolution(200, 200);
        $imagick->readImage($pdfPath . "[0]");
        $imagick->setImageFormat("png");

        $output = sys_get_temp_dir() . DIRECTORY_SEPARATOR . "pdf_ocr_" . uniqid() . ".png";
        $imagick->writeImage($output);
        $imagick->clear();
        $imagick->destroy();

        return $output;
    } catch (Throwable $e) {
        $error = "PDF conversion failed: " . $e->getMessage();
        return "";
    }
}

function save_uploaded_file(array $file, string &$relativePath, string &$ext, string &$error = ""):
bool {
    if (($file["error"] ?? UPLOAD_ERR_NO_FILE) !== UPLOAD_ERR_OK) {
        $error = "No file uploaded or upload failed.";
```

```
        return false;
    }

    $tmp = $file["tmp_name"];
    $size = (int)$file["size"];

    if ($size > 15 * 1024 * 1024) {
        $error = "Max file size is 15MB.";
        return false;
    }

    $finfo = finfo_open(FILEINFO_MIME_TYPE);
    $mime = finfo_file($finfo, $tmp);
    finfo_close($finfo);

    $allowed = [
        "image/jpeg" => "jpg",
        "image/png" => "png",
        "image/webp" => "webp",
        "application/pdf" => "pdf"
    ];

    if (!isset($allowed[$mime])) {
        $error = "Only JPG, PNG, WEBP, and PDF files are allowed.";
        return false;
    }

    $ext = $allowed[$mime];
    $dir = "../uploads/ocr/" . date("Ymd");
    if (!is_dir($dir)) {
        mkdir($dir, 0755, true);
    }

    $filename = "ocr_" . time() . "_" . bin2hex(random_bytes(6)) . "." . $ext;
    $dest = $dir . "/" . $filename;

    if (!move_uploaded_file($tmp, $dest)) {
        $error = "Failed to save uploaded file.";
        return false;
    }

    $relativePath = str_replace("../", "", $dest);
    return true;
}
```

```
function normalize_spaces(string $text): string {
    $text = str_replace(["\r\n", "\r"], "\n", $text);
    $text = preg_replace('/[ \t]+/', ' ', $text);
    return trim((string)$text);
}

function parse_ocr_fields(string $text): array {
    $clean = normalize_spaces($text);

    $fields = [
        "receipt_no"   => "",
        "date"         => "",
        "name"         => "",
        "student_id"   => "",
        "reference_no" => "",
        "amount"       => ""
    ];

    $patterns = [
        "receipt_no" => [
            '/(?:receipt\s*no|or\s*no|official\s*receipt\s*no|receipt\s*number)\s*[:#-]?\s*([A-Z0-9\-]+)/i',
        ],
        "date" => [
            '/(?:date)\s*[:#-]?\s*([A-Za-z0-9,\/\- ]{4,40})/i',
        ],
        "name" => [
            '/(?:name|student\s*name)\s*[:#-]?\s*([A-Za-z .,\-]{4,80})/i',
        ],
        "student_id" => [
            '/(?:student\s*id|id\s*number|student\s*no)\s*[:#-]?\s*([A-Z0-9\-]+)/i',
        ],
        "reference_no" => [
            '/(?:reference\s*no|ref\s*no)\s*[:#-]?\s*([A-Z0-9\-]+)/i',
            '/\b(EDOC-\d{4}-\d{3,6})\b/i',
        ],
        "amount" => [
            '/(?:amount|total|paid)\s*[:#-]?\s*((?:PHP|Php|php|P)?\s?[0-9,]+\.\d{2})/i',
            '/\b((?:PHP|Php|php|P)\s?[0-9,]+\.\d{2})\b/i',
        ],
    ];

    foreach ($patterns as $key => $list) {
        foreach ($list as $pattern) {
```

```
            if (preg_match($pattern, $clean, $m)) {
                $fields[$key] = trim($m[1]);
                break;
            }
        }
    }

    return $fields;
}

/* ==========================
   HANDLE UPLOAD + OCR
========================== */
if ($_SERVER["REQUEST_METHOD"] === "POST" && ($_POST["action"] ?? "") ===
"upload_ocr") {
    if (isset($_FILES["ocr_file"])) {
        $error = "";

        if (save_uploaded_file($_FILES["ocr_file"], $previewPath, $previewExt, $error)) {
            $absPath = "../" . $previewPath;

            if ($previewExt === "pdf") {
                $tmpImage = convert_pdf_first_page_to_image($absPath, $error);

                if ($tmpImage !== "") {
                    $ocrText = run_tesseract_ocr($tmpImage, $error);
                    @unlink($tmpImage);
                } else {
                    $ocrMessage = $error;
                }
            } else {
                $ocrText = run_tesseract_ocr($absPath, $error);
            }

            if ($error !== "") {
                $ocrMessage = $error;
            } elseif ($ocrText !== "") {
                $ocrMessage = "OCR extraction completed successfully.";
                $parsed = parse_ocr_fields($ocrText);

                $displayParsed = [
                    "receipt_no"   => $parsed["receipt_no"]   !== "" ? $parsed["receipt_no"]   :
$fetchedReceiptNo,
                    "date"         => $parsed["date"]         !== "" ? $parsed["date"]         : $fetchedDate,
```

```
                "name"         => $parsed["name"]         !== "" ? $parsed["name"]         :
$fetchedName,
                "student_id"   => $parsed["student_id"]   !== "" ? $parsed["student_id"]   :
$fetchedStudentId,
                "reference_no" => $parsed["reference_no"] !== "" ? $parsed["reference_no"] :
$fetchedReferenceNo,
                "amount"       => $parsed["amount"]       !== "" ? $parsed["amount"]       :
$fetchedAmount
            ];
        } else {
            $ocrMessage = "OCR finished, but no readable text was extracted.";
        }
    } else {
        $ocrMessage = $error;
    }
  }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Process Create</title>
  <link rel="stylesheet" href="../assets/css/create_document.css">
  <link rel="stylesheet" href="../assets/css/process_create.css">
</head>
<body>

<div class="layout">

  <aside class="sidebar" id="sidebar">
    <div class="sb-user">
      <div class="avatar">👤</div>
      <div class="meta">
        <div class="name"><?= h($registrarName) ?></div>
        <div class="role">Registrar</div>
      </div>
    </div>

    <div class="sb-section-title">MODULES</div>
    <nav class="sb-nav">
      <a class="sb-item" href="dashboard.php"><span
class="sb-icon">🏠</span>Dashboard</a>
```

```
        <a class="sb-item" href="new_document_request.php"><span
class="sb-icon">📝</span>New Document Request</a>
        <a class="sb-item" href="request_management.php"><span
class="sb-icon">🔎</span>Request Management</a>
        <a class="sb-item" href="track_progress.php"><span class="sb-icon">📍 </span>Track
Progress</a>
        <a class="sb-item" href="document_management.php"><span
class="sb-icon">📄</span>Document Management</a>
        <a class="sb-item active" href="create_document.php"><span
class="sb-icon">➕</span>Create Document</a>
      </nav>

      <div class="sb-section-title">SETTINGS</div>
      <nav class="sb-nav">
        <a class="sb-item" href="../auth/logout.php"><span
class="sb-icon">⎋</span>Logout</a>
      </nav>
    </aside>

    <div class="main">
      <header class="topbar">
        <button class="hamburger" type="button" onclick="toggleSidebar()">≡</button>
        <div class="brand">
          <div class="logo"><img src="../assets/img/edoc-logo.jpeg" alt="E-Doc"></div>
          <div>E-Doc Document Requesting System</div>
        </div>
      </header>

      <main class="container">
        <a class="back-link" href="create_document.php">← Back to Create Document List</a>

        <div class="page-head">
          <h1>Create School Order (SO)</h1>
          <p>Upload a file for OCR data extraction and generate the SO document.</p>
        </div>

        <div class="create-grid">
          <section class="left-column">

            <div class="card">
              <div class="card-title">Student Information</div>

              <div class="info-grid">
                <div class="form-group">
```

```
                <label>Student Name</label>
                <input type="text" value="<?= h($studentName) ?>" readonly>
            </div>

            <div class="form-group">
                <label>Student ID</label>
                <input type="text" value="<?= h($request["student_id"] ?? "") ?>" readonly>
            </div>

            <div class="form-group">
                <label>Reference Number</label>
                <input type="text" value="<?= h($request["reference_no"] ?? "") ?>"
readonly>
            </div>

            <div class="form-group">
                <label>Document Type</label>
                <input type="text" value="<?= h($request["document_type"] ?? "") ?>"
readonly>
            </div>

            <div class="form-group">
                <label>Title Type</label>
                <input type="text" value="<?= h($request["title_type"] ?? "") ?>" readonly>
            </div>

            <div class="form-group">
                <label>Copies</label>
                <input type="text" value="<?= h($request["copies"] ?? "") ?>" readonly>
            </div>
        </div>
    </div>

    <form method="POST" enctype="multipart/form-data" class="card">
        <input type="hidden" name="action" value="upload_ocr">
        <input type="hidden" name="request_id" value="<?= (int)$requestId ?>">
        <input type="hidden" name="doc_title" value="<?= h($docTitle) ?>">

        <div class="card-title">Upload Document (OCR)</div>

        <label class="upload-box" for="ocrFile">
            <input type="file" id="ocrFile" name="ocr_file"
accept=".jpg,.jpeg,.png,.webp,.pdf" onchange="this.form.submit()">
            <div class="upload-icon">⤴</div>
```

```
                <div class="upload-text">Click to upload image or PDF</div>
            </label>
        </form>

        <div class="form-group">
            <label>SO Number</label>
            <input type="text" value="<?= h($soNumber) ?>" readonly>
        </div>

        <div class="form-group">
            <label>Document Title</label>
            <input type="text" value="<?= h($docTitle) ?>" readonly>
        </div>

        <div class="ocr-result-card">
            <div class="card-title">OCR Extracted Text</div>

            <?php if ($ocrMessage !== ""): ?>
                <div class="ocr-message"><?= h($ocrMessage) ?></div>
            <?php else: ?>
                <div class="ocr-message">Upload a file to extract readable text using
Tesseract OCR.</div>
            <?php endif; ?>

            <textarea class="ocr-textarea" readonly><?= h($ocrText) ?></textarea>

            <div class="card-title parsed-title">Parsed Fields</div>
            <div class="parsed-grid">
                <div class="parsed-box">
                    <div class="parsed-label">Receipt / OR Number</div>
                    <div class="parsed-value"><?= h($displayParsed["receipt_no"] ?: "-")
?></div>
                </div>
                <div class="parsed-box">
                    <div class="parsed-label">Date</div>
                    <div class="parsed-value"><?= h($displayParsed["date"] ?: "-") ?></div>
                </div>
                <div class="parsed-box">
                    <div class="parsed-label">Name</div>
                    <div class="parsed-value"><?= h($displayParsed["name"] ?: "-") ?></div>
                </div>
                <div class="parsed-box">
                    <div class="parsed-label">Student ID</div>
```

```
                    <div class="parsed-value"><?= h($displayParsed["student_id"] ?: "-")
?></div>
                <div class="parsed-box">
                    <div class="parsed-label">Reference Number</div>
                    <div class="parsed-value"><?= h($displayParsed["reference_no"] ?: "-")
?></div>
                <div class="parsed-box">
                    <div class="parsed-label">Amount</div>
                    <div class="parsed-value"><?= h($displayParsed["amount"] ?: "-") ?></div>
                </div>
            </div>

            <div class="so-preview-box">
                <h3>Generated SO Preview Data</h3>
                <p><strong>SO Number:</strong> <?= h($soNumber) ?></p>
                <p><strong>Student:</strong> <?= h($studentName) ?></p>
                <p><strong>Student ID:</strong> <?= h($request["student_id"] ?? "") ?></p>
                <p><strong>Reference No.:</strong> <?= h($request["reference_no"] ?? "")
?></p>
                <p><strong>Document Type:</strong> <?= h($request["document_type"] ??
"") ?></p>
                <p><strong>Parsed OCR Reference:</strong> <?=
h($displayParsed["reference_no"] ?: "-") ?></p>
                <p><strong>Parsed OCR Name:</strong> <?= h($displayParsed["name"] ?:
"-") ?></p>
            </div>
        </div>

        <div class="action-row">
            <button type="button" class="btn-secondary"
onclick="window.location='create_document.php'">Cancel</button>
            <button type="button" class="btn-primary">Generate SO</button>
        </div>
    </section>

    <section class="card preview-card">
        <div class="card-title">Document Preview</div>

        <div class="preview-area" id="previewArea">
            <?php if ($previewPath === ""): ?>
                <div class="preview-placeholder" id="previewPlaceholder">
                    <div class="preview-icon">📄</div>
```

```
                        <div class="preview-text">Upload an image or PDF to preview the OCR
source document.</div>
                    </div>
                <?php else: ?>
                    <?php if ($previewExt === "pdf"): ?>
                        <iframe class="preview-frame process-preview-frame" src="../<?=
h($previewPath) ?>"></iframe>
                    <?php else: ?>
                        <img class="preview-image process-preview-image" src="../<?=
h($previewPath) ?>" alt="Preview">
                    <?php endif; ?>
                <?php endif; ?>
            </div>
        </section>
    </div>
  </main>
 </div>
</div>

<script>
function toggleSidebar(){
  const sb = document.getElementById('sidebar');
  if (!sb) return;
  if (window.innerWidth <= 720) {
    sb.style.display = (sb.style.display === 'none' || sb.style.display === '') ? 'block' : 'none';
  }
}
</script>

</body>
</html>
```

```
.page-head{
  margin-bottom: 16px;
}

.page-head h1{
  margin: 0;
  font-size: 24px;
```

```
  font-weight: 700;
  color: #111;
}

.page-head p{
  margin: 6px 0 0;
  color: #666;
  font-size: 14px;
}

.back-link{
  display: inline-block;
  margin-bottom: 14px;
  color: #0b2e4a;
  text-decoration: none;
  font-weight: 700;
}

.back-link:hover{
  text-decoration: underline;
}

.create-grid{
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 18px;
  align-items: start;
}

.left-column{
  display: flex;
  flex-direction: column;
  gap: 16px;
}

.info-grid{
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 10px 18px;
}

.ocr-result-card{
  background: #fff;
  border-radius: 14px;
```

```
  border: 1px solid #e3e3e3;
  padding: 18px;
  box-shadow: 0 2px 10px rgba(0,0,0,0.05);
}

.form-group{
  margin-bottom: 12px;
}

.form-group:last-child{
  margin-bottom: 0;
}

.form-group label{
  display: block;
  font-weight: 700;
  margin-bottom: 6px;
  font-size: 14px;
}

.form-group input,
.ocr-textarea{
  width: 100%;
  padding: 10px 12px;
  border-radius: 10px;
  border: 1px solid #ccc;
  font-size: 14px;
  background: #fff;
}

.form-group input[readonly],
.ocr-textarea[readonly]{
  background: #f8fafc;
}

.form-group input:focus,
.ocr-textarea:focus{
  outline: none;
  border-color: #2d7ef7;
}

.ocr-message{
  margin: 0 0 12px;
  font-size: 13px;
```

```
  color: #666;
}

.ocr-textarea{
  min-height: 180px;
  resize: vertical;
  line-height: 1.5;
}

.parsed-title{
  margin-top: 16px;
}

.parsed-grid{
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 12px;
  margin-top: 10px;
}

.parsed-box{
  border: 1px solid #e3e8ef;
  border-radius: 12px;
  padding: 12px;
  background: #fbfcfe;
}

.parsed-label{
  font-size: 12px;
  font-weight: 700;
  color: #666;
  margin-bottom: 6px;
  text-transform: uppercase;
}

.parsed-value{
  font-size: 14px;
  font-weight: 700;
  color: #1a1a1a;
  word-break: break-word;
}

.so-preview-box{
  margin-top: 18px;
```

```
  border: 1px dashed #cfd8e3;
  border-radius: 12px;
  padding: 14px;
  background: #fcfdff;
}

.so-preview-box h3{
  margin: 0 0 10px;
  font-size: 15px;
  font-weight: 700;
}

.so-preview-box p{
  margin: 6px 0;
  font-size: 14px;
  color: #222;
}

.preview-card{
  min-height: 100%;
}

.preview-area{
  min-height: 620px;
  border: 1px solid #e5eaf0;
  border-radius: 14px;
  background: #fafcff;
  display: flex;
  align-items: center;
  justify-content: center;
  overflow: hidden;
}

.preview-placeholder{
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  color: #9aa4af;
  text-align: center;
  padding: 20px;
}

.preview-icon{
```

```
  font-size: 48px;
  margin-bottom: 10px;
}

.preview-text{
  font-size: 14px;
  max-width: 320px;
  line-height: 1.5;
}

.process-preview-image,
.process-preview-frame{
  width: 100%;
  height: 620px;
  border: 0;
  display: block;
  background: #fff;
}

.process-preview-image{
  object-fit: contain;
}

.action-row{
  display: flex;
  justify-content: flex-end;
  gap: 12px;
}

.btn-primary,
.btn-secondary{
  padding: 10px 18px;
  border-radius: 10px;
  border: none;
  font-weight: 700;
  cursor: pointer;
  font-size: 14px;
}

.btn-primary{
  background: #2f7d7d;
  color: #fff;
}
```

```
.btn-primary:hover{
  background: #256666;
}

.btn-secondary{
  background: #0b2e4a;
  color: #fff;
}

.btn-secondary:hover{
  background: #103a5f;
}

@media (max-width: 1100px){
  .create-grid{
    grid-template-columns: 1fr;
  }

  .preview-area,
  .process-preview-image,
  .process-preview-frame{
    min-height: 420px;
    height: 420px;
  }
}

@media (max-width: 860px){
  .info-grid,
  .parsed-grid{
    grid-template-columns: 1fr;
  }
}
```