This tab shows pages that do not comply with W3C standards.

W3C HTML/XHTML Validation - Some pages fail validation.

W3C CSS Validation - All pages valid.

W3C Deprecated Features - Issues found.

Prior Description and URL	Guideline and Line#	Count
Priority 1		
19 issues on 6 pages		
Character "Q" is the first shorter of a delimitar but accurred	LITML Validation	G nomes
Character "&" is the first character of a delimiter but occurred as data.	HTML Validation	6 pages
This often occurs in text or JavaScript code when a bare angle bracket or ampersand is used instead of an entity reference.	е	
http://floridaenergy.ufl.edu/	Line 23 23 23 23	
http://floridaenergy.ufl.edu/energy-education/	Line <u>23 23 23 23 23</u>	
http://floridaenergy.ufl.edu/energy-research/	Line <u>23 23 23 23 23</u>	
http://floridaenergy.ufl.edu/public-outreach/	Line <u>23 23 23 23 23</u>	
This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.		
Character ";" not allowed in attribute specification list.	HTML Validation	6 pages
http://floridaenergy.ufl.edu/	Line <u>23</u>	
http://floridaenergy.ufl.edu/energy-education/	Line <u>23</u>	
http://floridaenergy.ufl.edu/energy-research/	Line <u>23</u>	
http://floridaenergy.ufl.edu/public-outreach/	Line <u>23</u>	
This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.		
Document type does not allow element "center" here; missing one of "object", "applet", "map", "iframe", "button", "ins", "del" start-tag.	HTML Validation	1 pages
http://floridaenergy.ufl.edu/	Line <u>651</u>	
Document type does not allow element "div" here.	HTML Validation	6 pages
http://floridaenergy.ufl.edu/	Line <u>289</u>	
http://floridaenergy.ufl.edu/energy-education/	Line <u>289</u>	
http://floridaenergy.ufl.edu/energy-research/	Line <u>289</u>	
http://floridaenergy.ufl.edu/public-outreach/	Line <u>289</u>	

Prior	Description and URL	Guideline and Line#	Count
	This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.		
	Document type does not allow element "h4" here; assuming missing "li" start-tag.	HTML Validation	5 pages
	http://floridaenergy.ufl.edu/energy-education/	Line <u>433</u>	
	http://floridaenergy.ufl.edu/energy-research/	Line <u>433</u>	
	http://floridaenergy.ufl.edu/facilities-and-resources/	Line <u>433</u>	
	http://floridaenergy.ufl.edu/public-outreach/	Line <u>433</u>	
	This issue was found on another 1 pages. The trial version is limited to showing issues on 4 pages.		
	Document type does not allow element "li" here; missing one of "ul", "ol", "menu", "dir" start-tag.	HTML Validation	5 pages
	http://floridaenergy.ufl.edu/energy-education/	Line <u>435</u> <u>440</u> <u>445</u> <u>450</u> <u>455</u>	
	http://floridaenergy.ufl.edu/energy-research/	Line <u>435</u> <u>440</u>	
	http://floridaenergy.ufl.edu/facilities-and-resources/	Line <u>435</u> <u>440</u> <u>445</u> <u>450</u> <u>455</u>	
	http://floridaenergy.ufl.edu/public-outreach/	Line <u>435</u> <u>440</u> <u>445</u>	
	This issue was found on another 1 pages. The trial version is limited to showing issues on 4 pages.		
	Document type does not allow element "noscript" here; missing one of "object", "applet", "map", "iframe", "button", "ins", "del" start-tag.	HTML Validation	6 pages
	http://floridaenergy.ufl.edu/	Line <u>336</u>	
	http://floridaenergy.ufl.edu/energy-education/	Line <u>336</u>	
	http://floridaenergy.ufl.edu/energy-research/	Line <u>336</u>	
	http://floridaenergy.ufl.edu/public-outreach/	Line <u>336</u>	
	This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.		
	Element "j.length" undefined.	HTML Validation	6 pages
	This happens when the version of HTML used on this page doesn't support an element with this name. This can happen if the element is misspelled, is uppercase or mixed case in XHTML, or isn't supported by some HTML versions. For example, HTML 4 DOCTYPEs don't allow HTML 5 element and Strict DOCTYPEs don't allow stylistic elements and frames which were present in earlier versions of HTML.		
	http://floridaenergy.ufl.edu/	Line <u>23</u>	
	http://floridaenergy.ufl.edu/energy-education/	Line <u>23</u>	
	http://floridaenergy.ufl.edu/energy-research/	Line <u>23</u>	
	http://floridaenergy.ufl.edu/public-outreach/	Line <u>23</u>	

	·		
rior Description	and URL	Guideline and Line#	Count
	as found on another 2 pages. The trial version is owing issues on 4 pages.		
End tag for "o	div" omitted, but OMITTAG NO was specified start .	HTML Validation	6 pages
	curs in XHTML on tags like IMG, LINK, META and closing / has been omitted.		
http://floridae	nergy.ufl.edu/	Line <u>806</u>	
http://floridae	nergy.ufl.edu/energy-education/	Line <u>697</u>	
http://floridae	nergy.ufl.edu/energy-research/	Line <u>713</u>	
http://floridae	nergy.ufl.edu/public-outreach/	Line <u>653</u>	
	as found on another 2 pages. The trial version is owing issues on 4 pages.		
End tag for "i tag was here	mg" omitted, but OMITTAG NO was specified start	HTML Validation	6 pages
	curs in XHTML on tags like IMG, LINK, META and closing / has been omitted.		
http://floridae	nergy.ufl.edu/	Line <u>317 323 339 350</u>	
http://floridae	nergy.ufl.edu/energy-education/	Line <u>317 323 339 350</u>	
http://floridae	nergy.ufl.edu/energy-research/	Line <u>317 323 339 350</u>	
http://floridae	nergy.ufl.edu/public-outreach/	Line <u>317 323 339 350</u>	
	as found on another 2 pages. The trial version is owing issues on 4 pages.		
End tag for "j start tag was	.length" omitted, but OMITTAG NO was specified here.	HTML Validation	6 pages
	curs in XHTML on tags like IMG, LINK, META and closing / has been omitted.		
http://floridae	nergy.ufl.edu/	Line <u>24</u>	
http://floridae	nergy.ufl.edu/energy-education/	Line <u>24</u>	
http://floridae	nergy.ufl.edu/energy-research/	Line <u>24</u>	
http://floridae	nergy.ufl.edu/public-outreach/	Line <u>24</u>	
	as found on another 2 pages. The trial version is owing issues on 4 pages.		
End tag for "I tag was here	i" omitted, but OMITTAG NO was specified start .	HTML Validation	5 pages
	curs in XHTML on tags like IMG, LINK, META and closing / has been omitted.		
http://floridae	nergy.ufl.edu/energy-education/	Line <u>490</u>	
http://floridae	nergy.ufl.edu/energy-research/	Line <u>505</u>	
http://floridae	nergy.ufl.edu/facilities-and-resources/	Line <u>480</u>	
http://floridae	nergy.ufl.edu/public-outreach/	Line <u>450</u>	

Prior Description and URL	Guideline and Line#	Count
This issue was found on another 1 pages. The trial version is limited to showing issues on 4 pages.		
End tag for element "p" which is not open.	HTML Validation	1 pages
http://floridaenergy.ufl.edu/	Line <u>547</u>	
End tag for element "tr" which is not open.	HTML Validation	6 pages
http://floridaenergy.ufl.edu/	Line <u>307</u>	
http://floridaenergy.ufl.edu/energy-education/	Line <u>307</u>	
http://floridaenergy.ufl.edu/energy-research/	Line <u>307</u>	
http://floridaenergy.ufl.edu/public-outreach/	Line <u>307</u>	
This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.		
End tag for element "ul" which is not open.	HTML Validation	1 pages
http://floridaenergy.ufl.edu/	Line <u>512</u>	
Reference not terminated by REFC delimiter.	HTML Validation	6 pages
http://floridaenergy.ufl.edu/	Line 23 23 23 23 23	
http://floridaenergy.ufl.edu/energy-education/	Line <u>23 23 23 23 23</u>	
http://floridaenergy.ufl.edu/energy-research/	Line <u>23 23 23 23 23</u>	
http://floridaenergy.ufl.edu/public-outreach/	Line <u>23 23 23 23 23</u>	
This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.		
Required attribute "alt" not specified.	HTML Validation	6 pages
http://floridaenergy.ufl.edu/	Line <u>339</u> <u>521</u> <u>531</u> <u>534</u>	
http://floridaenergy.ufl.edu/energy-education/	Line <u>339</u>	
http://floridaenergy.ufl.edu/energy-research/	Line <u>339</u>	
http://floridaenergy.ufl.edu/public-outreach/	Line <u>339</u>	
This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.		
Required attribute "type" not specified.	HTML Validation	6 pages
http://floridaenergy.ufl.edu/	Line <u>244</u>	
http://floridaenergy.ufl.edu/energy-education/	Line <u>244</u>	
http://floridaenergy.ufl.edu/energy-research/	Line <u>244</u>	
http://floridaenergy.ufl.edu/public-outreach/	Line <u>244</u>	

2018	Web standards report for http://floridaenergy.ufl.edu/		
Prior	Description and URL	Guideline and Line#	Count
	This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.		
	The A element must not contain other A elements.	HTML Validation	5 pages
	http://floridaenergy.ufl.edu/energy-education/	Line <u>338</u>	
	http://floridaenergy.ufl.edu/energy-research/	Line <u>338</u>	
	http://floridaenergy.ufl.edu/facilities-and-resources/	Line <u>338</u>	
	http://floridaenergy.ufl.edu/public-outreach/	Line <u>338</u>	
	This issue was found on another 1 pages. The trial version is limited to showing issues on 4 pages.		
Pric	ority 2		
7 issu	ues on 6 pages		
	An unknown entity has been used. This often happens when ¶m=value is used instead of ¶m=value in URL query strings.	HTML Validation Ampersand Pro டி முக்கு	
	In HTML the ampersand character (&) is reserved for marking character entities so you should never use raw ampersands in HTML - including ampersands inside URLs. Any URL that uses an ampersand should look like: `file.php? var1=val1&var2=val2`		
	http://floridaenergy.ufl.edu/	Line <u>23 23 23 23 23</u>	
	http://floridaenergy.ufl.edu/energy-education/	Line 23 23 23 23 23	

http://floridaenergy.ufl.edu/
http://floridaenergy.ufl.edu/energy-education/
http://floridaenergy.ufl.edu/energy-research/
http://floridaenergy.ufl.edu/energy-research/
http://floridaenergy.ufl.edu/public-outreach/
Line 23 23 23 23 23 ...
http://floridaenergy.ufl.edu/public-outreach/
Line 23 23 23 23 23 ...

This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.

illilited to showing issues on 4 pages.

There is no attribute "allowfullscreen".

This happens when the version of HTML used on this page doesn't support an attribute with this name. This can happen if the attribute is misspelled, is uppercase or mixed case in XHTML, or isn't supported by some HTML versions. For example, HTML 4 DOCTYPEs don't allow HTML 5 attributes and Strict DOCTYPEs don't allow stylistic attributes which were present in earlier versions of HTML.

http://floridaenergy.ufl.edu/ Line 545

There is no attribute "cellpadding".

HTML Validation 6 pages

HTML Validation

1 pages

Prior	Description and URL	Guideline and Line#	Count
	This happens when the version of HTML used on this page doesn't support an attribute with this name. This can happen if the attribute is misspelled, is uppercase or mixed case in XHTML, or isn't supported by some HTML versions. For example, HTML 4 DOCTYPEs don't allow HTML 5 attributes and Strict DOCTYPEs don't allow stylistic attributes which were present in earlier versions of HTML.		
	http://floridaenergy.ufl.edu/	Line <u>368</u>	
	http://floridaenergy.ufl.edu/energy-education/	Line <u>368</u>	
	http://floridaenergy.ufl.edu/energy-research/	Line <u>368</u>	
	http://floridaenergy.ufl.edu/public-outreach/	Line <u>368</u>	
	This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.		
	There is no attribute "height".	HTML Validation	6 pages
	This happens when the version of HTML used on this page doesn't support an attribute with this name. This can happen if the attribute is misspelled, is uppercase or mixed case in XHTML, or isn't supported by some HTML versions. For example, HTML 4 DOCTYPEs don't allow HTML 5 attributes and Strict DOCTYPEs don't allow stylistic attributes which were present in earlier versions of HTML.		
	http://floridaenergy.ufl.edu/	Line <u>366</u>	
	http://floridaenergy.ufl.edu/energy-education/	Line <u>366</u>	
	http://floridaenergy.ufl.edu/energy-research/	Line <u>366</u>	
	http://floridaenergy.ufl.edu/public-outreach/	Line <u>366</u>	
	This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.		
	There is no attribute "role".	HTML Validation	6 pages
	This happens when the version of HTML used on this page doesn't support an attribute with this name. This can happen if the attribute is misspelled, is uppercase or mixed case in XHTML, or isn't supported by some HTML versions. For example, HTML 4 DOCTYPEs don't allow HTML 5 attributes and Strict DOCTYPEs don't allow stylistic attributes which were present in earlier versions of HTML.		
	http://floridaenergy.ufl.edu/	Line <u>291</u>	
	http://floridaenergy.ufl.edu/energy-education/	Line <u>291</u>	
	http://floridaenergy.ufl.edu/energy-research/	Line <u>291</u>	
	http://floridaenergy.ufl.edu/public-outreach/	Line <u>291</u>	
	This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.		
	There is no attribute "sizes".	HTML Validation	2 pages

Prior Description and URL

Guideline and Line#

Count

This happens when the version of HTML used on this page doesn't support an attribute with this name. This can happen if the attribute is misspelled, is uppercase or mixed case in XHTML, or isn't supported by some HTML versions. For example, HTML 4 DOCTYPEs don't allow HTML 5 attributes and Strict DOCTYPEs don't allow stylistic attributes which were present in earlier versions of HTML.

http://floridaenergy.ufl.edu/
http://floridaenergy.ufl.edu/fl-energy-industry/
Line 596

There is no attribute "srcset".

HTML Validation

2 pages

This happens when the version of HTML used on this page doesn't support an attribute with this name. This can happen if the attribute is misspelled, is uppercase or mixed case in XHTML, or isn't supported by some HTML versions. For example, HTML 4 DOCTYPEs don't allow HTML 5 attributes and Strict DOCTYPEs don't allow stylistic attributes which were present in earlier versions of HTML.

http://floridaenergy.ufl.edu/
http://floridaenergy.ufl.edu/fl-energy-industry/
Line 596

Priority 3

1 issues on 6 pages

The A NAME attribute is deprecated in XHTML 1.0, and is illegal in XHTML 1.1 Strict.

W3C Deprecated

6 pages

Use the ID attribute instead.

http://floridaenergy.ufl.edu/ http://floridaenergy.ufl.edu/energy-education/ Line <u>277</u> Line <u>277</u>

http://floridaenergy.ufl.edu/energy-research/

Line <u>277</u>

http://floridaenergy.ufl.edu/public-outreach/

Line <u>277</u>

This issue was found on another 2 pages. The trial version is limited to showing issues on 4 pages.