



Fasteners for the Next Generation of Building.

Bolts, nuts, washers, threaded rod — and the answers to your spec sheet. Out of Benicia, California.

28,000+ SKUS

CUT IN-HOUSE

24/7 EMERGENCY

The full line, **by section.**

Every fastener we stock and machine — bolts through anchors, plus in-house threading, cutting, and bending. Send a drawing, a BOM, or a part number; we quote, source, and ship. Stock moves same-day.

01	Bolts, all twelve grades	Hex · Heavy · Structural · Lag · Carriage	03
02	Threaded Rod, cut to length	A193 B7/B8/B8M/B16 · F1554 · A307	05
03	Nuts, the whole drawer	Hex · Heavy · Stainless · Lock · Specialty	06
04	Washers, every callout	Flat · Lock · Structural · Square	07
05	Socket Products & Set Screws	Cap · Button · Flat · Cup · Square head	08
06	Anchors, all hold-types	Wedge · Sleeve · Drop-in · Anchor bolts	09
07	Materials & Specifications	ASTM grades · Specialty alloys · Anchor rod	10
08	Machine Shop & Capabilities	Threading · Cutting · Bending · CNC	11
09	Lindapter® steelwork	Hollo-Bolt® · Girder Clamps · no-weld	12
10	Contact & order desk	Phone · Will-call · Hours · 24/7 line	14

01 · [Send](#)

Spec, BOM, or just [the grade](#)

Email, fax, or walk it in.
PDF, drawing, scribble — all fine.

02 · [Quote](#)

Stock check, [written quote](#)

Size, grade, finish, lead time — confirmed before anything ships.

03 · [Procure](#)

Sourced & cut [in-house](#)

Threading, cutting, bending, drilling — handled per job.

04 · [Ship](#)

Same-day, or [pickup](#)

Will-call 6 a.m. – 4 p.m. · 24/7 emergency.

Hex, heavy hex, tap.

A307 through L9. Plain, zinc, hot-dip, yellow, black phos. Metric and imperial. USA & import — both stocked.

Hex Bolts

01.01

A307

GR. A

PLAIN

ZINC

HDG

- A307 Grade A Plain
- A307 Grade A Zinc
- A307 Grade A HDG
- Square Lag A307 Gr. A Plain

Hex Tap Bolts

01.02

A307 / GR. 5

PLAIN

ZINC

- A307 Gr. A Plain
- A307 Gr. A Zinc
- Grade 5 Plain
- Grade 5 Zinc

Heavy Hex Bolts

01.03

A193 / A307

B7

GR. B

HDG

- A193 Grade B7 Plain
- A307 Grade B Plain
- A307 Grade B Zinc
- A307 Grade B HDG

Hex Lag Screws

01.04

PLAIN

ZINC

HDG

18-8 SS

- Plain
- Zinc
- Hot-Dip Galvanized
- 18-8 Stainless Steel

Grade 2 Cap Screw

01.05

SAE J429

GR. 2

- Grade 2 Plain
- Grade 2 Zinc

Grade 5 & 8.8 Cap

01.06

SAE / ISO

GR. 5

8.8

- Grade 5 Plain (TWN/CHN/USA)
- Grade 5 Zinc (TWN/USA)
- Grade 5 Zinc/Yel (IMP)
- Class 8.8 DIN 933/961 Plain
- Class 8.8 DIN 931/960 Plain
- Class 8.8 Zinc/Blue

Grade 8 & 10.9 Cap

01.07

SAE / ISO

GR. 8

10.9

- Grade 8 Plain (IMP/USA)
- Grade 8 Zinc/Yel (IMP/USA)
- Class 10.9 DIN 933/961 Plain
- Class 10.9 DIN 931/960 Plain
- Class 10.9 Zinc/Blue
- Class 10.9 Zinc/Yellow

L9® & Grade 9


01.08

USA-MADE

180 KSI

HIGH HEAD

- High Head Hex Cap Screw
- Zinc/Yel (USA)
- Hex Nuts Cad. Yellow + Wax
- L9 Collar Locknuts
- USS Tension Washers Zinc/Yel



Structural, stainless, and the rest.

A325 / A490 – TC and Type 1, USA & import. F593 stainless. Plus carriage, square-head, step and timber.

Structural Bolts

01.09

A325 / A490

TYPE 1

TC

HDG

- A325 TC Plain Assembly (IMP/USA)
- A325 Type1 HDG (IMP/USA)
- A325 Type1 Plain (IMP/USA)
- A490 TC Plain Assembly (IMP/USA)
- A490 Type1 Plain (IMP/USA)

Stainless Bolts

01.10

F593 / A193

18-8

316

B8

B8M

- 18-8 / F593 Hex Cap Screws
- 316 / F593 Hex Cap Screws A2
- Metric Hex Cap Screws
- 18-8 / F593 Full Thread
- A193 B8 Heavy Hex
- A193 B8M Heavy Hex

Carriage Bolts

01.11

A307 / GR. 5

PLAIN

ZINC

HDG

18-8

- A307 Gr. A Plain
- A307 Gr. A Zinc
- A307 Gr. A HDG
- Grade5 Zinc
- 18-8 Stainless
- Class 4.6 DIN 603 Zinc

Square Head Bolts

01.12

A307

GR. A

PLAIN

ZINC

HDG

- A307 Gr. A HDG
- A307 Gr. A Plain
- A307 Gr. A Zinc

Step & Timber Bolts


01.13

FULL THREAD

A307

HDG

- Step Bolts Full Thread Plain
- Step Bolts Full Thread Zinc
- Timber Bolts A307 Gr. A HDG



Studs and rod, cut to length.

A193 B7, B8, B8M, B16. F1554 in 36 / 55 / 105. A307. Plain, PTFE/Xylan-coated, or HDG — cut, threaded, and bagged in-house, usually same-day.

Alloy Threaded Rod

02.01

A193 / F1554

B7

B16

F1554-55

F1554-105

- A193 Gr. B7 — AISI 4140/42 Q&T
- A193 Gr. B7 PTFE / Xylan (TFL)
- A193 Gr. B16 — Cr-Mo-V heat treated
- F1554 Grade 55 — HSLA
- F1554 Grade 105 — alloy heat-treated

Stainless Threaded Rod

02.02

AISI / F593

304

316

B8 / B8M

- AISI 304 / F593
- AISI 316 / F593
- B8 Cl. 1 & 2 — 304 carbide
- B8M Cl. 1 & 2 — 316 carbide

Carbon Threaded Rod

02.03

A307 / F1554-36

NC

NF

HDG

- A307 All-Thread Plain
- A307 All-Thread Zinc (NC/NF)
- A307 All-Thread HDG
- F1554 Grade 36

Cut to Length

02.04

IN-HOUSE

SAW

ROLL

BEND

- Cut up to 12 ft
- Hot-bent J / L hooks
- Tagged + bagged by mark
- Mill certs on request

Anchor Bolt Kits

02.05

ASSEMBLED

HDG

2H NUT

F436

- Anchor Bolt + Nut + Washer HDG
- Headed anchors per drawing
- F1554 36/55/105 to print
- Stocked & cut to 1-3/4" dia.

Common Pulls


02.06

STOCKED HOT

1/4-1-3/4"

METRIC

- 3/8"-1-1/4" B7 — full racks
- 1/2"-1" 304/316 — full racks
- 5/8"-1-3/4" F1554 36 HDG
- Metric B7 / all-thread (M8-M72)



Nuts, the whole drawer.

Finished hex, heavy hex, jam, lock, stainless, and the assorted rest. A194, A563, DIN 934 — plain, zinc, hot-dip, silicon bronze.

Finished Hex Nuts

03.01

A563 / DIN 934

CARBON

SS

SILICON BRONZE

- Carbon — Plain / Zinc / HDG
- Grade 5 · Grade 8
- Silicon Bronze (Everdur®)
- Silicon Bronze — Tin-plated
- Brass
- DIN 934 Class 8 / 10

Hex Jam Nuts

03.02

FINISHED / THIN

PLAIN

ZINC

HDG

- Finished Hex Jam Plain
- Finished Hex Jam Zinc · HDG
- Heavy Thin Gr. A Plain / Zinc
- Class 4 DIN 439B Zinc

Heavy Hex Nuts

03.03

A194 / A563

2H

GR. C / DH

HDG

- A194 2H Plain (USA)
- A194 2H HDG (USA)
- A194 2H Xylan Blue
- A563 Gr. C Plain / Zinc
- A563 Gr. DH HDG/Wax + Blue
- A563-A Plain/Zinc/Yel/HDG
- A563-A Gr. DH Plain / HDG

Alloy Heavy Nuts — Gr. 7

03.04

A194

GR. 7

GR. 7M

GR. 7L

- A194 Gr. 7 Heavy Hex (USA)
- A194 Gr. 7 HDG
- A194 Gr. 7M (metric)
- A194 Gr. 7L low-temp
- A194 Gr. 7 High Nut

Stainless Hex

03.05

18-8 / 316

HEAVY

JAM

METRIC

- 18-8 Hex · 316 Hex
- 18-8 Jam · Heavy Hex
- 316 Heavy Hex
- Metric A2 · A4-80 DIN 934

Nylon Insert Locknuts

03.06

SAE / ISO / SS

GR. A

CL. 10

- Gr. A Zinc (NE/NU/NM...)
- Gr. ANE Zinc/Yel
- DIN 982/985 · Class 10 DIN 985
- 18-8 / 316 Nylon Insert
- DIN 985 A2 / A4-80

All-Metal Locknuts

03.07

FLANGE / 980V

GR. C

CL. 8/10

- Gr. C Zinc/Wax · Cone (TWN)
- Serrated Flange Zinc
- Cl. 8 DIN 980V · 6923
- Cl. 10 DIN 980V Zinc/Wax

Assorted Nuts

03.08


SPECIALTY

CASTLE

COUPLING

SLOTTED

- Castle Nuts Plain
- Heavy Slotted Hex Coarse
- Hex Coupling A563-A Zinc
- Hex Coupling A563-A HDG



Washers, every callout.

USS, SAE, F436, square plate, fender. Plain, zinc, yellow, hot-dip, Xylan, Dacromet, stainless — by carton or by piece.

Flat — Thru Hardened

04.01

USS / SAE / MET

PLAIN

ZINC

ZINC/YEL

- USSTH Plain / Zinc / Zinc-Yel (USA & IMP)
- SAE TH Plain / Zinc / Zinc-Yel (USA & IMP)
- SAE Extra Heavy Zinc/Yel
- ANSI B18.22M Metric Zinc/Blue

Flat — Stainless

04.02

18-8 / 304

T316

A2

- 18-8 / 304 SS — USS & SAE
- T316 SS — USS & SAE
- 304 / 316 Fender
- MS15795 (mil-spec) 304
- A2 DIN 125A

Flat — Low Carbon

04.03

50-LB CARTON

USS

SAE

FENDER

- USS Plain / Zinc / Zinc-Yel / HDG
- SAE Plain / Zinc / Zinc-Yel / HDG
- Fender Plain / Zinc
- Cut plate & OD specials

Split Lock Washers

04.04

ALLOY / SS / HI-COLLAR

T304

T316

- Alloy — Plain / Zinc / Zinc-Yel / HDG
- T304 SS · T316 SS (domestic)
- Black Oxide
- Hi-Collar — Inch & Metric

Structural Washers

04.05

F436 / A325 DTI

HDG

XYLAN

DACROMET

- F436 Plain / Zinc / Zinc-Yel
- F436 HDG (USA)
- F436 Xylan Blue · Dacromet
- A325 DTI Squirter Mech-Gal

Square & Malleable

04.06

F436 / MALLEABLE

BEVELED

PLATE

- Square Beveled F436 HDG / Plain
- Square Plate HDG / Plain
- Round Malleable HDG / Plain



Sockets, set screws, **square head.**

Cap, button, low-head, flat, shoulder. Set screws — every point. Alloy, 12.9, 14.9, stainless.

Socket Cap Screws

05.01

ALLOY / SS 12.9

- Alloy Plain / Zinc Bake / Mech Zinc
- Alloy Plain Nylon Patch
- Alloy Cl. 12.9 DIN 912
- 18-8 · 316 · A2
- Steel Alloy Plain (USA)

Flat / Low / Button

05.02

12.9 10.9 ISO 7380

- Flat Alloy Plain/Zinc Bake/Mech
- Flat Cl. 12.9 DIN 7991
- Flat Cl. 10.9 ISO 10642
- Low Head Alloy / 10.9 DIN 7984
- Button Alloy / 12.9 ISO 7380
- Button 18-8 / A2

Shoulder & Cup-Point

05.03

ISO 7379 DIN 916 14.9

- Shoulder Alloy / 12.9 ISO 7379 / 18-8
- Cup Alloy Plain/Zinc/Mech
- Cup Locking Jam Plain
- Cup Cl. 14.9 DIN 916
- Cup 18-8 · 316 · A2

Set Screws — Points

05.04

CONE OVAL DOG FLAT KNURL


- Cone Alloy / 14.9 DIN 914 / 18-8
- Oval Alloy / 18-8
- Half Dog Alloy / 18-8
- Full Dog Alloy / 14.9 DIN 915
- Flat Alloy / 14.9 DIN 913 / 18-8
- Knurled Alloy / 14.9

Square Head Set

05.05

CASE HARD / ALLOY CUP FLAT

- Case Hard Cup Pt Plain / Fine
- Case Hard Half Dog / Flat / Cone / Oval
- Alloy Cup Pt Plain
- 18-8 SS Cup Pt



Anchors, **all hold-types.**

Wedge, sleeve, drop-in, and anchor-bolt assemblies — stocked and cut to 1-3/4" diameter.
Steel, stainless, hot-dip.

Wedge Anchors

06.01

ZINC

HDG

304 / 316

TO 1-3/4"

- Zinc-Plated
- Hot-Dip Galvanized
- T304 / 316 Stainless
- Hilti Kwik Bolt TZ / 3
- Stocked to 1-3/4" dia.

Sleeve Anchors

06.02

HEX

ROUND

FLAT

ACORN

- Hex Nut — Zinc
- Hex Nut — 18-8 Stainless
- Round Head Zinc
- Flat Head Zinc
- Acorn Nut Zinc

Drop-In & Expansion

06.03

ZINC / SS

SETTING TOOL

- Drop-In 18-8 Stainless
- Drop-In w/ Setting Tool Zinc
- Expansion Pin Drive Zinc Bake
- Expansion Shield Single / Double
- Lag Screw Expansion Long / Short

Anchor Bolt Assemblies


06.04

HDG / KIT

NUT + WASHER

F1554

- Anchor Bolt + Nut + Washer HDG
- F1554 36 / 55 / 105 to print
- Hooked & headed per drawing
- Cut & bent to 1-3/4" dia.



Materials, spec'd to standard.

ASTM grades we stock by the rack, plus specialty alloys on request.

ASTM & SAE — STOCKED

A307	Grades A & B — carbon bolts & studs • SAE J429 (Gr. 2, 5, 8)
A36	Carbon structural steel
A193 / A194	All grades — alloy & stainless studs & nuts (B7, B8, B8M, B16, 2H, Gr. 7)
A276	300 & 400 Series Stainless
A325	Type I & Type III structural bolts
A354	Grades BC & BD — quenched & tempered alloy
A449	Quenched & tempered carbon & alloy steel bolts
A490	Type I & Type III high-strength structural
A563	All grades — heavy hex nuts (A, C, DH)
F593 / F594	18-8 & 300 Series Stainless

F1554 — ANCHOR ROD & BOLTS

Gr. 36	Low carbon, 36 ksi yield — replaces A307 Gr. C
Gr. 55	HSLA, 55 ksi yield
Gr. 105	Alloy, heat-treated, 105 ksi yield

SPECIALTY ALLOYS — ON REQUEST

Alloy 20

CARPENTER® 20

Sulfuric-acid service, chemical processing.

Alloy C276

HASTELLOY® C276

Severe corrosion, oxidizing & reducing media.

Alloy 400 / K500

MONEL® 400 • K500

Marine, brackish water, hydrofluoric acid.

Alloy 600-800

INCONEL® 600-800 SERIES

High-temperature, oxidation-resistant service.

Silicon Bronze

DURIUM® • EVERDUR®

Marine, electrical, architectural — non-magnetic.

Aluminum

6061 • 7075

Lightweight, non-sparking, finishing-grade — per spec / mill cert.


A193 B7

A325 STRUCTURAL

SILICON BRONZE

A194 2H NUT

F436 WASHER



Threading, cutting, bending, drilling.

Special per print, in-house. A working summary of what we make and what we stock – for the long form, ask the order desk.

8.1

Threading.

Roll & cut, NC/NF/metric. Single-end, double-end, full thread to print. Up to 2".

8.2

Cutting.

Saw & shear. Bar, rod, all-thread to length. Tagged, bagged, palletized.

8.3

Bending.

Hot & cold bends – J, L, U hooks. Anchor bolts to drawing, by mark.

8.4

Drilling.

Thru-holes, tapped holes, special-per-print mods. Mill certs on request.

FASTENERS

Anchor bolts	F1554 Gr 36/55/105 · A193 B7, B8M
Structural bolts	A325, A490, TC bolts
Industrial / heavy hex	Grade 5, 8 · A193 bolting
Stud bolts & threaded rod	B7, B16, B8, B8M · cut to length
U-bolts	Standard & custom profiles
Stainless steel	304, 316, duplex
Silicon bronze	Marine & architectural
Specialty / Lindapter	Hollo-Bolt®, girder clamps

IN-HOUSE MANUFACTURING

5-axis milling	Tight as ±0.0005"
Live-tooling lathes	Bar & chuck work
Custom anchor bolt assemblies	Headed, bent, with template plates
Cut-to-length threaded rod	Chamfered in-house
Materials	Carbon, alloy, stainless, Ti, Inconel, PEEK
Inspection	CMM + laser, full first-article
Documentation	MTRs, heat numbers, FAI on request
Lead time	Prototype: 3–5 days · production scheduled at quote

Steelwork connections, without the welder.

California Fastener is a stocking distributor of Lindapter® — no-weld, no-drill structural steel fixings.



LINDAPTER® • SINCE 1934

The original girder clamp.

Established 1934, Lindapter is the pioneer of steelwork clamping — the **Girder Clamp** and **Hollo-Bolt®**. No-weld, no-drill structural connections that save the hot-work permit.

Specified across airport baggage systems, service walkways, hangars, and terminal steel — anywhere fast structural fixings save days on the schedule.

CE MARK

LLOYDS

TÜV NORD

DIBT


WHAT WE STOCK

- 01 **Girder Clamps** — flange-to-flange & flange-to-web, all sizes
- 02 **Hollo-Bolt®** — expansion bolts for hollow structural section
- 03 **Cavity Fixings** — Lindibolts & rail-mount accessories
- 04 **Specials** — sized to your detail with Lindapter engineering support

Learn more • californiafastener.com/lindapter


The parts, at a glance.

A working sample of what ships from Benicia – grades, finishes, and assemblies cut to print.




Heavy Hex Bolt

A193 B7




Structural Bolt

A325 / A490



Anchor Bolt Assembly

F1554 · HDG



Stud Bolt Kit

B7 · PTFE / Xylan




U-Bolt

CUSTOM PROFILE



Socket Head Cap Screw

A574 · 12.9




Heavy Hex Nut

A194 2H



Structural Flat Washer

F436



Silicon Bronze Hex Bolt

EVERDUR®



Send the BOM. We'll handle procurement.

ORDER DESK

(707) 741-3277

Mon-Fri · 6 a.m. - 4 p.m.

24/7 EMERGENCY

Call the line

Refinery, plant, weekend fails – answered.

WILL-CALL & SHIP

465 Industrial Way, Ste A

Benicia, California 94510

ONLINE

californiafastener.com

BOM upload · stock check · quote