1. A place for an idea

A stable anchor identifies the passage, even when its appearance changes. Select this sentence, add a note, then change the font size or rotate your device. Your note should return to these same words.

A stable anchor identifies the passage, even when its appearance changes. Select this sentence, add a note, then change the font size or rotate your device. Your note should return to these same words.

A stable anchor identifies the passage. This second occurrence tests quote disambiguation.

2. A simple learning rule

The weighted average is y = a*x + (1-a)*z. The parameter a controls the contribution of x. When a equals one, y equals x. When a equals zero, y equals z. A checkpoint records your confidence. An assessment records evidence from your answers.

The weighted average is y = a*x + (1-a)*z. The parameter a controls the contribution of x. When a equals one, y equals x. When a equals zero, y equals z. A checkpoint records your confidence. An assessment records evidence from your answers.

A stable anchor identifies the passage. This second occurrence tests quote disambiguation.



Figure 1. A hypothetical linear response as a increases.

3. Independent sessions

A reader can explore the same source along several paths. Session one can remain at the equation. Session two can open this chapter. Shared highlights belong to the book. Each session keeps its own position and questions. A repeated phrase is not always the same passage.

A reader can explore the same source along several paths. Session one can remain at the equation. Session two can open this chapter. Shared highlights belong to the book. Each session keeps its own position and questions. A repeated phrase is not always the same passage.

A stable anchor identifies the passage. This second occurrence tests quote disambiguation.