



## OWL FILE

```
<?xml version="1.0"?>
<rdf:RDF xmlns="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#"
  xml:base="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle"
  xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
  xmlns:owl="http://www.w3.org/2002/07/owl#"
  xmlns:xml="http://www.w3.org/XML/1998/namespace"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema#"
  xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#">
  <owl:Ontology rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle"/>

  <!--
  //////////////////////////////////////
  //
  // Object Properties
  //
  //////////////////////////////////////
  -->

  <!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Taxes -->

  <owl:ObjectProperty
    rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Taxes">
    <rdfs:domain
      rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>
    <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Taxes"/>
  </owl:ObjectProperty>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#decides -->

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#decides">
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Kilometers"/>
  <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Period"/>
</owl:ObjectProperty>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#has -->

```
<owl:ObjectProperty rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#has">
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AirCraft"/>
  <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BUS"/>
  <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Exam"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Insurance"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsuranceType"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Licence"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Maintainance"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Military"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUsage"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
  <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Taxes"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TrailerBus"/>
  <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Tyres"/>
  <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Body_and_MainParts"/>
  <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Brand"/>
```

```
<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CylinderVolume"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicParts"/>

<rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Engine"/>

<rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Exam"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExamCategory"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExtraAxle"/>

<rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Gun"/>

<rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Guns"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Inspection"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsurancePrice"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsuranceType"/>

<rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Interior"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicencePrice"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicenceType"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MaintainanceType"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MaximumLoad"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Miscallaneous"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ModelYear"/>

<rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Period"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PowerTrain_and_Chasis"/>

<rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Price"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Propulsion"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SeatCapacity"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TaxesPrice"/>
```

```
<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#VehiclePrice"/>
    <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Weight"/>
    <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Wings"/>
    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#flightCharacteristics"/>
</owl:ObjectProperty>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#hasInsurance -->
```

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#hasInsurance">
    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>
    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Insurance"/>
</owl:ObjectProperty>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#hasMaintainance -->
```

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#hasMaintainance">
    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Maintainance"/>
</owl:ObjectProperty>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#hasTypes -->
```

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#hasTypes">
```

```

    <rdfs:subPropertyOf rdf:resource="http://www.w3.org/2002/07/owl#topObjectProperty"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AirCraft"/>

    <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BUS"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Engine"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hovercraht"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RailwayVehicle"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicles"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#VehiclePrice"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicle"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BusTypes"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineTypes"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HovercraftUsageType"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MoneyType"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageType"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageTypes"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicleTypes"/>

</owl:ObjectProperty>

```

```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#includes -->

```

```

<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#includes">

    <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Plate"/>

```

```
<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PlateNo"/>
</owl:ObjectProperty>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#isCategoryOf -->
```

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#isCategoryOf">
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Driving"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Engines"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FirstAid"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Traffic"/>
  <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExamCategory"/>
</owl:ObjectProperty>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#isModelOf -->
```

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#isModelOf">
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AntiTank"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Anti_Air"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Artillery"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Autogyros"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Baggage"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Ballast"/>
```

```
<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Balloons"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Boards"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Box"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BoxCar"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Cab-
forward"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CargoBeoner"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CargoSprinter"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CoilCar"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CombineCar"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Commaand"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Coupe"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Cruse"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Dirghise"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Dovel_Truck"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#DualSport"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Dumptruck"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Enduro"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FireTruck"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FlatCar"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Flatbed"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#GarbageTruck"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Gliders"/>
```



```
<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hatchback"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HaulTruck"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyHeuler"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Helicopter"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Inland_and_Costel_Boats"/
>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Keelboats"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LogCarrier"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Luxury"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MiniTruck"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MiniVan"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotoCross"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Multihills"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#NavalVessels"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Panel-
Van"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Platform"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Rallyraid"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RefrigeratorTruck"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Scooters"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Sedan"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Side-by-
Side-ATV"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SportTouring"/>
```

```
<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Standard"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TankTruck"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Touring"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TrackRacing"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TractorUnit"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Trail"/>
<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Trails"/>
<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Van"/>
<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#mobileCrane"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#pickup_Truck"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#sportATV"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#sportBike"/>

<rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ATV"/>
<rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Car"/>
<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FreighUsage"/>
<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyTrucks"/>
<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ISAF_Classes"/>
<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MediumTrucks"/>
<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUsage"/>
<rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Off-
Road"/>
<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PassengerUsage"/>
<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Rotorcraft"/>
<rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Ship"/>
<rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Street"/>
```

```
<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Unpowered"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#VeryHeavyTrucks"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#lightTrucks"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#smallTrucks"/>

</owl:ObjectProperty>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#isPartOf -->
```

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#isPartOf">

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AirConditioningSystem"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AudioDevices"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Bearings"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BreakingSystem"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CarSeat"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Changing_System"/>

  <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Doors"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineComponents"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineCoolingSystem"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineOilSystem"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExhaustSystem"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FloorComponents_and_Par
ts"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FuelSupplySystem"/>
```

```

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Gauges_and_Meters"/>

    <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hose"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hover_Barge"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hover_Trains"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Ignition_Electronic_system
"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>

    <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Non-
Transportation"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#OtherComponents"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Sensors"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Suspension_andSteeringsy
stem"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Switches"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TransmissionSystem"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Windows"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Wiring_Harnesses"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#starting_system"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Body_and_MainParts"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicParts"/>

    <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Interior"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Miscallaneous"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#OtherUsage"/>

```

```
<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PowerTrain_and_Chassis"/>

<rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicles"/>

</owl:ObjectProperty>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#isTypeOf -->
```

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#isTypeOf">

  <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ATV"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#A_type"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AmphibiousAircraft"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Articulated_Bus"/>

  <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BUS"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#B_type"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BodyMaintainance"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#C_type"/>

  <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Car"/>

  <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Civil"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Commercial"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ComponentMaintainance"
/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#D_type"/>

  <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Dolar"/>

  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#E_type"/>

  <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Euro"/>
```

```

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Experimental"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#F_type"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FloatPlane"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Former_ISAF_Classes"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FreighUsage"/>

    <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Full"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#H_type"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyTrucks"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hovercraht"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ISAF_Classes"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#I_type"/>

    <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Jet"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Maintainance"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MediumTrucks"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Military"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUsage"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUse"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Minubuses"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Model"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorCycle"/>

    <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Off-
Road"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Olympic_Classes"/>

```

```
<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#OtherUsage"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PassengerUsage"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Pound"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Powered"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Rotorcraft"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SUV"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SailingBoat"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SeaPlane"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Ship"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Single-
Decker_Bus"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SpeedBoat"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Sport"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Street"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Summer"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TL"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Taxes"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TrailerBus"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Tricycles"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Truck"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Unpowered"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#VeryHeavyTrucks"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Winter"/>

<rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Yacht"/>

<rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#flyingBoat"/>
```

```

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#lightTrucks"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#simple"/>

    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#smallTrucks"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BusTypes"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HovercraftUsageType"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsuranceType"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicenceType"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MaintenanceType"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MoneyType"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorCycle"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Propulsion"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicles"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SailingBoat"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SeaPlane"/>

    <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Truck"/>

    <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Tyres"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageType"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageTypes"/>

    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicleTypes"/>

</owl:ObjectProperty>

```



<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#isWrittenOn -->

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#isWrittenOn">
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PlateNo"/>
  <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Plate"/>
</owl:ObjectProperty>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#isa -->

```
<owl:ObjectProperty rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#isa">
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AirCraft"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicMotor"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeatEngine"/>
  <rdfs:domain rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Non-
ThermalChemicalPoweredMotor"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RailwayVehicle"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicles"/>
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicle"/>
  <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineTypes"/>
  <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:ObjectProperty>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#movesWith -->

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#movesWith">
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicles"/>
  <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Tyres"/>
</owl:ObjectProperty>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#mustHas -->
```

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#mustHas">
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Person"/>
  <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Licence"/>
</owl:ObjectProperty>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#mustHave -->
```

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#mustHave">
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicles"/>
  <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Plate"/>
</owl:ObjectProperty>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#owner -->
```

```
<owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#owner">
  <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Person"/>
```

```
    <rdfs:range
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
  </owl:ObjectProperty>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#owns -->
```

```
  <owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#owns">
    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
    <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Person"/>
  </owl:ObjectProperty>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#range -->
```

```
  <owl:ObjectProperty
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#range">
    <rdfs:domain
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsurancePrice"/>
    <rdfs:range rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#range"/>
  </owl:ObjectProperty>
```

```
<!--
```

```
////////////////////////////////////
```

```
//
```

```
// Classes
```

```
//
```

```
////////////////////////////////////
```

```
-->
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ATV -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ATV">  
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>  
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#A_type -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#A_type">  
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicenceType"/>  
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AirConditioningSystem -->
```

```
<owl:Class  
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AirConditioningSystem">  
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Miscellaneous"/>  
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AirCraft -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AirCraft">  
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>  
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AmphibiousAircraft -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AmphibiousAircraft">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SeaPlane"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AntiTank -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AntiTank">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUsage"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Anti\_Air -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Anti_Air">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUsage"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Articulated\_Bus -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Articulated_Bus">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BusTypes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Artillery -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Artillery">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUsage"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AudioDevices -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AudioDevices">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicParts"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Autogyros -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Autogyros">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Rotorcraft"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BUS -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BUS">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#B_type -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#B_type">  
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicenceType"/>  
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Baggage -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Baggage">  
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PassengerUsage"/>  
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Ballast -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Ballast">  
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#VeryHeavyTrucks"/>  
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Balloons -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Balloons">  
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Unpowered"/>  
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Bearings -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Bearings">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Miscellaneous"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Boards -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Boards">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ISAF_Classes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BodyMaintainance -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BodyMaintainance">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MaintainanceType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Body\_and\_MainParts -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Body_and_MainParts">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
```



</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Box -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Box">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MediumTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BoxCar -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BoxCar">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FreighUsage"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Brand -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Brand">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Tyres"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BreakingSystem -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BreakingSystem">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PowerTrain_and_Chasis"/>
```

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BusTypes -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BusTypes">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BUS"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#C\_type -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#C_type">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicenceType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Cab-forward -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Cab-forward">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#lightTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Car -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Car">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>
```

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CarSeat -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CarSeat">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Interior"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CargoBeoner -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CargoBeoner">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FreighUsage"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CargoSprinter -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CargoSprinter">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FreighUsage"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Changing\_System -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Changing_System">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicParts"/>
```

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Civil -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Civil">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CoilCar -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CoilCar">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FreighUsage"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CombineCar -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CombineCar">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FreighUsage"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Commaand -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Commaand">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUsage"/>
```

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Commercial -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Commercial">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HovercraftUsageType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ComponentMaintainance -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ComponentMaintainance">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MaintainanceType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Coupe -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Coupe">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Car"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Cruse -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Cruse">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Street"/>
```

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CylinderVolume -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#CylinderVolume">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#D\_type -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#D_type">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicenceType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Dirghise -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Dirghise">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ISAF_Classes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Dolar -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Dolar">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MoneyType"/>
```

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Doors -->

<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Doors">

<rdfs:subClassOf

rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Body\_and\_MainParts"/>

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Dovel\_Truck -->

<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Dovel\_Truck">

<rdfs:subClassOf

rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#lightTrucks"/>

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Driving -->

<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Driving">

<rdfs:subClassOf

rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExamCategory"/>

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#DualSport -->

<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#DualSport">

<rdfs:subClassOf

rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Street"/>

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Dumptruck -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Dumptruck">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#E\_type -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#E_type">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicenceType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicMotor -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicMotor">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineTypes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicParts -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicParts">
```



```
<rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Enduro -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Enduro">
  <rdfs:subClassOf rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Off-
Road"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Engine -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Engine">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineComponents -->
```

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineComponents">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PowerTrain_and_Chassis"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineCoolingSystem -->
```

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineCoolingSystem">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PowerTrain_and_Chassis"/>
  </owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineOilSystem -->
```

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineOilSystem">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PowerTrain_and_Chassis"/>
  </owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineTypes -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineTypes">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Engine"/>
  </owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Engines -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Engines">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExamCategory"/>
  </owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Euro -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Euro">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MoneyType"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Exam -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Exam">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Licence"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExamCategory -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExamCategory">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Exam"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExhaustSystem -->
```

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExhaustSystem">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PowerTrain_and_Chassis"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Experimental -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Experimental">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageType"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExtraAxle -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExtraAxle">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TrailerBus"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#F_type -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#F_type">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicenceType"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FireTruck -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FireTruck">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MediumTrucks"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FirstAid -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FirstAid">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExamCategory"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FlatCar -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FlatCar">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FreighUsage"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Flatbed -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Flatbed">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MediumTrucks"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FloatPlane -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FloatPlane">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SeaPlane"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FloorComponents_and_Parts -->
```

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FloorComponents_and_Parts"
>
```

```
    <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Interior"/>
    </owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Former_ISAF_Classes -->
```

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Former_ISAF_Classes">
    <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SailingBoat"/>
    </owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FreighUsage -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FreighUsage">
    <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageTypes"/>
    </owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FuelSupplySystem -->
```

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#FuelSupplySystem">
    <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PowerTrain_and_Chassis"/>
    </owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Full -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Full">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsuranceType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#GarbageTruck -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#GarbageTruck">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Gauges\_and\_Meters -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Gauges_and_Meters">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicParts"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Gliders -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Gliders">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Unpowered"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Gun -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Gun">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUsage"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Guns -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Guns">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Military"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#H\_type -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#H_type">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicenceType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hatchback -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hatchback">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Car"/>
</owl:Class>
```



<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HaulTruck -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HaulTruck">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#VeryHeavyTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeatEngine -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeatEngine">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineTypes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyHeuler -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyHeuler">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#VeryHeavyTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyTrucks -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyTrucks">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Truck"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Helicopter -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Helicopter">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Rotorcraft"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hose -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hose">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Miscellaneous"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hover\_Barge -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hover_Barge">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#OtherUsage"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hover\_Trains -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hover_Trains">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#OtherUsage"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HovercraftUsageType -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HovercraftUsageType">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hovercraft"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hovercraft -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Hovercraft">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicleTypes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ISAF\_Classes -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ISAF_Classes">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SailingBoat"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#I\_type -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#I_type">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicenceType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Ignition\_Electronic\_system -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Ignition_Electronic_system">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicParts"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Inland\_and\_Costel\_Boats -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Inland_and_Costel_Boats">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Ship"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Inspection -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Inspection">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Insurance -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Insurance">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsurancePrice -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsurancePrice">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsuranceType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsuranceType -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsuranceType">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Insurance"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Interior -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Interior">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Jet -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Jet">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Propulsion"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Keelboats -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Keelboats">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ISAF_Classes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Kilometers -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Kilometers">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Period"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Licence -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Licence">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Person"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicencePrice -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicencePrice">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Licence"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicenceType -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LicenceType">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Licence"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LogCarrier -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#LogCarrier">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Luxury -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Luxury">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Car"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Maintainance -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Maintainance">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MaintainanceType -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MaintainanceType">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Maintainance"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MaximumLoad -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MaximumLoad">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MediumTrucks -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MediumTrucks">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Truck"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Military -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Military">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageType"/>
```



</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUsage -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUsage">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageTypes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUse -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MilitaryUse">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HovercraftUsageType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MiniTruck -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MiniTruck">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#smallTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MiniVan -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MiniVan">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#lightTrucks"/>
```

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Minubuses -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Minubuses">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BusTypes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Miscellaneous -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Miscellaneous">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Model -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Model">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ModelYear -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ModelYear">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
```

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MoneyType -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MoneyType">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#VehiclePrice"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotoCross -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotoCross">
  <rdfs:subClassOf rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Off-
Road"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorCycle -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorCycle">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Multihills -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Multihills">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ISAF_Classes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#NavalVessels -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#NavalVessels">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Ship"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Non-ThermalChemicalPoweredMotor -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Non-
ThermalChemicalPoweredMotor">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#EngineTypes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Non-Transportation -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Non-
Transportation">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#OtherUsage"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Off-Road -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Off-Road">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorCycle"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Olympic\_Classes -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Olympic_Classes">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SailingBoat"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#OtherComponents -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#OtherComponents">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Interior"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#OtherUsage -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#OtherUsage">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HovercraftUsageType"/>
```

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Panel-Van -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Panel-Van">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#lightTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PassengerUsage -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PassengerUsage">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageTypes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Period -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Period">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Maintainance"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Person -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Person">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
```

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Plate -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Plate">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicles"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PlateNo -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PlateNo">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Plate"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Platform -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Platform">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MediumTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Pound -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Pound">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MoneyType"/>
```

</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PowerTrain\_and\_Chassis -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PowerTrain_and_Chassis">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Powered -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Powered">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Propulsion"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Price -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Price">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Maintainance"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Propulsion -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Propulsion">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AirCraft"/>
```



</owl:Class>

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RailwayVehicle -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RailwayVehicle">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Rallyraid -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Rallyraid">
  <rdfs:subClassOf rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Off-
Road"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RefrigeratorTruck -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RefrigeratorTruck">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes">
```

```
<rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicles"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicles -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicles">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Rotorcraft -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Rotorcraft">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Propulsion"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SUV -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SUV">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SailingBoat -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SailingBoat">
```

```
<rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicleTypes"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Scooters -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Scooters">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Street"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SeaPlane -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SeaPlane">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicleTypes"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SeatCapacity -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SeatCapacity">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BUS"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Sedan -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Sedan">
```

```
<rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Car"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Sensors -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Sensors">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicParts"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Ship -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Ship">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicleTypes"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Side-by-Side-ATV -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Side-by-Side-
ATV">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ATV"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Single-Decker_Bus -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Single-Decker_Bus">
```

```
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BusTypes"/>
```

```
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SpeedBoat -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SpeedBoat">
```

```
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicleTypes"/>
```

```
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Sport -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Sport">
```

```
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HovercraftUsageType"/>
```

```
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SportTouring -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SportTouring">
```

```
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Street"/>
```

```
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Standard -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Standard">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Street"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Street -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Street">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorCycle"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Summer -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Summer">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Tyres"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Suspension_andSteeringsystem -->
```

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Suspension_andSteeringsyste
m">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PowerTrain_and_Chassis"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Switches -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Switches">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicParts"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TL -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TL">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MoneyType"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TankTruck -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TankTruck">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyTrucks"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Taxes -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Taxes">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TaxesPrice -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TaxesPrice">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Taxes"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Touring -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Touring">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Street"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TrackRacing -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TrackRacing">
  <rdfs:subClassOf rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Off-
Road"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TractorUnit -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TractorUnit">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyTrucks"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Traffic -->
```



```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Traffic">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ExamCategory"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Trail -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Trail">
  <rdfs:subClassOf rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Off-
Road"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TrailerBus -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TrailerBus">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#BusTypes"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Trails -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Trails">
  <rdfs:subClassOf rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Off-
Road"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TransmissionSystem -->
```

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#TransmissionSystem">

  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#PowerTrain_and_Chassis"/>

</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Tricycles -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Tricycles">

  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorCycle"/>

</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Truck -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Truck">

  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicleTypes"/>

</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Tyres -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Tyres">

  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RoadVehicles"/>

</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Unpowered -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Unpowered">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Propulsion"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageType -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageType">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AirCraft"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageTypes -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#UsageTypes">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#RailwayVehicle"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Van -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Van">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MediumTrucks"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#VehiclePrice -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#VehiclePrice">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#VeryHeavyTrucks -->
```

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#VeryHeavyTrucks">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Truck"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicle -->
```

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicle">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicleTypes -->
```

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicleTypes">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicle"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Weight -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Weight">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#MotorVehicle"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Windows -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Windows">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Body_and_MainParts"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Wings -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Wings">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AirCraft"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Winter -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Winter">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Tyres"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Wiring\_Harnesses -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Wiring_Harnesses">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicParts"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Yacht -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Yacht">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#WaterVehicleTypes"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#flightCharacteristics -->

```
<owl:Class
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#flightCharacteristics">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#AirCraft"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#flyingBoat -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#flyingBoat">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#SeaPlane"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#lightTrucks -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#lightTrucks">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Truck"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#mobileCrane -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#mobileCrane">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#HeavyTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#pickup\_Truck -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#pickup_Truck">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#lightTrucks"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#range -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#range">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsurancePrice"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#simple -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#simple">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#InsuranceType"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#smallTrucks -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#smallTrucks">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Truck"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#sportATV -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#sportATV">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ATV"/>
</owl:Class>
```

<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#sportBike -->

```
<owl:Class rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#sportBike">
  <rdfs:subClassOf
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#Street"/>
</owl:Class>
```



```
<!-- http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#starting_system -->
```

```
<owl:Class  
rdf:about="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#starting_system">  
  <rdfs:subClassOf  
rdf:resource="http://www.semanticweb.org/cea/ontologies/2016/4/motorVehicle#ElectronicParts"/>  
  </owl:Class>  
</rdf:RDF>
```

```
<!-- Generated by the OWL API (version 4.2.5.20160517-0735) https://github.com/owlcs/owlapi -->
```