GTU Department of Computer Engineering CSE 222/505 - SPRING 2022 HOMEWORK 8 REPORT

MUHAMMET ÇAĞRI YILMAZ 1901042694

System Requirements

In MyGraph Class

```
//DATA FIELD

//Vertex List
private ArrayList<Vertex> vertexList;

//Total Numv
private int numv =0;

//Adjaceny List
private LinkedList<Vertex> adjLists[];
private List<Edge> [] edgeList;

//number of edge
private int edge=0;

// Matrix
private double edgeArray[][] = new double[100][100];
private int index=0;
```

Constructor

```
public MyGraph(int node){
   edgeList=new List[node];
   vertexList=new ArrayList<>();
   adjLists = new LinkedList[node];
   for (int i=0; i<node; i++) {
      adjLists[i] = new LinkedList<>();
      edgeList[i]=new LinkedList<Edge>();
   }
}
```

```
Vertex newVertex(String label, double weight);
void addVertex(Vertex new_Vertex);
void addEdge(int vertexID1, int vertexID2, double weight);
void removeEdge(int vertexID1, int vertexID2);
void removeVertex(int vertexID);
void removeVertex(String label);
MyGraph filterVertices(String key, String filter);
double[][] exportMatrix();
void printGraph();
```

All methods that we need to implements are in an Interface.

Vertex Class

```
private String label;
private double weight;
private int id;
HashMap<String,String> properties = new HashMap<String,String>();
private double boosting=0;
```

Id variable holds the both id and index.

Properties holds the properties of vertex.

There is a variable that's called boosting. This variable is for 3rd question

```
public Vertex(String Label, Double Weight){
    this.label=Label;
    this.weight=Weight;
}
public Vertex(String Label, double Weight, double boosting){
    this.label=Label;
    this.weight=Weight;
    this.boosting=boosting;
}
```

There are 2 constructors. We need to second one to put vertex class for 3rd question.


Problem Solutions Approach

For 1st question, I read Graph section our lecture book. After that I implemented all things that we require from the book. I slog on during adjency list. Even our lecturer said that you don't need to use Edge class, I used it. Thanks to that, I did my assignment easier.

For 2nd question, this is the hardest part for me. Because in assignment, lecturer wants that We find the shortest part. I examined each edge and vertex. BFS we finished each level and that's why this part is hard. DFS part is easier than BFS.

For 3rd question, I watched Dijkstra's Algorithm on YouTube and take code from lecture book. However, I need to modify somethings. Boosting value is important and I compare the boosting value for each vertex.


CLASS DIAGRAM



Test Cases

For 1st question

```
MyGraph<Integer> testingGraph = new MyGraph<>( node: 6);
//Initialize vertex
Vertex Dogubeyazit = testingGraph.newVertex( label: "Dogubeyazit", weight: 19.0);
Vertex Sundiye = testingGraph.newVertex( label: "Sundiye", weight: 22.0);
Vertex Pendik = testingGraph.newVertex( label: "Pendik", weight: 25.0);
Vertex Sebze = testingGraph.newVertex( label: "Gebze", weight: 30);
Vertex Kaltepe = testingGraph.newVertex( label: "Maltepe", weight: 30);
Vertex Ciftlikkoy= testingGraph.newVertex( label: "Liftlikkoy", weight: 28);
//This boosting for the 3rd question
Dogubeyazit.setBoosting(4.0);
Vertex Ciftlikkoy: setBoosting(4.0);
Vertex Sebsosting(9.0);
Pendik.setBoosting(9.0);
Pendik.setBoosting(9.0);
//Give some properties
//Color part
Gebze.properties.put("Color", "Red");
Sundiye.properties.put("Color", "Red");
Sundiye.properties.put("Color", "Roange");
CiftLikkoy.properties.put("Color", "White");
Pendik.properties.put("Color", "White");
Pendik.properties.put("City", "Kocaeli");
Sundiye.properties.put("City", "Stanbul");
Pendik.properties.put("City", "Istanbul");
```



```
for(int i=0; i<testingGraph.getNumV();i++){
    System.out.print(i + " ");
    for (int j=0; j < testingGraph.getNumV();j++){
        System.out.print(myExportMatrix[i][j] + " ");
    }
    System.out.println();
}

System.out.println("Remove vertex");
testingGraph.removeVertex( vertexID: 0);
testingGraph.printGraph();

System.out.println("Remove Edge");
testingGraph.removeEdge(3,2);
testingGraph.printGraph();</pre>
```

2nd Question

```
double diff= Deneme.diffBetweenPaths(testingGraph, start 2, end: 5);

System.out.println("Difference "+diff);
```

3rd question

```
int predArray[] = new int[100];
double distanceArray[] = new double[100];

DijkstrasAlgorithm testDijkstrasAlgorithm = new DijkstrasAlgorithm();

testDijkstrasAlgorithm.dijkstrasAlgorithm(testingGraph, start 3,predArray,distanceArray);
System.out.println("Gebze to Istanbul Dijkstra'a Algortihm Value: " + distanceArray[0]);
System.out.println("Gebze to Suadiye Dijkstra'a Algortihm Value: " +distanceArray[1]);
System.out.println("Gebze to Ciftlikkoy Dijkstra'a Algortihm Value: " + distanceArray[5]);
```

Test Results Question 1

```
1500.0 -> 0.0 -> 1400.0 -> 0.0 -> 0.0 ->
1500.0 -> 25.0 -> 100.0 -> 0.0 -> 0.0 ->
0.0 -> 25.0 -> 30.0 -> 0.0 -> 0.0 ->
1400.0 -> 100.0 -> 30.0 -> 35.0 -> 55.0 ->
0.0 -> 0.0 -> 0.0 -> 35.0 -> 0.0 ->
0.0 -> 0.0 -> 0.0 -> 55.0 -> 0.0 ->
```

```
Remove vertex
0.0 -> 25.0 -> 100.0 -> 0.0 -> 0.0 ->
0.0 -> 25.0 -> 30.0 -> 0.0 -> 0.0 ->
0.0 -> 100.0 -> 30.0 -> 35.0 -> 55.0 ->
0.0 -> 0.0 -> 0.0 -> 35.0 -> 0.0 ->
0.0 -> 0.0 -> 0.0 -> 55.0 -> 0.0 ->
Remove Edge
0.0 -> 0.0 -> 0.0 -> 0.0 -> 0.0 ->
0.0 -> 25.0 -> -1.0 -> 0.0 -> 0.0 ->
0.0 -> 100.0 -> -1.0 -> 35.0 -> 55.0 ->
0.0 -> 0.0 -> 0.0 -> 35.0 -> 0.0 ->
0.0 -> 0.0 -> 0.0 -> 55.0 -> 0.0 ->
Remove Vertex but parameter is Label string
0.0 -> 25.0 -> 100.0 -> 0.0 -> 0.0 ->
0.0 -> 25.0 -> -1.0 -> 0.0 -> 0.0 ->
0.0 -> 100.0 -> -1.0 -> 35.0 -> 55.0 ->
0.0 -> 0.0 -> 0.0 -> 35.0 -> 0.0 ->
0.0 -> 0.0 -> 0.0 -> 55.0 -> 0.0 ->
```

Question 2

DFS: 85.0 BFS: 1525.0 Difference -1440.0

For question 3

```
Gebze to Istanbul Dijkstra'a Algortihm Value: 1400.0
Gebze to Suadiye Dijkstra'a Algortihm Value: 47.0
Gebze to Ciftlikkoy Dijkstra'a Algortihm Value: 55.0
Disconnected from the target VM, address: '127.0.0.1:53543', transport: 'socket'
```

Thanks for everything this semester.