## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

**International General Certificate of Secondary Education** 

## MARK SCHEME for the May/June 2007 question paper

## 0580 and 0581 MATHEMATICS

**0580/04 and 0581/04** Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2007 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

					,
1	(a)	(i)	2 400	B2	SC1 for figures 24
		(ii)	520 000	B2	SC1 for figures 52
	(b)	(i)	1 : 5 000 000 or <i>n</i> = 5 000 000	B2	SC1 for 5 000 000 seen in final answer or $n = \text{figs 5}$ oe in final answer
		(ii)	Time = 2hrs 8 mins or 128 (mins)	B1	
			= 2.13(33) (hours) oe soi	B1	Implies previous B1 Accept 128/60
			$1580 \div \text{their time}$ $738 - 742 \text{ cso}$	M1 A1	soi is by correct answer
					www 4 (12.3 seen earns B1M1) [10]
2	(a)		Axes to correct scale	S1	Accept 2mm accuracy throughout
	(b)		Correct <b>triangle</b> A(2,1)B(3,3)C(5,1)	B1	Condone absence of labels
	(c)		A <sub>1</sub> (1,2), C <sub>1</sub> (1,5), B <sub>1</sub> (3,3) ft their ABC	B2	B1 for 2 correct points Condone absence of labels and sides but not incorrect suffices
	(d)		$A_2(-2,1), C_2(-5,1), B_2(-3,3)$ ft their $A_1B_1C_1$	B2	B1 for 2 correct points Condone absence of labels and sides but not incorrect suffices SC1 for rotation of their A <sub>1</sub> B <sub>1</sub> C <sub>1</sub> 90° clockwise about the origin If triangle ABC is rotated correctly treat as mis-read
	(e)		Reflection y-axis oe cso	B1 B1	Indep (Only possible answer)
	<b>(f)</b>	(i)	A <sub>3</sub> (2, -1), C <sub>3</sub> (5, -4), B <sub>3</sub> (3,0)	В3	B2 for 2 correct points plotted Condone absence of labels and sides If B0, M1 for any set up of matrix multiplication seen for at least one point and A1 for correct result (If correct triangle A <sub>2</sub> B <sub>2</sub> C <sub>2</sub> used treat as MR, and the co-ords are (-2, 3), (-5, 6), (-3, 6))
		(ii)	Shear, y-axis invariant oe	B1,B1	Allow factor of either +1 or -1 if invariant line omitted, but dependent on shear or stretch
		(iii)	$\begin{pmatrix} 1 & 0 \\ 1 & 1 \end{pmatrix}$	B2	B1 for the left hand column  [15]

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

2 (2)	(2)	0.5.40.2.26.0 1.02	1/1	A my other meeth od movet be a second of
3 (a)	(i)	0.5×40.3×26.8sin92 oe	M1	Any other method must be complete $(s = 58.13 - 58.15)$
		539.6 – 540	A1	ww scores zero
	(ii)	$\frac{AB}{\sin 92} = \frac{40.3}{\sin 55}  \text{oe}$	M1	$(AB^2) = 40.3^2 + 26.8^2$ M1
				$-2\times40.3\times26.8\cos92$
		$(AB =) \frac{40.3 \times \sin 92}{\sin 55}$	M1	(AB = ) square root of above and a correct combination M1 (dep) Accept if found in (i) ww scores zero
		49.2 or 49.16 – 49.18	A1	WW SCOTES ZETO
	(iii)	55	B1	
	(111)	Angles in the same segment oe	Bldep	
	(iv)	33 correct or ft	B1	ft 88 – their 55, if answer is positive
	(v)	Similar or enlarged	B1	
	(vi)	$\frac{XD}{40.3} = \frac{20.1}{26.8}$ oe	M1	
			A1	$\sin their(iii)$ $\sin their(iv)$
		30.2(25)		30.2(309) cao Any other method must be complete
				ww scores zero
(b)	(i)	$\frac{y}{y+2} = \frac{y+1}{2y-1}  \text{oe}$	M1	May be implied by next line Accept correct ratio statement
		2 2	M1	May be implied by next line
		y(2y-1) = (y+1)(y+2) $2y^{2} - y = y^{2} + y + 2y + 2$ $y^{2} - 4y - 2 = 0$		Implies previous M2
		y - 4y - 2 - 0	E1	Dep (no errors in any line) If M0, SC1 for
				$y(2y-1) - (y+1)(y+2) = 2y^2 - y - y^2 - y - 2y - 2 = y^2 - 4y - 2$
	(ii)	$\frac{4\pm\sqrt{16+8}}{2}$	B1,B1	If of form $\frac{p+(or-)\sqrt{q}}{r}$
		_		B1 for 4 and 2, B1 for 4 <sup>2</sup> -4(1)(-2)
				If of form $p + (or -) \frac{\sqrt{q}}{r}$
		-0.45, 4.45 cao	B1,B1	B1 for 4 <sup>2</sup> -4(1)(-2) but may recover the other B1 from answers SC1 for rounding or truncating to 1 dp or more – 0.44948, 4.44948 ww scores max of 2
	(iii)	7.9(0) or better 7.8989 ft	B1ft	ft 2 × a positive root -1 [19]

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

		(8)			
4	(a)	(i)	3	B1	
		(ii)	-4.25 to -4	B1	
		` /			
	(b)	(i)	-1.6, 2.0, 8.6 to 8.63	B2	B1 for any one correct
		(ii)	9.2	B1	
		(11)	>. <u>-</u>	<b>D</b> 1	
	(c)		-9, 3	B1,B1	−1 each extra incorrect value
	(d)		$0 \le x \le 6$ , (i.e.0 to 6 <b>only</b> ) oe	B2	Accept $(0,6)$ , $[0,6]$ , $(0,3)$ to $(6,-9)$ .
					SC1 for other inequality errors or
					answers using 0 and 6 as boundaries
	(-)	(2)	1"	D1	IC
	(e)	(i)	1-x oe	B1	If re-arranged it must be correct
					equation with <i>y</i> or $f(x)$ in it but <b>exclude</b> $f(x) + x - 1 = 0$
					$ \begin{vmatrix} 1(\lambda) & \lambda - 1 = 0 \end{vmatrix} $
		(ii)	3	B1	
		` '			[11]

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

				T	
5	(a)		Using a right-angled triangle with 25 and 7	M1	25 and 7 seen is sufficient (or 50, 14)
			$25^2 - 7^2$ oe (or $50^2 - 14^2$ )	M1	Must be a correct numerical calculation
			,		oe includes trig methods, which can
					round to 24, then 48 for the E mark
			$(BD) = 48 \text{ (or } 24 \times 2)$	E1	Dep on M2, correctly established
	(b)	(i)	,(7)	M1	If scale drawing seen then M0
	. ,		$\cos^{-1}\left(\frac{7}{25}\right) \times 2$ oe		
			(23)		
			147° cao	A1	www 2
					147.47 score M1 only
		(ii)	air 32 -34 or ft	B1	ft 180 – their 147
	(a)	(2)		D1	
	(c)	(i)	$\mathbf{q} + \mathbf{p}$ oe	B1	
		(ii)	$\mathbf{q} - \mathbf{p}$ oe	B1	
		()	1 r		
	(d)		$\overrightarrow{OC} + \overrightarrow{CE}$ oe	M1	any correct unsimplified expression
			e.g. their $(\mathbf{q} - \mathbf{p}) + 2 \times \text{their } (\mathbf{q} + \mathbf{p})$		2 <b>q</b> + their ( <b>c</b> ) ( <b>i</b> )
			$\mathbf{p} + 3\mathbf{q}$ cao	A1	www 2
	(e)		$\overrightarrow{OC} + \frac{1}{2}\overrightarrow{OB}$ oe	M1	any correct unsimplified expression
			2	A 1	$2q + \frac{1}{2}$ their (c) (i)
			$0.5\mathbf{p} + 2.5\mathbf{q}$ cao	A1	www 2
	(f)				Accept any reasonable notation in both
	` '				parts
		(i)	(0)	B1	
			(24)		
		(ii)	(7)	B1	
		•	$\begin{pmatrix} ' \\ -24 \end{pmatrix}$	B1	
			(-24)		
	(g)		50	B1	
	(6)				[16]

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

6 (a)		$1.5 < x \le 2$	B1	
(b)		(8×0.25 + 27×0.75 + 45×1.25 + 3×3.75)	M1 M1	For mid-values (allow two slips) For $\Sigma fx$ (allow two slips) dep on first M1, or mid-values $\pm 0.05$
		their 345.5 ÷ 200 1.7275, 1.727, 1.728 or 1.73 cso	M1 A1	for ÷ 200 dep on second M1 www 4
(c)		8, 35, 80, 130, 169, 190, 197, 200	B2	If B0, allow M1 for clear attempt to add accumulatively
(d)		axes correct scale  8 points plotted ft part (c) (0.5, 8), (1, 35), (1.5, 80), (2, 130), (2.5, 169), (3, 190), (3.5, 197), (4, 200)	S1 P3dep	Not reversed and must reach 200 vertically, even if not labelled <b>dep on at least M1 in (c)</b> 8 points from their values For <i>x</i> -values ( <b>upper boundary values</b> ), points must touch grid line For <i>y</i> -values, even, must touch grid line, odd must be inside square. P2 for 6 or 7 points ft P1 for 4 or 5 points ft
		curve (or polygon) either correct or through 8 points and correct shape	C1	Allow 1 mm tolerance Ignore any bars drawn if they do not compromise the points and graph
(e)	(i)	1.65-1.75	B1	
	(ii)	1.5	B1	
	(iii)	23 – 29 integers only	B2	If B0 allow SC1 for non-integer in correct range, or 172 – 177 seen (may be written on graph)
(f)		54 – 56.5	B2	SC1 for figures 108 – 113 or 87 – 92 Accept if written on graph www 2 [18]

Page 7	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

	(1)		210 ÷ ( their (e)) 4.57 or better (4.565) ft	A1 ft	www 2, but 4.6 ww scores zero [12]
	(e) (f)		46	B1 ft M1	ft $2 \times a$ positive root + 4
		(ii)	-25, 21	B1	ft - allow 25 and -21 from above only
	(d)	(i)	(x+25)(x-21)	B2	B1 for $(x-25)(x+21)$
			$x^2 + 4x - 525 = 0$	E1	account in the E mark) Completed without any errors dep on M3
			$105(x+4) - 105x = 0.8x(x+4) \text{ oe}$ $0.8x^2 + 3.2x - 420 = 0 \text{ oe}$	M1	Dep on M2 or SC1 and allow all over $x(x + 4)$ at this stage Condone any sign error in any expanding done first (this is taken into
	(c)		$\frac{105}{x} - \frac{105}{x+4} = 0.8  \text{oe}$	M2	SC1 if $\pm$ signs between terms incorrect or SC1 for their (a) – their (b) = 0.8 oe if (a) and (b) are fractions with linear denominators
	(b)		$\frac{105}{x+4}$	B1	Do not allow $x =$ , but allow other letter and condone presence of units
8	(a)		$\frac{105}{x}$	B1	Do not allow $x =$ , but allow other letter and condone presence of units
			150 cao	A1	www 4 [15]
	(d)		0.8 + 1.2 + 0.8 = (2.8) $50.40 = \text{area} \times 0.12$ oe Length × their perimeter = their area oe	M1 M1ind M1	Accept 2.8 seen Accept 420 seen
	(4)				
			$(r^2) = \frac{2}{\pi \times 0.0013}$ oe 22.1 or 22.12 – 22.14 cao	M1dep A1	Dep on M2 (489.7) www 4 figs 221 imply first M1
	(c)		$\pi r^2 \times \text{ figs } 13 = \text{ figs } 2 \text{ oe}$ $2 \div 0.0013$	M1 M1ind	(implied by 1538.46)
	(b)		1.2 × 0.8 × 15 × 60 oe (= 864 seen)  Their 864 – their (a)  ÷ their (a) × 100  1230 (%) or better (1233.3) cao	M1 M1ind M1dep A1	Their (a) \%3 × 5 oe seen or their 864 ÷ their (a) × 100 (1333.3) subtract 100 (Dep on second M1) www 4 (1330 or 1333.3www M1M1M0)
7	(a)		1.2 × 0.3 × 3 oe × 60 oe 64.8 cao	M1 M1dep A1	(1.08) or 3 × 60 (180) × 1.2 × 0.3 (0.36) www 3
				T	T

Page 8	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2007	0580 and 0581	04

_			~			
9	(a)		Sketch of 4 by 4 diagram	B1		
	(b)	(i)	25, 40	B1,B1		
	(~)	(-)		,		
		(ii)	$n^2$	B1		
		(11)	$(-1)^2$	B1		
			$(n+1)^2$ oe $(n+1)^2 + n^2 - 1$ or $2n^2 + 2n$ ) or		. 1:000	
				B2	Any one of these oe isw and if B0	
			2n(n+1) oe		allow	
					SC1 for their $(n+1)^2$ + their $(n^2)$ – 1 or	
					an expression containing $2n^2$ , as the	
					highest order term, soi	
					ingilos order terms, sor	
	(c)	(i)	2	B1		
	(c)	(1)	$\frac{2}{3} + f + g = 4$	Di		
		(;;)	$^{2}$ $^{2}$ $^{3}$ $^{4}$ $^{4}$ $^{2}$ $^{2}$ $^{2}$ $^{2}$ $^{2}$	M1	is for substituting ?	
		(ii)	$\frac{2}{3} \times 2^3 + f \times 2^2 + g \times 2  \text{oe}$		ie for substituting 2	
			$4f + 2g = \frac{32}{3}$	E1	No errors Allow 10, 2/3 10., 10.7,	
			$1J + 2g - \frac{1}{3}$			
		(iii)	$2f + 2g = \frac{20}{3}$	M1	for <b>correctly</b> setting up for elimination	
		()	J		of one variable	
			$4f + 2g = \frac{32}{3}$		of one variable	
			3	A 1 A 1		
			$(f =)2, (g =)\frac{4}{3}$ oe cao	A1A1	www 3 accept % for 2	
			•			
		(iv)	880 cao	B1		
		(11)	000 Ca0	וט	[14]	
					[17]	