

Cambridge International Examinations

Cambridge Ordinary Level

CHEMISTRY 5070/12

Paper 1 Multiple Choice May/June 2015

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.


Electronic calculators may be used.



International Examinations

1 The fractional distillation apparatus shown is being used to separate a mixture of two liquids. A thermometer is missing from the apparatus.

Where should the bulb of the thermometer be placed?



2 The concentration of aqueous sodium carbonate can be found by reaction with hydrochloric acid of known concentration using the indicator methyl orange.

Which items of equipment are needed?

- A burette, measuring cylinder, gas syringe
- **B** burette, measuring cylinder, thermometer
- C burette, pipette, conical flask
- **D** burette, pipette, stopwatch
- 3 Which molecules all contain one or more double covalent bonds?
 - A chlorine, nitrogen and methane
 - B chlorine, oxygen and ethene
 - **C** oxygen, hydrogen chloride and ethene
 - D oxygen, carbon dioxide and ethene

4 The metals Cr, Co, Fe and Mn are all transition elements.

Which particles have the same number of electrons?

- A Co²⁺ and Cr
- **B** Co²⁺ and Fe³⁺
- **C** Cr and Mn²⁺
- **D** Fe³⁺ and Mn²⁺
- **5** Which substance has metallic bonding?

	conducts	electricity	state of product formed on reaction					
	when solid	when liquid	with oxygen					
Α	✓	✓	solid					
В	✓	✓	gas					
С	X	✓	no reaction					
D	X	X	solid					

6 Which compound contains only eight covalent bonds?

Α	В	С	D
CH₂OH	CH₂OH I	СООН	СООН
I CH ₂ OH	CH ₃	COOH	I CH₂OH

7 The table shows the results of two reactions of an aqueous solution of a salt.

reagents	final observation
excess aqueous sodium hydroxide	white precipitate
dilute nitric acid and aqueous silver nitrate	white precipitate

What could be the identity of the salt?

- A calcium chloride
- B calcium iodide
- C zinc chloride
- **D** zinc iodide

8 Which row shows correct statements about the speed at which a gas diffuses?

	effect of molecular mass	effect of temperature
Α	higher molecular mass diffuses faster	diffusion is faster at higher temperatures
В	higher molecular mass diffuses faster	diffusion is faster at lower temperatures
С	lower molecular mass diffuses faster	diffusion is faster at higher temperatures
D	lower molecular mass diffuses faster	diffusion is faster at lower temperatures

- **9** What happens when sodium chloride melts?
 - A Covalent bonds in a giant lattice are broken.
 - **B** Electrons are released from atoms.
 - **C** Electrostatic forces of attraction between ions are overcome.
 - **D** Molecules are separated into ions.
- 10 Using the Periodic Table for the relative atomic masses, which has the greatest mass?
 - ${\bf A}$ 0.1 moles of iodine molecules, ${\bf I}_2$
 - **B** 0.5 moles of carbon dioxide, CO₂
 - C 1.0 mole of beryllium oxide, BeO
 - D 1.0 mole of sodium, Na

11 Ammonia is manufactured from nitrogen and hydrogen by the Haber process.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

What is the percentage yield when 60 kg of ammonia is produced from 60 kg of hydrogen?

- **A** 5.9%
- **B** 17.6%
- **C** 35.3%
- **D** 50.0%

12 What is the relative molecular mass, M_r , of CuSO₄.5H₂O?

- **A** 127
- **B** 160
- **C** 178
- **D** 250

13 The list shows some substances that conduct electricity.

- 1 aqueous sodium chloride
- 2 copper
- 3 graphite

In which substance(s) are only electrons involved in the conduction?


- **A** 1 and 2
- **B** 2 and 3
- C 2 only
- **D** 3 only

14 Caesium is a Group I metal.

Which reaction involving this element would **not** produce hydrogen?

- A adding caesium to ethanoic acid
- B adding caesium to water
- C electrolysing aqueous caesium chloride
- **D** electrolysing molten caesium chloride

15 The energy diagram represents a chemical reaction carried out both with a catalyst and without a catalyst.



What is the enthalpy change for the catalysed reaction?

A -125 kJ/mol

B -50 kJ/mol

C +75 kJ/mol

D +100 kJ/mol

16 Hydrogen reacts with iodine to form hydrogen iodide. This is a slow reaction.

$$H_2(g) + I_2(g) \rightleftharpoons 2HI(g)$$

1 mole of hydrogen gas and 1 mole of iodine vapour were mixed and allowed to react. After *t* seconds, 0.6 moles of hydrogen remained.

What is the number of moles of iodine remaining after *t* seconds?

A 0.0

B 0.4

C 0.6

D 1.0

17 Acidified potassium manganate(VII) is used as a test reagent.


Which words correctly complete gaps 1 and 2?

	1	2
Α	colourless to purple	oxidised
В	colourless to purple	reduced
С	purple to colourless	oxidised
D	purple to colourless	reduced

- 18 You are supplied with dilute hydrochloric acid together with
 - · copper solid,
 - · magnesium solid,
 - · aqueous lead nitrate,
 - · aqueous silver nitrate.

How many different insoluble chlorides could you make?

- **A** 1
- **B** 2
- **C** 3
- **D** 4
- **19** In the graph, curve 1 was obtained by observing the decomposition of 100 cm³ of 1.0 mol/dm³ hydrogen peroxide solution, catalysed by manganese(IV) oxide.



Which alteration to the original experimental conditions would produce curve 2?

- A adding some 0.1 mol/dm³ hydrogen peroxide solution
- **B** lowering the temperature
- **C** using less manganese(IV) oxide
- **D** using a different catalyst
- 20 A colourless solution reacts with magnesium to form a salt and hydrogen gas.

How is this solution acting?

- A as a base
- **B** as a reducing agent
- C as a solvent
- D as an acid

21 The equation shows a redox reaction between iron(II) chloride and chlorine gas.

$$2FeCl_2 + Cl_2 \rightarrow 2FeCl_3$$

Which equation describes the reduction process in this reaction?

- A $2Cl^- \rightarrow Cl_2 + 2e^-$
- **B** $Cl_2 + 2e^- \rightarrow 2Cl^-$
- \mathbf{C} $\mathrm{Fe^{2+}} \rightarrow \mathrm{Fe^{3+}} + \mathrm{e^{-}}$
- **D** $Fe^{3+} + e^{-} \rightarrow Fe^{2+}$

22 Which compound produces the greatest number of ions when 1 mole is dissolved in water?

- A aluminium sulfate
- B ammonium carbonate
- C ammonium nitrate
- **D** calcium nitrate

23 The equation for the reaction taking place during the production of ammonia is shown.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$
 $\Delta H = -92 \text{ kJ/mol}$

The reaction is carried out between 350 °C and 450 °C and at around 200 atmospheres pressure using an iron catalyst.

Which statement is **not** correct?

- A At higher temperatures the amount of ammonia present at equilibrium is less.
- **B** Changing the pressure has no effect on the rate of reaction.
- **C** The catalyst is used to speed up the reaction.
- **D** When the reaction is at equilibrium, the forward reaction is taking place at the same rate as the backward reaction.

24 Which element is sodium?

	melting point in °C	electrical conduction	density in g/cm ³
Α	1535	good	7.86
В	1083	good	8.92
С	113	poor	2.07
D	98	good	0.97

		9
25		position in the Periodic Table, what would you expect the elements titanium, thromium and cobalt to have in common?
	1	variable oxidation states
	2	coloured compounds
	3	high melting points

C 1 and 3 only D 2 and 3 only

26 Which two gases do not damage limestone buildings?

B 1 and 2 only

A nitrogen and carbon monoxide

A 1, 2 and 3

- B nitrogen dioxide and carbon monoxide
- C nitrogen dioxide and carbon dioxide
- **D** sulfur dioxide and carbon dioxide
- 27 The following facts are known about four metals, P, Q, R and S.
 - 1 R displaces both P and S from aqueous solutions of their ions.
 - 2 Q reacts with water but R does not react with water.
 - 3 S does not react with acid but P does react with acid.

What is the correct order of reactivity, the most reactive first?

A
$$P \rightarrow S \rightarrow Q \rightarrow R$$


B $Q \rightarrow R \rightarrow P \rightarrow S$

$$\boldsymbol{C} \quad \mathsf{Q} \to \mathsf{S} \to \mathsf{P} \to \mathsf{R}$$

$$\textbf{D} \quad S \to P \to R \to Q$$

- **28** Which metal has to be extracted from its ore by electrolysis?
 - A Fe B Na C Pb D Zn

29 Aluminium is produced by the electrolysis of molten aluminium oxide.



Which statement about the process is correct?

- **A** Aluminium ions are reduced to aluminium by gaining electrons.
- **B** Aluminium oxide is reduced by cryolite.
- **C** Aluminium oxide is reduced by the carbon electrodes.
- **D** Aluminium oxide is reduced by the carbon monoxide formed at the negative electrode.
- 30 Hydrides are compounds of an element and hydrogen only.


Which statement is **not** correct?

- **A** The hydride of carbon that contains four hydrogen atoms and one carbon atom, is a gas called methane.
- **B** The hydride of chlorine dissolves in water to form an alkaline solution.
- **C** The hydride of nitrogen is manufactured in the Haber process.
- **D** The hydride of oxygen is a liquid at room temperature.
- 31 In the extraction of iron from its ore in the blast furnace, limestone is added.

What is the function of the limestone?


- A to decrease the melting point of the iron
- **B** to produce carbon monoxide for the reduction of the iron ore
- **C** to produce heat to melt the iron formed
- **D** to remove sand

32 Two pieces of iron, one with zinc attached and the other with copper attached, are placed separately in water as shown.



Which statements are correct?

- 1 The iron in Y will not rust.
- 2 The water in Z will turn blue.
- 3 The zinc in Y will be oxidised.
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- **33** A diagram of a biogas generator is shown.



The gas, if collected, can be used as a fuel.

However, if the gas is allowed to escape it becomes an atmospheric pollutant.

What is the gas?

- A carbon monoxide
- **B** methane
- C nitrogen
- **D** sulfur dioxide

- **34** Which statement about alkanes is correct?
 - A Alkanes are readily polymerised.
 - **B** Alkanes react with bromine by addition.
 - **C** Alkanes react with chlorine by substitution.
 - **D** Butane has three more carbon atoms and eight more hydrogen atoms than methane.
- 35 Which statement about members of the homologous series of alcohols is correct?
 - A An alcohol with two carbon atoms in each molecule is called methanol.
 - **B** Butanol can be combusted to give carbon dioxide and water only.
 - **C** Ethanol is the only alcohol that can be oxidised to a carboxylic acid.
 - **D** Propanol can be made by the catalysed addition of steam to ethene.
- **36** When cracked, one mole of a compound, **X**, produces one mole of propene and one mole of hydrogen.

$$X \rightarrow C_3H_6 + H_2$$

What type of compound is **X**?

- A an alcohol
- B an alkane
- C an alkene
- D a carboxylic acid

37 The diagram shows the partial structure of a polymer.

Which pair of reagents could have been used to form this polymer?

38 Which of the following has not been prepared by reacting a carboxylic acid with an alcohol?

39 Which statement about the properties of the four alkanes from methane to butane is not correct?

	A	Successive members of the series differ in formula by CH ₂ .
	В	They increase in boiling point.
	С	They increase in viscosity.
	D	They share the same empirical formula.
40	\	ich of those polymore is a protein?

40 Which of these polymers is a protein?

Α	$(C_2H_3Cl)_n$	В	$(C_5H_8O_2)_n$	С	$(C_6H_{10}O_5)_n$	D	$(C_2H_3NO)_n$
---	----------------	---	-----------------	---	--------------------	---	----------------

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	0	4 H	2	20	Ne	Neon 10	40	Ā	Argon 18	84	Ā	Krypton 36	131	Xe	Xenon 54		Ru	Radon 86				175	3	Lutetium 71		ڈ	Lawrencium 103
	=			19	ш	9	35.5	CI		80	Ŗ	Bromine 35	127	н	lodine 53		¥	Astatine 85				173	Υp	Ytterbium 70		٥	_
	5			16	0		32	S	_	62	Se	_	128	<u>е</u>	Tellurium 52		Ъо	_				169	E ,	Thulium 69		Md	Ę
	>			14	Z	<u> </u>	31	۵	Phosphorus 15	75	As		122	Sb	Antimony 51	209	Ξ	Bismuth 83				167	ங் 	Erbium 68		Fm	
	≥			12	ပ	_	28	S	Silicon 14	73	Ge	Germanium 32	119	Sn	Tin 50	207	Pb	Lead 82				165	운	Holmium 67		Es	Einsteinium 99
	≡			1	Ω	Boron 5	27	Ν	Aluminium 13	70	Ga	Gallium 31	115	I n	Indium 49	204	11	Thallium 81				162	٥	Dysprosium 66		ర	Californium 98
											Zn	Zinc 30	112	Sq	Cadmium 48	201	Нg	Mercury 80				159	P	Terbium 65		BK	Berkelium 97
										64	Cn	Copper 29	108	Ag	Silver 47	197	Αn	Gold 79				157	gg	Gadolinium 64		Cm	Curium 96
Group										69	Z	Nickel 28	106	Pd	Palladium 46	195	풉	Platinum 78				152	n į	Europium 63		Am	Americium 95
Gre										29	ပိ	Cobalt 27	103	R	Rhodium 45	192	i	Iridium 77				150	Sm	Samarium 62		Pu	Plutonium 94
		1 X	_							99	Fe	Iron 26	101	Ru	Ruthenium 44	190	s _O	Osmium 76					Pm	Promethium 61		N	Neptunium 93
										55	Mn	Manganese 25		ည	Technetium 43	186	Re	Rhenium 75				144	PZ :	Neodymium 60	238		Uranium 92
										52	ပ်	Chromium 24	96	Mo	Molybdenum 42	184	≥	Tungsten 74				141	P.	Praseodymium 59		Ра	Protactinium 91
										51	>	Vanadium 23	93	qN	Niobium 41	181	Ξ	Tantalum 73				140	ဗီ	Cerium 58	232	丘	Thorium 90
										48	j	Titanium 22	91	Zr	Zirconium 40	178	Ξ	Hafnium 72				1			nic mass	pol	nic) number
							1			45	လွ	Scandium 21	68	>	Yttrium 39	139	Гa	Lanthanum 57 *	227	Ac	Actinium 89		eries		a = relative atomic mass	X = atomic symbol	b = proton (atomic) number
	=			6	Be	Beryllium 4	24	Mg	Magnesium 12	40	Ca	Calcium 20	88	Š	Strontium 38	137	Ва	Barium 56	226	Ra	Radium 88	*F8 71 1 00th 00th 00th 00th 00th 00th 00th 0	190-103 Actinoid series		a	×	q P
	_			7	=	Lithium 3	23	Na	Sodium 11	39	¥	Potassium 19	85	Rb	Rubidium 37	133	Cs	Caesium 55		ŗ	Francium 87	*59 71 1	190-103			Key	Ω

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.