

Cambridge IGCSE[™] (9–1)

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

CHEMISTRY 0971/31

Paper 3 Theory (Core)

May/June 2021

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.


INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 (a) The electronic structures of five atoms, A, B, C, D and E, are shown.



Answer the following questions about these electronic structures. Each electronic structure may be used once, more than once or not at all.

State which electronic structure, A, B, C, D or E, represents:

(i)	an atom in Group II of the Periodic Table	
		[1]

(ii)	an atom with a proton number of 13	

[1]

(iii) an atom that forms a stable ion with a single negative charge				
		[4]		
		[ו]		

(iv)	an atom of a non-metal that forms a giant covalent structure	
		[1]

(v)	an atom of a metal used in food containers.	

(b) Complete the table to show the number of electrons, neutrons and protons in the vanadium atom and calcium ion shown.

	number of electrons	number of neutrons	number of protons
⁵¹ V	23		
⁴⁸ Ca ²⁺		28	

[3]

[Total: 8]

2 The table shows the masses of some of the ions in 1000 cm³ of fruit juice.

name of ion	formula of ion	mass of ion in 1000 cm ³ of fruit juice/mg
	NH ₄ ⁺	43
calcium	Ca ²⁺	79
chloride	C1-	135
lithium	Li ⁺	1
magnesium	Mg ²⁺	80
nitrate	NO ₃ -	35
phosphate	PO ₄ ³⁻	120
potassium	K ⁺	575
sodium	Na⁺	120
	SO ₄ ²⁻	105

(a)	Ans	swer these questions using only the information in the table.	
	(i)	State which negative ion has the highest mass in 1000 cm ³ of fruit juice.	
			[1]
	(ii)	Give the formulae of the ions in ammonium sulfate.	
		and	[1]
	(iii)	Calculate the mass of sodium ions in 200 cm ³ of fruit juice.	
		mana - man	[4]
	_	mass = mg	נין
(b)	Des	scribe a test for lithium ions.	
	test	t	
	obs	servations	
			[2]
(c)	Ion	s of the element potassium, K, are present in most fertilisers.	
	Sta	te the names of two other elements that are in most fertilisers.	
	1		
	2		

[2]

(d)	Ora	nge juice is a	cidic.				
	Dra	w a circle aro	und the pH of	orange juice.			
			pH 4	pH 7	pH 10	pH 13	[1]
(e)	Sor	ne soils are a	cidic.				
	Giv	e the names	of two compo	unds that are	used to make s	soils less acidic.	
	1						
	2						 [2]
(f)	Нус	lrogen chlorid	le is an acidic	gas produced	when concentr	ated hydrochloric acid evapora	ates.
	(i)	Describe the	arrangement	and separation	on of the molec	ules in hydrogen chloride gas	
		arrangement	t				
		separation					
					•••••		
	/!:\	A law w wlass	4b.a.ia.a.4a				[2]
	(ii)	A long glass	tube is set up	as snown.	laway olaas	A. de a	
			- \		long glass	tupe	
					5	2	
			wool soaked ed hydrochlor		dam	p blue litmus paper	
				oer does not tu us paper turns			
		Explain these	e observation	s using the kir	netic particle mo	odel.	

......[3]

[Total: 15]

The table shows some properties of four Group I elements. 3

element	melting point /°C	boiling point /°C	atomic radius /nm
sodium	98	883	0.191
potassium	63	760	
rubidium	39		0.250
caesium	29	671	0.272

(a)	(i)	Complete	the table	by	predicting:
-----	-----	----------	-----------	----	-------------

- the boiling point of rubidium the atomic radius of potassium.

		·	[2]
	(ii)	Describe the trend in the melting point of the Group I elements down the group.	
			[1]
	(iii)	Deduce the physical state of potassium at 60°C. Explain your answer.	
			[2]
(b)	Cae	esium is a radioactive element with a proton number of 55.	
	(i)	Define proton number.	
			[1]
	(ii)	State one industrial use of radioactive isotopes.	
			[1]
(c)	Soc	dium hydride, NaH, reacts with iron(III) oxide.	
	(i)	Balance the equation for this reaction.	
		$\text{Fe}_{2}\text{O}_{3}$ + 3NaH \rightarrow Fe +NaOH	[2]
	(ii)	Explain how this equation shows that iron(III) oxide is reduced.	
			[1]

[Total: 10]

4 The structure of malic acid is shown.

(a) (i) On the structure draw a circle around the alcohol functional group.

(ii) Deduce the formula of malic acid to show the number of carbon, hydrogen and oxygen atoms.

.....[1]

[1]

(b) When malic acid is heated it forms compound **F**.

The structure of compound **F** is shown.

Explain why compound **F** is described as unsaturated.

.....[1]

(c) Compound F can form polymers.

(i) State the meaning of the term *polymer*.

......[2]

(ii) State the name of the polymer formed when ethene is polymerised.

.....[1]


(d)	Ethanoic a	acid is a	carboxv	/lic acid.
١,	ω,		adia id a	OUIDON	, iio aoia.

Describe the observations made when dilute ethanoic acid reacts with:

magnesium

litmus solution. [2]

(e) The graph shows how the pH changes when dilute ethanoic acid is added slowly to aqueous sodium hydroxide.



(i) Deduce the pH of the aqueous sodium hydroxide before the addition of dilute ethanoic acid.

pH =[1]

(ii) Deduce the volume of dilute ethanoic acid added when the pH is neutral.

..... cm³ [1]

[Total: 10]

5 (a) Calcium oxide is made by the thermal decomposition of calcium carbonate.

(i) State the meaning of the term thermal decomposition.

[2]				


(ii) Describe a test for calcium ions.

test	 	 	

(b) Carbon dioxide is produced when dilute hydrochloric acid reacts with calcium carbonate.

$$CaCO_3 + 2HCl \rightarrow CaCl_2 + CO_2 + H_2O$$

(i) Complete the diagram to show how to measure the volume of carbon dioxide produced during this reaction.




[2]

[2]

(ii)	Describe the effect of each of the following on the rate of reaction of dilute hydrochloric with calcium carbonate.	c acid
	The concentration of hydrochloric acid is decreased.	
	All other conditions stay the same.	
	The temperature is increased.	
	All other conditions stay the same.	
		[2]
Car	rbon dioxide is also formed when the hydrocarbon C_3H_8 is completely combusted.	
(i)	State the meaning of the term <i>hydrocarbon</i> .	
		[2]
(ii)	The hydrocarbon C ₃ H ₈ is called propane.	[-]
	Name the homologous series that propane belongs to.	
		[1]
(iii)		
	and	[2]
	[Total	al: 13]
	Ca (i)	with calcium carbonate. The concentration of hydrochloric acid is decreased. All other conditions stay the same. The temperature is increased. All other conditions stay the same. Carbon dioxide is also formed when the hydrocarbon C ₃ H ₈ is completely combusted. (i) State the meaning of the term <i>hydrocarbon</i> . When the hydrocarbon C ₃ H ₈ is called propane. Name the homologous series that propane belongs to. When two substances formed by the incomplete combustion of propane. and

This	question is about water.	
(a)	The water in rivers often contains pollutants such as acids.	
	Describe how universal indicator paper can be used to determine the pH value of the wa	ter.
(b)	The diagram shows some of the stages in water treatment.	
	impure aeration tank filter mixing purified water air chlorine	
	(i) Air is blown through the aeration tank.	
	Name the two gases that make up most of the air.	
	and	[2]
	(ii) After aeration, the water still contains large insoluble particles.	
	The filter is made up of fine sand and stones.	
	Explain how the filter helps purify the water.	
(iii) Explain why chlorine is used in water treatment.	
		[1]
(c)	Anhydrous cobalt(II) chloride is used to test for water.	
	State the colour change in this test.	
	from to	[2]
	[Tot	al: 9

7	(a)	Mol	ten lead (II) bromide is electrolysed using carbon electrodes.	
		(i)	State the products of this electrolysis at:	
			the negative electrode	
			the positive electrode.	 [2]
		(ii)	State the name of another substance which can be used as an inert electrode.	
				[1]
	(b)		en aqueous magnesium chloride is electrolysed using carbon electrodes, hydrogen gas duced at the negative electrode.	s is
			nplete the dot-and-cross diagram to show the electron arrangement in one molecule rogen.	of



[1]

[Total: 4]

- 8 This question is about elements in the Periodic Table.
 - (a) The table shows some properties of five elements, P, Q, R, S and T.

element	melting point /°C	density in g/cm³	electrical conductivity of the solid	atomic radius /nm
Р	1535	7.86	very good	0.125
Q	-7	3.12	does not conduct	0.114
R	1495	8.90	very good	0.126
S	-157	0.0035	does not conduct	0.110
Т	839	1.54	very good	0.174

Use only the elements shown in the table to answer this question.

	State which two of the elements, P , Q , R , S and T , are covalent molecules. Give two reasons for your answer.	
	elements and	
	reason 1	
	reason 2	[3]
(b)	Element T is on the left-hand side of the Periodic Table. Suggest whether its oxide is acidic or basic.	
	Give a reason for your answer.	
		. [1]
(c)	Krypton is an element in Group VIII of the Periodic Table.	
	Explain, using ideas about electronic structure, why krypton is unreactive.	

(d)	Sodium is an element	in Group I of	f the Periodic Table. Iron is a	ı transition element.
	Iron has a higher melt	ing point and	l higher boiling point than so	dium.
	Give two other ways i Group I elements.	n which the p	properties of transition eleme	ents differ from the properties of
	1			
	2			[2]
(e)	The table compares the	ne reactivity o	of four metals with dilute hyo	Irochloric acid.
		metal	reaction with dilute hydrochloric acid	
		calcium	reacts very rapidly	
		copper	no reaction	
		iron	reacts rapidly	
		nickel	reacts slowly	
	Put the four metals in Put the least reactive		reactivity.	
	least reactive ——			→ most reactive
				[2]
(f)	Hot iron reacts with st	eam. The rea	action is reversible	
(•)				
	Complete the equation	n by writing ti	he symbol for a reversible re	action in the box.
		3Fe + 4h	H_2O Fe ₃ O ₄ + $4H_2$	[1]
			H_2O Fe ₃ O ₄ + $4H_2$	[1]
(g)	Steel is an alloy of iro		H_2O Fe ₃ O ₄ + $4H_2$	[1]
(g)	Steel is an alloy of iron	n.		[1]
(g)	•	n.	<i>/</i> .	[1]
(g)	•	n.	<i>/</i> .	

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	=	Z He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	₹			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	н	iodine 127	85	At	astatine -			
	 >								sulfur 32										116		morium
																					live
	>								phosphorus 31												
	≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germaniun 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium
	≡			2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
							1			30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	ပ်	copernicium
										29	D C	copper 64	47	Ag	silver 108	62	Αu	gold 197	111	Rg	roentgenium
dn										28	z	nickel 59	46	Pd	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium
Group										27	ပိ	cobalt 59	45	뫈	rhodium 103	77	'n	iridium 192	109	₩	meitnerium
		- I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
				_						25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					loc	ISS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>n</u>	tantalum 181	105	Q Q	dubnium
				, co	ato	rela				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿆	rutherfordium
							I			21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_			3	:=	lithium 7	1	Na	sodium 23	19	×	potassium 39	37	Вb	rubidium 85	55	Cs	caesium 133	87	ь Г	francium

7.1	Γſ	lutetium	1/5	103	۲	lawrencium	ı
20	Q X	ytterbium	1/3	102	2	nobelium	ı
69	E	thulium	169	101	Md	mendelevium	ı
89	ш	erbium	16/	100	Fa	fermium	ı
29	운	holmium	165	66	Es	einsteinium	ı
99	ص	dysprosium	163	86	ర	californium	ı
65	Q H	terbium	159	26	Ř	berkelium	ı
64	ဗ	gadolinium	15/	96	CB	curium	ı
63	Ш	europium	152	96	Am	americium	ı
62	Sm	samarium	150	94	Pn	plutonium	ı
61	Pm	promethium	-	93	ď	neptunium	ı
09	S N	neodymium	144	92	\supset	uranium	238
29	Ā	praseodymium	141	91	Ра	protactinium	231
58	Ö	cerium	140	06	۲	thorium	232
22	Га	lanthanum	139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm^3}$ at room temperature and pressure (r.t.p.).