

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Advanced Subsidiary Level and Advanced Level

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		



MARINE SCIENCE 9693/04

Data-Handling and Free-Response

May/June 2013

Paper 4

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen on both sides of the paper.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

Section A

Answer all questions.

Write your answers in the spaces provided on the question paper.

Section B

Answer all questions.

Write your answers on the lined pages provided.

Electronic calculators may be used.

For Examiner's Use						
1						
2						
3						
4						
Total						

This document consists of 11 printed pages and 1 blank page.



Section A

For Examiner's Use

Answer all questions in this section.

An investigation was carried out to compare the growth rate of salmon that have been modified by genetic engineering (GM salmon) with normal "wild type" salmon.

Twenty freshly hatched GM salmon and twenty freshly hatched wild type salmon were kept in two separate tanks and given daily feeds in excess of requirements.

Salmon were weighed at regular intervals and mean masses calculated. The results are shown in Table 1.1.

Table 1.1

number of days from first feeding	mean mass of GM salmon/g	standard deviation of mean mass of GM salmon	mean mass of wild type salmon/g	standard deviation of mean mass of wild type salmon
0	10	2	15	3
250	500	25	450	31
350	1000	75	500	53
450	1700	64	625	76
550	2400	52	1100	43
650	4500	67	1600	73
750	6000	82	2500	66

(a) Plot line graphs of mean mass of salmon against number of days from first feeding. Use the same axes for both GM salmon and wild type salmon.

For
Examiner's
Use

	_		_		_	_		_		_	_	_				_			_	_	_		_	_		_	_		_	_			_	_	_		_
\perp			\perp	Ш	_	┸			\Box	_	\perp	\perp		Ш		\perp			_	\perp		ш	\perp	\perp	Ш	\perp		ш	\perp					\perp	\perp	ш	\perp
111				1 1										l				ш				l			1 1										- -		
						_			\neg					П				П							П									T	\top	П	-
+	+	+	+	\vdash	+	+	-	Н	\rightarrow	+	+	+	+	Н	+	+	-	\vdash	+	+	+	\vdash	+	+	+	+	+	+	+	+	Н	\vdash	-	+	+	\vdash	+
$\perp \perp$		ш	_	ш	_	_	\vdash	ш	_	_	\perp	_	\perp	ш	\perp	_		Ш	_	+	_	ш	\rightarrow	_	ш	-	₩	\perp	_	┺	ш	Ш	_	+	\perp	ш	\rightarrow
		1 1		H		1		1 1		- 1		-		ΙI							1	ıI				- 1	1			ı		П		1		1	
	\neg		\top	П	\neg	\top		П	\neg	\neg	\neg	\top	т	П	\neg	\neg		\Box	\neg	\neg	т	\neg			П	\neg	т		\neg	Т		П		\top	\neg	П	\neg
+	+	+	+	\vdash	+	+	-	\vdash	\rightarrow	\rightarrow	+	+	-	\vdash	+	+	\vdash	\vdash	+	+	-	\dashv	+	+	\vdash	+	+	+	+	-	Н	\vdash	_	+	+	\vdash	+
\vdash			_	ш	-	_	\vdash	ш	\rightarrow	-	-	+	\perp	ш	ш	_	\perp	ш	-	_	_	\dashv	_	_	\vdash	_	_	\perp	_	_	ш	\Box	_	_	+	ш	\rightarrow
111				1 1										l				ш				l			1 1										- -		
-	\neg	\Box	\top	П	\neg	_	т	П	\neg	\neg	\top	\top	-	П	\neg	\top	П	\Box	\neg	\top		\neg	\neg		\Box	\neg	-	\Box	\top	1		П	\neg	\top	\top	П	\neg
+	_	+	+	\vdash	+	+	\vdash	\vdash	\rightarrow	\rightarrow	+	+	-	Н	+	+	\vdash	\vdash	\rightarrow	+	+	\vdash	\rightarrow	+	\vdash	+	+	+	+	+-	Н	\vdash	-	+	+	\vdash	+
\perp			_	ш	_	_	-	ш	_	_	_	_	\perp	ш	\perp	_	\perp	ш	_		_	Н	_	_	\perp	_	_	\perp	_	_	\perp	ш	_	_	_	ш	_
						1								l								l			ш												
				П		1			\neg	\neg				П				П	\neg						П									T	\top	П	-
\rightarrow	+	+	+	\vdash	+	+	-	\vdash	\rightarrow	\rightarrow	+	+	+	Н	+	+	-	\vdash	\rightarrow	+	+	\vdash	+	+	+	+	+	+	+	+	Н	\vdash	-	+	+	\vdash	+
\vdash		\perp	_	ш	-	_	_	ш	\rightarrow	-	-	+	\vdash	ш	\perp	_	\vdash	ш	-	_	_	\dashv	_	_	\vdash	_	-	\rightarrow	_	_	ш	ш	_	_	+	ш	\rightarrow
111				1 1										l								l			1 1										- -		
	\neg		\top	П	\neg	-		П	\neg	\neg	\top	\top	\top	П	\neg	\neg	П	\Box	\neg	\neg	-	\neg			П	\neg	-		\neg	_	П	П		\top	\neg	П	\neg
+	+	+	+	\vdash	+	-	-	\vdash	\rightarrow	\rightarrow	+	+	-	Н	\rightarrow	+	-	\vdash	\rightarrow	+	-	\dashv	\rightarrow	+	\vdash	+	+	+	+	+	-	\vdash	-	+	+	\vdash	+
\vdash	+		+	\vdash	+	+	\vdash	\vdash	Щ	-	-	+	\vdash	ш	\vdash	+	\vdash	Ш	-	+	\vdash	Н	-	+	\vdash	\perp	+	\vdash	+	⊢	Н	Ш	_	+	+	ш	+
	\perp	Ш	\perp			L	L						L	<u>ا</u> _ا	ш	\perp	L	Ш		\perp	L	L.I		\perp			1	ш	\perp	L	L	∟		1			\perp
	T	П		П	\top		Г	П	\neg	T	T	Т	П	П	\sqcap		П	П	Т	Т	П	П	\top		П		П	П		Г	П	П		Т	\top	П	\top
\vdash	+	+	+	Н	+	+	\vdash	\vdash	\dashv	\rightarrow	+	+	-	Н	\vdash	+	Н	Н	$^{+}$	+	1	\vdash	$^{+}$	+	\vdash	+	+	\vdash	+	t	Н	Н	+	+	+	\vdash	+
\vdash	_	+	\perp	\vdash	+	_	⊢	\vdash	\dashv	-	+	+	\perp	Н	\vdash	+	\vdash	Н	_	_	+	\vdash	$^{\perp}$	\perp	\vdash	_	+	\vdash	\perp	₽-	Н	Н	_	+	4	ш	—
		ш		Ш		_	L	ш		_		_	L	<u>ا</u> ـــا	ш			Ш			L	Ш	_		Ш	Ш.	Ш.	ш		L	L	∟	ш.	_	┸╹	ш	
	Т	П	Т	П	Т	Г	Г	П	┑	Т	Т	Т	П	П	Т	Т		П	Т	Т	Г	⊓	Т	Т	П	Т	Г	Т	Т	Г		П	Т	Т	П	П	\top
\vdash	+	+	+	\vdash	$^{+}$	+	\vdash	\vdash	\dashv	\rightarrow	+	+	-	\vdash	+	+		\vdash	\rightarrow	+	1	\vdash	$^{+}$	+	\vdash	+	1	\vdash	+	1	Н	\vdash	$^{+}$	+	+	\vdash	+
++	+	\vdash	+	\vdash	+	+	\vdash	\vdash	\dashv	\rightarrow	+	+	\vdash	\vdash	\mapsto	+	\vdash	\vdash	+	+	+	\vdash	+	+	\vdash	+	+	\mapsto	+	⊢	\vdash	\vdash	_	+	+	\vdash	+
ш	\perp	ш	\perp	\perp	\perp	\perp	\perp	Ш		4	1	\perp	\perp	Ш	Ш	\perp		\Box	4	\perp	\perp	Ш	_	\perp	ш	\perp	_	ш	\perp	_	\perp	Ш	\perp	\perp	\perp	Ш	\perp
ιΙΤ	1	ιГ	1	ΙĪ	- [1	Π	ιT	ı	- [- 1	1	П	ιT	ΙГ	1	П	ΙĪ	- [1	1	ιI	- [1	ıΤ	- 1	1	ιГ	1	٦	П	ıΙ	- 1	-1	٦	ıΤ	- 1 -
-	\neg	\Box	\top	П	\neg	_	т	П	\neg	\neg	\top	\top	$\overline{}$	П	\neg	\top	П	\Box	\neg	\top		\neg	\neg		\vdash	\neg	-	\Box	\top	1		П		\top	\neg	П	\neg
+	+	+	+	Н	-	+	-	\vdash	\dashv	\rightarrow	+	+	-	Н	\vdash	+	\vdash	Н	+	+	+	\vdash	+	+	\vdash	+	+	+	+	⊢	Н	Н	_	+	+	Н	+
\perp			\perp		_				\Box	_	\perp	\perp		Ш		\perp			_			ш	_		Ш	\perp		\perp						_	\perp	ш	\perp
						1								l								l			ш												
				П		1			\neg					П				П							П									T	\top	П	-
++	+	+	+	Н	+	+	-	\vdash	\dashv	\rightarrow	+	+	-	Н	+	+	\vdash	Н	+	+	+	\vdash	+	+	\vdash	+	+	+	+	+	Н	\vdash	+	+	+	\vdash	+
$\perp \perp$	_	ш	_	ш	_	_	\vdash	ш	_	-	\perp	_	\perp	ш	ш	_	\perp	Ш	-	-	_	ш	\rightarrow	_	ш	-	₩	\perp	_	┺	ш	Ш	_	_	\perp	ш	\rightarrow
						1								ΙI								H			Ш												
						Т					Т	Т										П				Т								Т	т	П	Т
-	+	+	+	\vdash	+	-	-	\vdash	\rightarrow	\rightarrow	+	+	-	\vdash	+	+	-	\vdash	\rightarrow	_	-	\dashv	\rightarrow	+	\vdash	+	+	+	+	-	-	\vdash	_	+	+	\vdash	+
\rightarrow	_	\perp	+		\rightarrow	_	_	ш	_	-	+	+	\vdash	ш	\perp	+		Ш	_	_	_	\dashv	\rightarrow	_	\vdash	_	_	\vdash	_	_	ш	\Box	_	+	+	ш	\rightarrow
																																				ш	
		П	Т	П	\neg	Т	П	П	П	\neg	\neg	Т	П	П	П		П	П	\neg	\top		П	\neg		П	\neg	Т	П		Т	П	П		Т	\top	П	\neg
-	_	+	+	-	-	+	-	Н	\dashv	$^{+}$	+	+	-	Н	\vdash	+	-	\vdash	$^{-}$	_	-	\vdash	$^{-}$	_	\vdash	+	+	+	_	1	Н	\vdash	-	+	+	\vdash	-
\perp	_	\vdash	+	Н	-	+	\vdash	Н	-	-	+	+	-	Н	\vdash	-	\vdash	Н	-	+	╄	Н	+	+	Н	-	+	\perp	_	╄-	Н	Н	_	+	╨	Н	—
																																			ш	ш	
														П								П			П												
\vdash	-		+	\Box	-	+		\vdash	\neg	\neg	+	+		Н	\vdash	-		\vdash	\neg	+	1	\vdash	$^{+}$		\vdash	-	$^{+}$	\vdash	-	1	Н	\vdash	_	+	+	\vdash	+
\rightarrow	+	\vdash	+	\vdash	+	+	-	\vdash	\rightarrow	\rightarrow	+	+	-	Н	\rightarrow	+	\vdash	\vdash	\rightarrow	+	-	\vdash	+	+	\vdash	+	+	+	+	-	-	\vdash	-	+	+	\vdash	+
ш	\perp	\perp	\perp	\sqcup	\perp	_	\vdash	ш		4	\perp	\perp	\perp	ш	\perp	\perp	\perp	Ш	_	\perp	_	ш	\perp	\perp	ш	\perp	-	ш	\perp	_	\perp	Ш	_	\perp	_	ш	\perp
						1						-		I		-1					1	ı				- 1	1			I						1	
	\top	П	\top			\top	П			\neg			\Box	П		\neg	П	П		\top		\Box				\neg	-	\neg		П		П	\neg	1	\top	\neg	\neg
+	+	+	+	\vdash	+	+	+	\vdash	\dashv	+	+	+	\vdash	\vdash	+	+	\vdash	\vdash	+	+	+	\vdash	+	+	\vdash	+	+	\vdash	+	+	Н	\vdash	+	+	+	\vdash	+
$\sqcup \sqcup$	_	\vdash	\perp	\sqcup	\perp	_	\vdash	\sqcup	\Box	_	\perp	\perp	\perp	ш	\perp	\perp	\perp	Ш	\perp	\perp	1	ш	\perp	\perp	\vdash	_	+	ш	\perp	┖	ш	Ш	_	_	_	ш	+
ш		Ш	\perp	L		L	L	LI	Ш	╝	\perp	\perp	L	Lـا	Ш	\perp	L	Ш		Ш	L	╚		\perp	\perp		L	Ш	\perp	L	L	Шl		Ш	┸╵	니	\perp
	Т	П	Т	П	Т	Г	Г	П	П	T	Т	Т	П	∣⊤	Т	Т	П	П	Т	Т	Г	∣⊤	Т	Т	П	Т	Г	П	Т	Г	П	П	Т	Т	П	П	Т
+	+	Ħ	+	\vdash	$^{+}$	+	\vdash	H	\dashv	+	+	+	\vdash	Н	+	+	Н	\vdash	+	+	+	\vdash	+	+	Н	+	+	\vdash	+	t	Н	Н	$^{+}$	+	+	Н	+
++	+	+	+	\vdash	+	+	\vdash	Н	\dashv	+	+	+	+	Н	+	+	Н	Н	+	+	+	\vdash	+	+	\vdash	+	+	\vdash	+	⊢	Н	\vdash	+	+	+	Н	+
ш		\perp	\perp	\perp	\perp	\perp	\perp	\sqcup		_	\perp	\perp	\perp	Ш		\perp	\perp	Ш	_	\perp	_	Ш	\perp	\perp	\perp	\perp	_	ш	\perp	_	ш	Ш		\perp	\perp	\Box	\perp
	T	П	Г	П	Т		Г	П	П	Т	Т	Т	П	□	Т	T	П	П	Т	T	Г	⊤[Т	T	ΙT	T	Г	П	T	Γ	П	П	Т	Т		П	T
\vdash	\top	\vdash	\top	\Box	\top	\top	т	\vdash	\dashv	\rightarrow	$^{+}$	\top	\Box	П	\vdash	\top	П	\vdash	\neg	\top	-	\dashv	$^{+}$	\top	\vdash	\top	1	\vdash	\top	т	П	\vdash	\neg	$^{+}$	+	\vdash	+
++	+	+	+	\vdash	+	+	\vdash	\vdash	\dashv	\rightarrow	+	+	\vdash	\vdash	\mapsto	+	\vdash	\vdash	+	+	+	\vdash	+	+	\vdash	+	+	\vdash	+	⊢	\vdash	\vdash	+	+	+	\vdash	+
ш	\perp	\perp	\perp	\sqcup	\perp	\perp	\perp	\perp		_	\perp	\perp		ш		\perp		Ш	\perp	\perp	_	Ш	\perp	\perp	ш	\perp	1	ш	\perp	_	\sqcup	Ш	\perp	\perp	\perp	ш	\perp
1 I T	1	ιГ	1	ΙŢ	- 1	1	Π	ΙŢ	I	ſ	- [1	П	ΙĪ	ΙГ	1	П	ΙĪ	П	1	Γ	ΙĪ	- [1	ΙĪ	- 1	1	ΙГ	1	ľ	П	ΙĪ	- [-1	٦	ΙĪ	- 1 -
	\neg	\Box	\top		\neg	\top		П		\neg				П		\neg				\neg		\Box	\neg			\neg	$\overline{}$	\Box		Т		П	\neg	╅	\neg	\neg	\top
+	+	+	+	Н	+	+	1	\vdash	\dashv	-	+	+	-	\vdash	+	+	\vdash	Н	+	+	+	\vdash	+	+	Н	+	+	\vdash	+	۰	Н	Н	+	+	+	\vdash	+
ш	_	ш	\perp	\sqcup	\perp	_	⊢	ш	4	4	\perp	+	\vdash	ш	Н	\perp	\vdash	Ш	-	+	+	Ц	\perp	_	\sqcup	_	+	ш	\perp	⊢	ш	Ш	_	+	4	Н	-
						1						1		I		-1					1	ı				- 1	1			I						1	
		П		\Box		1	П	П		7			П	П	\sqcap		П					\Box						\Box		П	П	\Box		\top	\top	П	\top
+	+	+	+	\vdash	+	+	\vdash	\vdash	\dashv	\rightarrow	+	+	+	\vdash	+	+	\vdash	\vdash	+	+	+	\vdash	+	+	\vdash	+	+	\vdash	+	+	Н	\vdash	+	+	+	\vdash	+
\vdash	+	+	+	\vdash	+	+	\vdash	\vdash		-	+	+	\perp	Н	\vdash	+	\vdash	Н	\rightarrow	+	-	\vdash	+	+	\vdash	+	+	\vdash	+	⊢	\vdash	Н	+	+	+	\vdash	+
	\perp	Ш	\perp	L		L	L	ப				\perp	L	ا∟	ш	\perp	L	Ш		\perp	L	∟l		\perp	\Box	_	1	ш	\perp	L	L	∟		1		ш	
	Т	П	\top	П	\top		Г	П	П	T	Т	Т	П	П	П	Т	П	П	Т	Т	Г	П	T	\top	П	Т	Г	П	Т	Γ	П	П	\neg	Т	т	П	\top
+	+	+	+	\vdash	+	+	+	\vdash	\dashv	+	+	+	+	\vdash	+	+	+	\vdash	+	+	+	\vdash	+	+	\vdash	+	+	\vdash	+	+	Н	\vdash	+	+	+	\vdash	+
\vdash	+	\perp	+	\vdash	+	+	⊢	ш	\dashv	_	_	+	\perp	ш	ш	+	\vdash	Ш	_	\perp	+	ш	_	+	\vdash	_	+	\vdash	+	⊢	ш	Ш	_	+	+	ш	+
						1		1 1		_1				l I							1	L I				_1	1			L				1			
		П					П	П		7		Т	П	П	П		П				П	П					П	П		Г		П		Т	т	П	\top
	_		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_		_	_	_	-	_	_	_	_		_	_

[3]

(b) (i)	Use your graph and the values of standard deviation in Table 1.1 to compare the rates of growth for the GM and wild type salmon.
(ii)	Explain how genetic angineering can alter the growth rate of colman.
(ii)	Explain how genetic engineering can alter the growth rate of salmon.
	[2]

)	will lead to faster growth than in large tanks that allow unrestricted swimming.	For Examiner's Use
	Describe an experiment that could be carried out to test this hypothesis.	
	[4]	
	[Total: 12]	

2 It has been suggested that desalination plants can have a negative impact on the biodiversity of nearby marine ecosystems.

For Examiner's Use

The number of different marine species found in an area of coast near to a desalination plant was measured by sampling. A second, similar area, but with no desalination plant, was also assessed as a control.

In each area, the number of different species and the number of individuals of each species was determined. Some of the results of a sample are shown in Table 2.1.

Table 2.1

species	number of individuals of each species							
	near desalination plant	control area						
long spined urchin	14	27						
giant clam	8	10						
feather star	8	28						
red sea crab	35	2						
Christmas tree worm	2	12						
Mediterranean oyster	0	14						

(a)	With reference to Table 2.1, describe the impact of the desalination plant on biodiversity of the local marine community.	the
		[4]

For Examiner's Use	Using your knowledge of osmoregulation in marine organisms, and the effects of desalination plants on water quality, suggest and explain reasons for the impact of the desalination plant on the local marine community.	(b)
	[4]	
	[Total: 8]	

7

Section B

Answer all questions in this section.

Write your answers on the lined pages provided.

- 3 (a) Explain the ecological importance of primary producers in marine ecosystems. [4]
 - **(b)** Describe and explain the factors that influence the rate of photosynthesis of marine phytoplankton. [7]
 - (c) Describe and explain the effects on food chains of releasing mercury into marine environments.
 [4]

[Total: 15]

- 4 (a) Suggest and explain the impact that purse seine fishing, trawling and factory ships may have on fish stocks and habitats. [6]
 - (b) Explain how the replanting of mangroves can help with the rehabilitation of depleted fish stocks. [4]
 - **(c)** During the 20th century, grey seals in Scottish waters were threatened with extinction due to hunting. Successful conservation campaigns led to a dramatic increase in the population of grey seals. Whilst the population of the grey seal increased, it was noted that some other local species such as the common seal and puffin (a sea bird) decreased.

Grey seals eat a range of commercially important fish species, including cod, sand eels and haddock.

Using the grey seal as an example, together with your own knowledge, evaluate the arguments for and against conserving marine species. [5]

[Total: 15]

For Examiner's Use

For
Examiner's
Use

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.