


UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		



STATISTICS 4040/23

Paper 2 October/November 2013

2 hours 15 minutes

Candidates answer on the question paper.

Additional Materials: Pair of compasses

Protractor

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions in Section A and not more than four questions from Section B.

If working is needed for any question it must be shown below that question.

The use of an electronic calculator is expected in this paper.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



Section A [36 marks]

For Examiner's Use

Answer all of the questions 1 to 6.

Sia	ite, for each of the following variables, whether it is discrete of continuous.
(i)	the number of items of mail delivered each day to a particular address;
	[1]
(ii)	the distances run by a number of athletes during 1 hour.
	[1]
	e variables described above are each grouped into classes labelled $0-4,\ 5-9,\ -14$ etc.
Sta	te the true lower and upper class limits for the $5-9$ class for
(iii)	the variable described in (i),
	[2]
(iv)	the variable described in (ii), after the distances have been rounded to the nearest integer.
	[2]

Use
[2]
[2]
[2]

3 The body lengths (including the tail) of a sample of 45 white-footed Texas mice were measured in millimetres. 25 of the mice were found to be male and 20 female. The following table summarises the data obtained on mouse length.

For Examiner's Use


	Number of mice	Sum of lengths	Sum of squares of lengths
Male	25	4325	748 369
Female	20	3060	468 252

(1)	(mean length of male mice + mean length of female mice) / 2.
	[1]
(ii)	Calculate, to 1 decimal place, the mean and the standard deviation of the lengths of the total sample of 45 mice.
	Mean =

Standard deviation =[5]

4

con	ues of experimental readings taken by different people are to be scaled for purposes of nparison. The readings have a mean of 37 and a standard deviation of 5. e scaled values are to have a mean of 100 and a standard deviation of 10.
Cal	culate
(i)	the scaled value corresponding to a reading of 55,
	[2]
(ii)	the reading corresponding to a scaled value of 87.5,
	[2]
(iii)	the reading which is unaltered when scaled.
	[2]



The bar chart above is intended to illustrate information about how many boys and girls attend each of two schools, A and B.

(i)	The bar chart is incomplete. List three items of detail which are missing.
	[2]
(ii)	State the name of this type of bar chart.
	[1]
(iii)	Explain how you know that the bar chart illustrates the actual number of boys and girls, and not percentages.
	[1]
(iv)	Another type of diagram which could be used to illustrate the data is a pictogram. State a disadvantage of pictograms, compared with bar charts, when illustrating frequencies such as the number of pupils at a school.
	[1]
(v)	Give a reason why a change chart could not be used to illustrate these data.
	[1]
	•

A farmer classifies the expenditure in running his farm under four headings: Animal Feed, Labour, Fuel and Professional Services (e.g. veterinary services). The price relatives for each of these headings for the year 2011, taking 2006 as base year, and the weight allocated by the farmer to each heading are given in the following table.

For Examiner's Use

	Price relative	Weight
Animal Feed	104	14
Labour	110	6
Fuel	107	4
Professional Services	102	3

	Professional Services	102	3	
(i)	e, correct to 2 decimal pla d cost index from 2006 to 2	•	percentage increa	se in the farmer's
(ii)	the farmer's income was whether or not the farm wa	•		006. State, with a

Section B [64 marks]

For Examiner's Use

Answer not more than **four** of the questions 7 to 11.

Each question in this section carries 16 marks.

7 This question must be answered by calculation. An answer using a graphical method will not be awarded any marks.

The following table summarises the heights, in centimetres, of a sample of 8585 adult males in the United Kingdom.

Height (cm)	Frequency	Cumulative frequency
150 – under 160	144	
160 – under 165	1232	
165 – under 170	2213	
170 – under 175	2559	
175 – under 180	1709	
180 – under 190	705	
190 – under 200	23	

[2]	alculate the cumulative frequencies and insert them in the table.	(i)
	State the class in which the median height lies.	(ii)
[1]	Estimate, to 1 decimal place, the median height.	
	State the class in which the lower quartile height lies.	(iii)
[1]	Estimate, to 1 decimal place, the lower quartile height.	
cm [3]		

The upper quartile height, correct to 1 decimal place, is 175.9 cm.

For
Examiner's
Hea

(iv)	(a)	Estimate the interquartile range of the heights.
		cm [1]
	(b)	Compare the distances of the quartiles from the median, and comment on whether this is what you would expect in a distribution of the heights of a large number of adult males.
		[3]
(v)		cumulative frequency curve were drawn to illustrate this distribution, state, with a son, in which part of the graph the curve would be at its steepest.

.....[2]

8 In this question give all answers as fractions in their lowest terms.

For Examiner's Use

Two identical bags each contain a number of coloured balls. Bag X contains 4 white and 7 blue balls. Bag Y contains 3 blue and 8 red balls.

(i)	A bag is chosen at random and a ball selected at random from it. Find the probability that the selected ball is blue.
	[3]
(ii)	Two balls are chosen at random from bag Y . Find the probability that they are of the same colour.
	[3]
(iii)	One ball is chosen at random from each bag. Find the probability that the chosen balls are of the same colour.
	[4]
(iv)	A bag is chosen at random and two balls are selected at random from it. Find the probability that both selected balls are white.
	[3]

(v)	chosen at random from bag Z. Find the probability that both selected balls are white.	For Examiner's Use
(vi)	Explain briefly why the answer to part (iv) is greater than the answer to part (v).	:]
	[1	.

9

	ee unbias ultaneous	sed six-sided dice, each with faces num sly.	nbered 1, 2, 3, 4, 5	and 6, are rolled							
Fine	Find the probability that the numbers on the uppermost faces will be										
(i)	i) three 1s,										
				[1]							
(ii)	three of	the same number except 1,									
				[1]							
(iii)	exactly t	wo 1s and some other number.									
				[3]							
		hich three such dice are rolled simultaned Prizes are paid for certain outcomes on									
	owing table		the appenheer lace	o, ao given in the							
		Outcome	Prize paid (\$)								
		Three 1s	6								
		Three of the same number except 1	4								
		Exactly two 1s and some other number	3								
(iv)	Calculate	e, to the nearest cent, the organiser's e	xpected profit each	time the game is							
	played.										
				[3]							

In another game, a contestant chooses three cards at random from a set of ten. The numbers on the cards are 1, 1, 1, 2, 2, 2, 3, 4, 5 and 6. Prizes are again paid as given in the previous table.

For Examiner's Use

(v)	By first calculating the appropriate probabilities, calculate, to the nearest cent, the entry
	fee which should be charged to make this a fair game.

					_	
 ٠.		 	 	L	۲	,

10	(a)	(a) A large housing estate contains approximately equal numbers of three types of dwelling detached houses (D), semi-detached houses (S) and bungalows (B). A research organisation wishes initially to get some idea of how many occupants there tend to be in each type of dwelling. It has instructed an interviewer to call at four of each type of dwelling to ask how many people live there – but the choice of exactly which dwellings is up to the interviewer.												
		(i)	State th	e name of th	ne metho	od of sam	npling being used.							
							[1]							
		(ii)	i) Give a reason why the research organisation could not just simply use a list of registered voters for the estate.											
							[1]							
							ings 1 to 12, and the following is a copy of the to the estate:							
					ad = adı	ult(s) ch	= child(ren)							
					1 2 3 4 5 6 7 8 9 10 11 12 5 8 10 5 8 8	B S S D B D D B S S D B	2ad 3ch 2ad 2ad 4ch 7ch 2ad call again later 2ad 5ch 2ad 5ch no reply 4ch 2ad no reply 2ad 1ch 1ad call again still no reply 2ad 2ad still no reply							
	((iii)	For the	twelve dwell	ings cho	sen, find	the total number of							
			(a) adı	ults,			[4]							
			(b) bur	ngalows with	no child	lren.	[1]							
							[1]							

(iv)	Draw up and complete a table showing the number of dwellings, classified by their type and by the number of children who live in them.	For Examiner's Use
	[e]	
	[3]	
(v)	The research organisation is to carry out a survey on behalf of a manufacturer of children's clothes. If it only has sufficient funding to investigate the expenditure on such clothes by the inhabitants of one type of dwelling, state, with a reason, which type it should choose.	
	[2]	
	[Question 10 continues on the next page]	

(b) A group of 60 people are each allocated a different two-digit random number in the range 01 to 60. The 20 men are numbered 01 to 20 and the 40 women are numbered 21 to 60.

For Examiner's Use

A sample of **size six** is to be selected by different sampling methods using the following random number table, starting at the beginning of the row for each sample. No person may be selected more than once in any one sample.

RANDOM NUMBER TABLE

	21	32	07	42	98	81	21	57	81	59	31	17	36
Select													
(i)	a sim	ole rai	ndom	sam	ple,								
													[2]
(ii)	a syst	emati	c san	nple,									
													ro1
													[3]
(iii)	a sam has n						ısing	every	/ nun	nber i	f the	gend	ler to which it relates
													[2]

(i) A company's sales are recorded every month over a period of several years this example to explain briefly the meaning of the term						
			(a)	trend,		
				[1]		
			(b)	seasonal variation,		
				[1]		
			(c)	cyclic variation.		
				[1]		
		(ii)	of n	te which one of trend, seasonal variation and cyclic variation the method noving averages removes from a time series, and explain briefly how this is ieved.		
				[2]		


(b) The following table gives the number of properties sold during each quarter of the years 2006 to 2009 by a small estate agent, together with values of relevant totals and moving averages.

For Examiner's Use

Year	Quarter	Number of sales	4-quarter total	8-quarter total	8-quarter moving average value
	I	18			
	II	24			
2006			96		
2000	III	28		197	24.625
			101		
	IV	26		205	25.625
			104		
	I	23		209	26.125
			<i>x</i> =		
	II	27		209	26.125
2007			104		
	III	29		<i>y</i> =	25.625
			101		
	IV	25		197	24.625
			96		
	I	20		188	23.5
			92		
	II	22		180	Z =
2008			88		
	III	25		167	20.875
			79		
	IV	21		151	18.875
			72		
	l	11		137	17.125
			65	101	4= :
0000	II	15		121	15.125
2009	111	4.0	56		
	III	18			
	IV	10			
	IV	12			

(i) Calculate the values of x, y and z and insert them in the table.

[3]



(iv)	State, with a reason, whether or not it would be meaningful to draw a single straight trend line through the plotted points.										
							[1]				
(v)	Draw a straight trend line which would be useful for estimating the number of properties sold in the first quarter of 2010.										
The	sea	sonal components for the	number c	of sales a	re given	in the fol	lowing table.				
		Quarter	I	II	Ш	IV					
		Seasonal component	-4.4	-0.1	3.5	1.0					
(vi)	State, with a reason, whether the actual sales of properties in the first quarter of 2010 would be likely to be greater or smaller than the value indicated by your trend line.										
							[2]				

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.