

# Cambridge IGCSE<sup>™</sup>

| CANDIDATE<br>NAME |  |  |                     |  |  |
|-------------------|--|--|---------------------|--|--|
| CENTRE<br>NUMBER  |  |  | CANDIDATE<br>NUMBER |  |  |

# 200401580

**COMBINED SCIENCE** 

0653/43

Paper 4 Theory (Extended)

October/November 2020

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

### **INFORMATION**

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 (a) Fig. 1.1 shows red blood cells and white blood cells.




Fig. 1.1

| (i)  | Describe how the structure of a red blood cell is adapted for transporting oxygen. |         |
|------|--|---------|
|      |  | <br>[1] |
| (ii) | State <b>two</b> functions of white blood cells.                                   |         |
|      | 1  |         |
|      | 2  | <br>[2] |

**(b)** Fig. 1.2 is a flowchart to show the circulation of blood in humans.




Fig. 1.2

| (i)  | Explain why the circulation in Fig. 1.2 is described as a double circulation. |         |
|------|---|---------|
|      |   |         |
| (ii) | Describe <b>two</b> advantages of a double circulation.                       |         |
|      | 1   |         |
|      |   |         |
|      | 2   |         |
|      |   | <br>[2] |

| (c) | During exercise, the breathing rate and heart rate increase.  |
|-----|---|
|     | Describe how these two increases cause an increase in the amount of oxygen reaching the exercising muscles. |
|     | increase in breathing rate  |
|     |   |
|     |   |
|     | increase in heart rate  |
|     |   |
|     | [2]   |
| (d) | Smoking tobacco can cause cancer.   |
|     | Name <b>two</b> other diseases caused by smoking tobacco.   |
|     | 1   |
|     | 2   |
|     | [2]   |
|     | [Total: 10]   |

2 Compounds J, K and L are hydrocarbons.

The structures of one molecule of compounds **J**, **K** and **L** are shown in Fig. 2.1.




Fig. 2.1

| (a) | Stat | te which compound, <b>J</b> , <b>K</b> or <b>L</b> , is ethene. |     |
|-----|------|---|-----|
|     | Ехр  | lain your answer.   |     |
|     | com  | pound   |     |
|     | exp  | lanation  |     |
|     |      |   |     |
|     |      |   | [1] |
| (b) | Ethe | ene is made by cracking gas oil.                                |     |
|     | (i)  | Describe what is meant by <i>cracking</i> .                     |     |
|     |      |   |     |
|     |      |   | [1] |
|     | (ii) | State <b>one</b> condition required for cracking.               |     |
|     |      |   | [1] |

(c) Draw a dot-and-cross diagram of the molecule of compound  $\boldsymbol{K}.$ 

|     | Show the outer shell electrons only.   |
|-----|--|
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     | [2]  |
| (d) | In the presence of a catalyst, one molecule of compound ${\bf L}$ reacts with one molecule of steam to produce carbon monoxide and hydrogen. |
|     | Construct the balanced symbol equation for this reaction.  |
|     | [2]  |
| (e) | State ${f two}$ compounds that are produced during the complete combustion of compound ${f K}.$  |
|     | 1  |
|     | 2[2]   |
|     | [Total: 9]   |
|     |  |

**3** Fig. 3.1 shows a climber using a safety rope to climb a rock face.




Fig. 3.1

(a) The climber has a weight of 820 N.

The gravitational field strength g is  $10 \,\mathrm{N/kg}$ .

(i) Calculate the mass of the climber.

mass = ..... kg [1]

(ii) The climber moves a vertical distance of 12 m up the rock face.

Calculate the change in gravitational potential energy (G.P.E.) of the climber.

change in G.P.E. = ...... J [2]

(b) A small piece of rock falls from the rock face, lands on the slope below and rolls to a stop.






Fig. 3.2

(i) Use Fig. 3.2 to calculate the initial acceleration of the piece of rock.Give the units of your answer.

| acceleration = | units | [3] |
|----------------|-------|-----|
|----------------|-------|-----|

(ii) On Fig. 3.2, draw an **X** on the graph to show when the piece of rock lands on the slope. [1]

(iii) Describe the motion of the piece of rock between  $3.0\,\mathrm{s}$  and  $5.0\,\mathrm{s}$ .

[1]

(c) A scientist investigates the extension of the safety rope.

The scientist tests the safety rope with a load of 820 N (Test 1) and with a load of 898 N (Test 2).

Fig. 3.3 shows the test results.




Fig. 3.3 (not to scale)

The scientist uses a safety rope with an original length of 40.00 m.

(i) Determine the extension of the safety rope in Test 1.

|      | extension = m [1]   |
|------|---|
| (ii) | Use Fig. 3.3 to show that the safety rope obeys Hooke's Law in Test 1 and Test 2. |
|      |   |
|      |   |
|      |   |
|      |   |
|      | [2]   |
|      |   |

[Total: 11]

# **BLANK PAGE**

| 4           | A ba | aland | ced diet contains all the nutrients in the correct proportions to meet a person's need.                             |      |
|-------------|------|-------|---|------|
|             | (a)  | Exp   | plain why a pregnant woman should increase her intake of vitamin D.   |      |
|             |      |       |   |      |
|             |      |       |   |      |
|             |      |       |   | [2]  |
|             | (b)  | (i)   | State <b>one</b> symptom of a person who suffers from a deficiency of iron in the diet.                             |      |
|             |      |       |   | [1]  |
|             |      | (ii)  | State <b>one</b> food that is a good source of iron.  |      |
|             |      |       |   | [1]  |
|             | (c)  |       | 4.1 shows the percentage of the adult population with obesity in different countries and in 2016.                   | in   |
| Key<br>■ 20 | 000  |       | 2016  |      |
|             |      |       | 40  |      |
| perc        |      |       | 30 -  |      |
| pop<br>with |      | on    | 20 -  |      |
| VVICII      | obe. | Sity  | 10-   |      |
|             |      |       | O A B C D E F G H   | ننا  |
|             |      |       | country   |      |
|             |      |       | Fig. 4.1  |      |
|             |      | (i)   | State how obesity is an example of <b>not</b> eating a balanced diet.   |      |
|             |      |       |   |      |
|             |      | (ii)  | State the letter of the country with the greatest increase in the percentage of adults w obesity from 2010 to 2016. | /ith |
|             |      |       |   |      |
|             |      |       | a a un tro u  | [4]  |

(d) Fig. 4.2 is a diagram of part of the alimentary canal.




Fig. 4.2

| (i)  | State the pH conditions inside organ <b>X</b> . |      |
|------|---|------|
|      |   | [1]  |
| (ii) | Describe how these conditions aid digestion.    |      |
|      |   | [1]  |
|      | [Total:   | : 8] |

(a) Magnesium is an element in Group II and Period 3 of the Periodic Table.

5

|     | The  | Periodic Table is shown on p24.   |     |
|-----|------|---|-----|
|     | The  | nucleon number of an atom of magnesium is 24.   |     |
|     | (i)  | Deduce the number of neutrons and the number of protons in the nucleus of a magnes atom.                                  | ium |
|     |      | number of neutrons =  |     |
|     |      | number of protons =   | [2] |
|     | (ii) | Describe the relationship between the number of outer shell electrons and the meta character of elements across a period. |     |
|     |      |   |     |
| (b) | Мас  | gnesium chloride contains magnesium ions, Mg $^{2+}$ , and chloride ions, C $l^-$ .                                       |     |
|     | Ded  | uce the formula of magnesium chloride.  |     |
|     |      |   |     |
|     |      |   |     |
|     |      | formula =   | [1] |
| (c) | Mag  | nesium is produced by the electrolysis of molten magnesium chloride.  |     |
|     | (i)  | Explain why magnesium chloride must be molten and not solid for electrolysis.   |     |
|     |      |   |     |
|     |      |   |     |
|     |      |   |     |
|     | (ii) | Describe what happens to a magnesium ion, Mg <sup>2+</sup> , at the cathode during electrolysis                           | i - |
|     |      | Use ideas about electrons in your answer.   |     |
|     |      |   |     |
|     |      |   |     |
|     |      |   | [-] |

| (d) | Magnesium chloride is made in the reaction between magnesium and dilute hydrochloric acid. The temperature of the reaction mixture increases. |
|-----|---|
|     | This reaction is exothermic because it releases thermal energy.   |
|     | Explain why this reaction releases thermal energy.  |
|     | Use ideas about bond breaking and bond forming in your answer.  |
|     |   |
|     |   |
|     | [2]   |
|     | [Total: 10]   |

**6** Fig. 6.1 shows a space telescope for detecting gamma radiation from distant stars.




Fig. 6.1

(a) Fig 6.2 shows the position of gamma radiation in the electromagnetic spectrum.

On Fig 6.2, write

- a tick (✓) underneath the radiation with the lowest frequency
- a cross (X) underneath the radiation that causes sunburn.

| gamma radiation | X-rays | ultraviolet | visible light | infra-red | microwaves | radio<br>waves |
|-----------------|--------|-------------|---------------|-----------|------------|----------------|
|                 |        |             |               |           |            |                |

Fig. 6.2

[2]

- **(b)** A star that emits gamma radiation is billions of kilometres away from Earth.
  - (i) The gamma radiation received by the space telescope today gives astronomers information about the star as it was in the past.

Explain why it does **not** give astronomers information about the star as it is today.

| (ii) The astronomer measures the wavelength of the gamma radiation receive | eived | radiation r | gamma | of the | wavelength | asures the | The astronomer | (ii) |
|--|-------|-------------|-------|--------|------------|------------|----------------|------|
|--|-------|-------------|-------|--------|------------|------------|----------------|------|

The wavelength of the gamma radiation is  $2.0 \times 10^{-14}$  m.

The speed of the gamma radiation is  $3.0 \times 10^8 \text{ m/s}$ .

Calculate the frequency of the gamma radiation.

| frequency = | Hz | [2] |
|-------------|----|-----|
|             |    | L   |

(c) Fig. 6.3 shows three penguins on a clear, sunny day.

Give a reason for your answer.




Fig. 6.3

Radiation from the Sun heats some parts of the penguins' bodies more than other parts.

| (i) | Name the ele<br>heating effect | 0 | radiation | from | the | Sun | that | is | mainly | responsible | e for | this |
|-----|--------------------------------|---|-----------|------|-----|-----|------|----|--------|-------------|-------|------|
|     |                                |   |           |      |     |     |      |    |        |             |       | [1]  |

(ii) Suggest which parts of the penguins' bodies are heated more than other parts.

| <br> |
|------|
|      |
| F4.1 |

[Total: 7]

**7** Fig. 7.1 shows a mistletoe plant growing on a tree branch. The mistletoe plant is attached to the branch by structures that grow deep into the wood.




Fig. 7.1

| (a) (i) | The mistletoe obtains water and mineral ions from inside the branch.                            |
|---------|---|
|         | State the part of a flowering plant that has this function.                                     |
|         | [1]   |
| (ii)    | Name the mineral ion that the mistletoe must absorb to make chlorophyll.                        |
|         | [1]   |
| (iii)   | Explain how a deficiency of the mineral needed to make chlorophyll affects the mistletoe plant. |
|         |   |
|         |   |
|         |   |
|         |   |
|         |   |
|         | [3]   |

| (b) | Sma  | all birds such as thrushes feed on the berries of the mistletoe plant.                       |
|-----|------|--|
|     | Cat  | s feed on thrushes. Hawks feed on cats and thrushes.   |
|     | (i)  | Construct <b>one</b> complete food chain using this information.                             |
|     |      | [2]  |
|     | (ii) | Explain why the hawks can be described as secondary consumers <b>and</b> tertiary consumers. |
|     |      |  |
|     |      |  |
|     |      |  |
|     |      | [2]  |
|     |      | [Total: 9]   |

| 8 | (a) | Copper chloride is made when copper oxide reacts with dilute hydrochloric acid.         |
|---|-----|---|
|   |     | The equation for the reaction is shown.   |
|   |     | $CuO + 2HCI \rightarrow CuCl_2 + H_2O$  |
|   |     | Explain why warm hydrochloric acid reacts faster than cold hydrochloric acid.           |
|   |     | Use ideas about particles and collisions in your answer.                                |
|   |     |   |
|   |     |   |
|   |     |   |
|   |     | [2]   |
|   | (b) | Copper is a transition element.   |
|   |     | Describe <b>one</b> property of copper that is <b>not</b> a property of Group I metals. |
|   |     |   |
|   |     | [1]   |
|   | (c) | Chlorine gas is made by the electrolysis of aqueous copper chloride.                    |
|   |     | (i) Damp litmus paper is used to test for chlorine                                      |

Explain why chlorine is used in the treatment of water supplies.

© UCLES 2020 0653/43/O/N/20

State the positive result.

(ii)

(d) Copper ions, Cu<sup>2+</sup>, can be detected using chromatography.

Fig. 8.1 shows a chromatogram of a solution containing copper ions.




Fig. 8.1

Use the measuring scale in Fig. 8.1 to calculate the  $R_{\rm f}$  value for the copper ions.

| R <sub>f</sub> value = | <br> | <br>   | [2]  |
|------------------------|------|--------|------|
|                        |      | [Total | : 7] |

**9** Fig. 9.1 shows an extractor fan in the wall of a bathroom. The extractor fan is used to remove damp (wet) air from the bathroom.




Fig. 9.1

(a) Compare a gas to a liquid in terms of:

(b)

- the distances between the molecules
- the forces between the molecules
  the motion of the molecules.

| [3]   |
|---|
| Hot water at the surface of the bath evaporates into water vapour. This makes the air in the bathroom damp. |
|   |

Suggest how using the fan to extract damp air from the bathroom affects the evaporation of water from the bath.

Give a reason for your answer.

(c) The bathroom light and the electric motor for the extractor fan are controlled by a single switch. A fuse protects the circuit.

Fig. 9.2 shows the circuit diagram.




Fig. 9.2

The electric motor for the extractor fan has a power rating of 12 W. The current in the motor is 0.080 A.

| (i) | Calculate the | notontial | difforance | across | tha | motor  |
|-----|---------------|-----------|------------|--------|-----|--------|
| (1) | Calculate the | polential | uniterence | auluss | แเษ | HIOLOI |

potential difference = ...... V [2]

(ii) The power rating of the bathroom light is 18 W.

The fuse in the circuit needs replacing.

Show that a fuse rated at 0.5A is a suitable replacement.

[Total: 9]

# **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

|       | <b> </b> | 2 | He<br>H | helium<br>4   | 10            | Ne           | neon<br>20                   | 18 | Ą  | argon<br>40      | 36 | 궃  | krypton<br>84   | 54 | Xe | xenon<br>131     | 98    | R           | radon           |        |           |                    |
|-------|----------|---|---------|---------------|---------------|--------------|------------------------------|----|----|------------------|----|----|-----------------|----|----|------------------|-------|-------------|-----------------|--------|-----------|--------------------|
|       | <b>=</b> |   |         |               | 6             | ш            | fluorine<br>19               | 17 | Cl | chlorine<br>35.5 | 35 | ă  | bromine<br>80   | 53 | П  | iodine<br>127    | 85    | Ą           | astatine<br>-   |        |           |                    |
|       | <br> >   |   |         |               |               |              |                              |    |    | sulfur<br>32     |    |    |                 |    |    |                  |       |             |                 | 116    |           | morium<br>-        |
|       |          | - |         |               |               |              |                              |    |    |                  |    |    |                 |    |    |                  |       |             |                 |        | _         | liver              |
|       | >        |   |         |               | 7             | Z            | nitroge<br>14                | 15 | Δ. | phosphorus<br>31 | 33 | As | arseni<br>75    | 51 | Sp | antimo<br>122    | 83    | <u>B</u>    | bismut<br>209   |        |           |                    |
|       | ≥        |   |         |               | 9             | O            | carbon<br>12                 | 14 | S  | silicon<br>28    | 32 | Ge | germanium<br>73 | 20 | Sn | tin<br>119       | 82    | Pb          | lead<br>207     | 114    | Εl        | flerovium          |
|       | =        |   |         |               | 2             | М            | boron<br>11                  | 13 | Αl | aluminium<br>27  | 31 | Ga | gallium<br>70   | 49 | In | indium<br>115    | 81    | 11          | thallium<br>204 |        |           |                    |
|       |          |   |         |               |               |              |                              |    |    |                  | 30 | Zu | zinc<br>65      | 48 | S  | cadmium<br>112   | 80    | Нg          | mercury<br>201  | 112    | S         | copernicium        |
|       |          |   |         |               |               |              |                              |    |    |                  | 29 | J. | copper<br>64    | 47 | Ag | silver<br>108    | 79    | Αu          | gold<br>197     | 111    | Rg        | roentgenium<br>-   |
| dn    |          |   |         |               |               |              |                              |    |    |                  | 28 | Z  | nickel<br>59    | 46 | Pd | palladium<br>106 | 78    | 귙           | platinum<br>195 | 110    | Ds        | darmstadtium<br>-  |
| Group |          |   |         |               |               |              |                              |    |    |                  | 27 | ပိ | cobalt<br>59    | 45 | R  | modium<br>103    | 77    | 'n          | indium<br>192   | 109    | ¥         | meitnerium<br>-    |
|       |          | - | I       | hydrogen<br>1 |               |              |                              |    |    |                  | 26 | Fe | iron<br>56      | 4  | Ru | ruthenium<br>101 | 9/    | SO          | osmium<br>190   | 108    | Hs        | hassium<br>-       |
|       |          |   |         |               | J             |              |                              |    |    |                  | 25 | Mn | manganese<br>55 | 43 | ပ  | technetium<br>-  | 75    | Re          | rhenium<br>186  | 107    | Bh        | bohrium<br>–       |
|       |          |   |         |               |               | lo           | SS                           |    |    |                  | 24 | ပ် | chromium<br>52  | 42 | Mo | molybdenum<br>96 | 74    | ≥           | tungsten<br>184 | 106    | Sg        | seaborgium<br>-    |
|       |          |   |         | Key           | atomic number | atomic symbo | name<br>relative atomic mass |    |    |                  | 23 | >  | vanadium<br>51  | 41 | q  | niobium<br>93    | 73    | <u>a</u>    | tantalum<br>181 | 105    | op<br>O   | dubnium<br>—       |
|       |          |   |         |               | at            | ator         | relat                        |    |    |                  | 22 | F  | titanium<br>48  | 40 | Zr | zirconium<br>91  | 72    | 士           | hafnium<br>178  | 104    | 峜         | rutherfordium<br>- |
|       |          |   |         |               |               |              |                              | 1  |    |                  | 21 | Sc | scandium<br>45  | 39 | >  | yttrium<br>89    | 57-71 | lanthanoids |                 | 89–103 | actinoids |                    |
|       | =        |   |         |               | 4             | Be           | beryllium<br>9               | 12 | Mg | magnesium<br>24  | 20 | Ca | calcium<br>40   | 38 | Š  | strontium<br>88  | 26    | Ba          | barium<br>137   | 88     | Ra        | radium             |
|       | _        | • |         |               | 3             | :-           | lithium<br>7                 | 1  | Na | sodium<br>23     | 19 | ¥  | potassium<br>39 | 37 | Rb | rubidium<br>85   | 55    | S           | caesium<br>133  | 87     | Ļ         | francium<br>-      |

| Lu<br>Lu               | lutetium<br>175     | 103 | ۲         | lawrencium   | I   |
|------------------------|---------------------|-----|-----------|--------------|-----|
| o <sub>5</sub> Y       |                     |     |           | -            |     |
| mL<br>Tm               | thulium<br>169      | 101 | Md        | mendelevium  | I   |
| <sub>88</sub> <u>п</u> | erbium<br>167       | 100 | Fm        | ferminm      | I   |
| 67<br>Ho               | holmium<br>165      | 66  | Es        | einsteinium  | I   |
| 66<br>Dy               | dysprosium<br>163   | 86  | Ç         | californium  | I   |
| 65<br>Tb               | terbium<br>159      | 97  | Ř         | berkelium    | I   |
| <sup>59</sup><br>Gd    | gadolinium<br>157   | 96  | Cm        | curium       | ı   |
| e3<br>Eu               | europium<br>152     | 92  | Am        | americium    | I   |
| Sm                     | samarium<br>150     | 94  | Pu        | plutonium    | I   |
| e1<br>Pm               | promethium<br>-     | 93  | Ν         | neptunium    | I   |
| 9 PX                   | neodymium<br>144    | 92  | $\supset$ | uranium      | 238 |
| 59<br><b>Pr</b>        | praseodymium<br>141 | 91  | Ъа        | protactinium | 231 |
| Se Se                  | cerium<br>140       | 06  | 드         | thorium      | 232 |
| 57<br><b>La</b>        | lanthanum<br>139    | 89  | Ac        | actinium     | ı   |

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,\mathrm{dm}^3$  at room temperature and pressure (r.t.p.).