

# **Cambridge IGCSE**<sup>™</sup>

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

# 282953493

**COMBINED SCIENCE** 

0653/42

Paper 4 Theory (Extended)

February/March 2022

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.


### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

### **INFORMATION**

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 (a) Fig. 1.1 shows part of a food web.



not to scale

Fig. 1.1

Construct a food chain using Fig. 1.1 that includes the macaw.	
	[2
Describe how energy is transferred from the banana tree to the jaguar.	
	[2
	Describe how energy is transferred from the banana tree to the jaguar.

**(b)** The leaves of a banana tree contain parts with different functions. The different parts have features that help them with their function.

Table 1.1 shows some of the parts of the leaf, their feature and their function.

Complete Table 1.1.

Table 1.1

part of leaf	feature	function
palisade mesophyll layer		photosynthesis
spongy mesophyll layer	air spaces	
xylem tissue	hollow	

[3]

(c) Fig. 1.2 is a graph showing the effect of light intensity on the rate of photosynthesis.






Fig. 1.2

Describe the effect of light intensity on the rate of photosynthesis in Fig. 1.2.
[2

[Total: 9]

2 Fig. 2.1 shows only the outer shell electrons in atoms of elements X, Y and Z.








Fig. 2.1

(	a)	State which elen	nent X Y	or <b>Z</b> is	a halogen
١	a	Otate Willer Cler	iiciit, 🔼, I	O1 <b>2</b> , 13	a nalogen.

(b) Table 2.1 shows the formula and some information about substances which contain the elements **X**, **Y** and **Z**.

Table 2.1

formula	state at room temperature	other information		
XZ <sub>2</sub>	solid	ionic compound		
x	solid	metal		
Υ	gas	exists as single atoms		
Z <sub>2</sub>	gas	exists as molecules		

(i) Use the information in Fig. 2.1 and Table 2.1 to identify the group of the Periodic Table to which element **X** belongs.

Explain your answer.	
group	
explanation	

[2]

(ii)	Element <b>Y</b> is <b>not</b> in the same group of the Periodic Table as element <b>X</b> .					
	Explain how information in Table 2.1 shows that elements <b>X</b> and <b>Y</b> are in different groups.					
				[1]		
(iii)	Identify element Y.					
(iv)	Put ticks (✓) in the boxes to show which statements false.					
	statement	true	false			
The	bond between two atoms in $\mathbf{Z}_2$ is a double bond.					
The	bonding in <b>Z</b> <sub>2</sub> is covalent.					
<b>Z</b> <sub>2</sub> m	nolecules are diatomic.					
<b>Z</b> <sub>2</sub> is	non-metallic.					
(v)	The ionic solid <b>XZ</b> <sub>2</sub> contains ions of element <b>X</b> and ions State the charge on each of these ions.  Explain your answers.  charge on an ion of element <b>X</b> charge on an ion of element <b>Z</b> explanation			[2]		
				[3]		
				-4-1-401		

3 A child in a toy car moves forward at a constant speed of 0.7 m/s.

The car and child have a total mass of 20 kg.

Fig. 3.1 shows the forces acting on the car.




Fig. 3.1

(a)	(i)	State the name of force Q.	
			[1]
	(ii)	Force <b>S</b> is 25 N.	
		State the magnitude of force <b>Q</b> .	
		force <b>Q</b> = N	[1]
(b)	Cal	culate the kinetic energy of the car and child.	
		kinetic energy =	[2]

(c) Fig. 3.2 shows a speed–time graph for the motion of the toy car.




Fig. 3.2

(i) Calculate the distance travelled by the car in the first 4 seconds of its motion.

distance = ..... m [3]

(ii) Calculate the acceleration of the car between time = 0s and time = 1s.

Give the units of your answer.

acceleration = ...... units ...... [3]

[Total: 10]

4 (a) Fig. 4.1 shows the first part of the alimentary canal and associated organs.




Fig. 4.1

(i)	Identify structures <b>X</b> and <b>Y</b> in Fig. 4.1.	
	x	
	Υ	
(ii)	Explain the importance of salivary glands to chemical digestion in the mouth.	[2]
		[3]
Des	scribe the dietary importance of fibre (roughage).	
		[4]

© UCLES 2022 0653/42/F/M/22

(b)

(c) Water moves in and out of cells in the body.

Fig. 4.2 shows a red blood cell in a beaker of concentrated sugar solution.




Fig. 4.2

The cell in Fig. 4.2 loses water and shrinks.

	Explain why.
	Use ideas about water potential in your answer.
	[3]
(d)	Red blood cells are found inside capillaries.
	Explain how the structure of capillaries is adapted to their function.
	[2]
	[Total: 11]

5 Hydrogen and oxygen are made when dilute sulfuric acid is electrolysed using inert electrodes, as shown in Fig. 5.1.




Fig. 5.1

(a)	Describe the	e tests and	positive	results f	for hydroge	n and for	oxygen.
<b>(</b> )			p				-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

test for hydrogen	
result	
test for oxygen	
result	
	[2]

**(b)** The ionic equations for the reaction at each electrode are shown.

at the negative electrode  $2H^+(.....) + 2e^- \rightarrow H_2(....)$  at the positive electrode  $4OH^-(....) \rightarrow O_2(....) + 2H_2O(....) + 4e^-$ 

(i) Complete the ionic equations by adding in the missing state symbols. [2]

(ii) Explain the changes that happen at each electrode.

Use ideas about electrons in your answer.

(c)	The sulfuric acid is <b>not</b> all used up during the electrolysis.
	State a test and its result to show that the solution is acidic at the end of the electrolysis.
	test
	result[1]
	[Total: 7]

6 (a) Fig. 6.1 shows a thin converging lens.




Fig. 6.1

State the name of the distance labelled A.

.....[1]

(b) Fig. 6.2 shows a glass measuring cylinder containing 50.0 cm<sup>3</sup> of liquid at 20 °C.

A student is using the thin converging lens as a magnifying glass to read the level of liquid on the scale.




Fig. 6.2

- (i) On Fig. 6.2, mark with an **X** a point where the student positions her eye to see a magnified image of the level of the liquid on the scale. [1]
- (ii) The density of the liquid in the measuring cylinder is 0.85 g/cm<sup>3</sup> at 20 °C.

Calculate the mass of the liquid in the measuring cylinder.

mass = ...... g [2]

(c) The student increases the temperature of the liquid from 20  $^{\circ}\text{C}$  to 60  $^{\circ}\text{C}.$ 

(i)	Explain why the volume of the liquid increases as the temperature increases.
	Use ideas about the distances between molecules and the motion of molecules in your answer.
	[2]
(ii)	State whether the density of the liquid increases or decreases.
	Explain your answer.
	density
	explanation
	[1]
	[Total: 7]

7 (a) A study investigates the number of people with lung cancer in different age ranges.






Fig. 7.1

(i) Calculate the difference in the number of males and females with lung cancer in the 65–69-year-old age range.

	400000	- c	and a second and the second	ro:	1
 per	100000	OT	population	[2	ı

(ii) Lung cancer has been linked to tobacco smoke.

Complete these sentences about the three main toxic components of tobacco smoke.

The component most likely to cause lung cancer is ......

Carbon monoxide reduces the ability of red blood cells to transport ......

The addictive component of tobacco smoke is ......

[3]

**(b)** The gas exchange surface in humans is alveoli. Fig. 7.2 shows healthy alveoli and alveoli damaged by tobacco smoke.




Fig. 7.2

A component in tobacco smoke breaks down the alveoli walls.

Use Fig. 7.2 to explain how tobacco smoke reduces gas exchange in the lungs.

[Total: 7]

**8** Heptane, C<sub>7</sub>H<sub>16</sub>, is a hydrocarbon. It is used to produce smaller molecules, as shown in Fig. 8.1.




Fig. 8.1

(a) (i) State the name of the	is process.
-------------------------------	-------------

		[1	]
--	--	----	---

(ii) State two conditions needed for this process.

1	
2	

**(b)** Put ticks (✓) in the boxes to show which statements describe each compound.

Use Fig. 8.1 to help you.

You may tick one or more box in each row.

	compound		
	C <sub>7</sub> H <sub>16</sub>	C <sub>2</sub> H <sub>4</sub>	C <sub>5</sub> H <sub>12</sub>
It has molecules which contain 23 atoms.			
It is unsaturated.			
It is an alkane.			
It produces carbon dioxide and water when it burns.			

[3]

[2]

(c)	Describe the colour change when aqueous bromine reacts with C <sub>2</sub> H <sub>4</sub> .	
	from to	[1]
(d)	The compound C <sub>2</sub> H <sub>4</sub> is a member of a homologous series.	
	Describe <b>two</b> similarities that are shared by all members of a homologous series.	
	1	
	2	[2]
		[-]
	[Tot	al: 91

**9** Fig. 9.1 shows two lamps, **A and B**, used for lighting in a theatre.




Fig. 9.1

Fig. 9.2 shows the circuit used for the two lamps.





Fig. 9.2

(a) State the name and purpose of the component with the symbol shown.



name	
purpose	
Mi pose	
	[2]
	[4]

(b) The potential difference across the lamps is 220  $\rm V.$ 

	The	e current in each lamp is 5.0A.
	Cal	culate the combined resistance of lamps <b>A</b> and <b>B</b> .
		resistance = $\Omega$ [3]
(c)	(i)	During a performance in the theatre, the fuse blows and both lamps go out. There is no damage to the wiring and no short circuit.
		The fuse in Fig. 9.2 has a rating of 10A.
		Suggest what causes the fuse to blow.
		Explain your answer.
		[2]
	(ii)	Explain why 13A is a suitable rating for the replacement fuse.
		[2]

(d) Lamp A emits infrared radiation and red visible light.

Lamp **B** emits blue visible light and ultraviolet radiation.

Fig. 9.3 shows an incomplete electromagnetic spectrum.

On Fig. 9.3, write infrared, ultraviolet and visible light in their correct places.

•		- increasing frequency				
gamma radiation	X-rays				microwaves	radio waves

Fig. 9.3

[1]

[Total: 10]

# **BLANK PAGE**

# **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

		<b>=</b>	2 H	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	Ru	radon				
		=>			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	At	astatine -				
		5			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ро	polonium –	116	_	livermorium	ı
		>			7	Z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	: <u>.</u>	bismuth 209				
		≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	Ъ	lead 207	114	lΉ	flerovium	ı
		=			2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	lΤ	thallium 204				
											30	Zu	zinc 65	48	ပ္ပ	cadmium 112	80	ЭĤ	mercury 201	112	C	copernicium	
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium	ı
	Group										28	Z	nickel 59	46	Pq	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium	ı
	Gro										27	ပိ	cobalt 59	45	몺	rhodium 103	77	Ľ	iridium 192	109	Μ̈́	meitnerium	ı
			- I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium	ı
											25	Mn	manganese 55	43	ပ	technetium -	22	Re	rhenium 186	107	Bh	pohrium	ı
					_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium	ı
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	23	Та	tantalum 181	105	Dp	dubnium	ı
						atc	rek				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium	ı
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids		
		=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	26	Ba	barium 137	88	Ra	radium	ı
		_			3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	8	rubidium 85	22	Cs	caesium 133	87	Ļ	francium	1
1	EC 1	2000														12/⊑/							_

Lu Lu	175	103	ئ	lawrencium	ı
70 Yb	173	102	8	nobelium	ı
mL 2	169	101	Md	mendelevium	1
68 7	167	100	Fm	ferminm	I
67 Ho	165	66	Es	einsteinium	1
66 Dy	163	86	ŭ	califomium	1
65 Tb	159	97	Ř	berkelium	1
64 Gd	157	96	Cm	curium	I
63 EU	152	98	Am	americium	1
62 Sm	150	94	Pu	plutonium	1
61 Pm	ı	93	Ν d	neptunium	1
bN See	144	92	$\supset$	uranium	238
59 Pr	141	91	Ра	protactinium	231
Ce Ce	140	06	Т	thorium	232
57 La	139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).