


# **Cambridge IGCSE**<sup>™</sup>

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



**COMBINED SCIENCE** 

0653/32

Paper 3 Theory (Core)

February/March 2022

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

#### INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 (a) Fig. 1.1 is a diagram of a root hair cell.





Fig. 1.1

- (i) Complete the labels on Fig. 1.1. [3]
- (ii) State the function of the cell wall.

.....[1]

(iii) Water enters the root hair cell and passes to the leaves of the plant.

Complete the flow chart to show the pathway of water through the plant.



[2]

(b) Fig. 1.2 shows a plant cell before and after it is immersed in a concentrated sugar solution.

plant cell before immersion

plant cell after immersion




Fig. 1.2

(i)	Describe two <b>visible</b> differences in the cell after immersion compared to the cell before immersion in Fig. 1.2.
	1
	2
	[2]
(ii)	Water has diffused out of the plant cell through the partially permeable membrane.
	State the name of this type of diffusion.
	[1]
	[Total: 9]

2 (a) A student has two samples of pure water in test-tubes A and B, and two samples of impure water in test-tubes C and D. A different substance is added to each test-tube as shown in Fig. 2.1.




Fig. 2.1

(i)	State the colours of the solutions formed in test-tubes <b>A</b> and <b>B</b> .
	A
	В
	[2]
(ii)	When aqueous sodium hydroxide is added to impure water in test-tube ${\bf C}$ , a brown precipitate is formed.
	Identify the ion in the impure water that causes this change.
	[1]
(iii)	When aqueous barium ions in acidic solution are added to test-tube ${\bf D}$ , a white precipitate is formed.
	Identify the ion in the impure water that causes this change.

(b) A teacher adds a small piece of sodium to some water in a beaker, as shown in Fig. 2.2.





Fig. 2.2

Sodium reacts with the water in an exothermic reaction. An alkaline solution and a colourless gas are made.

(i) Describe what happens to the reading on the thermometer.

.....[1]

(ii) Complete the word equation for this reaction.



- (c) Water molecules contain atoms of two non-metallic elements.
  - (i) State the type of chemical bond in a molecule of water.

(ii) Complete the dot-and-cross diagram in Fig. 2.3 to show all of the outer shell electrons in a molecule of water.



**Fig. 2.3** [2]

[Total: 10]

**3** Fig. 3.1 shows a child in a moving toy car. The car is moving forwards.


The toy car has an electric motor. The electric motor is powered by a battery.



Fig. 3.1

(a) Complete the boxes to show the useful energy changes that occur when the battery is used to make the car move.

One box has been completed for you.



**(b)** The car moves forwards for 8 seconds at a constant speed of 0.7 m/s.

Calculate the distance travelled by the car.

distance = ..... m [2]

(c) Fig. 3.2 shows the forces acting on the car moving at constant speed.





	Fig. 3.2	
(i)	State which force, P, Q, R or S, is the weight.	
		[1]
(ii)	The weight of the car and child is 400 N.	
	The gravitational force on unit mass is 10 N/kg.	
	Calculate the mass of the car and child.	
	mass = kg	[2]
(iii)	Force <b>S</b> is increased. All the other forces remain unchanged.	
	Describe the effect this has on the motion of the toy car.	
		[1]
(iv)	The child applies the car's brakes.	
	State which force, P, Q, R or S, is changed by applying the brakes.	
	Describe the change in this force.	
	force	
	change	 [2]
		r-1

[Total: 10]

4 (a) The boxes on the left show some of the components of blood.

The boxes on the right show the functions of the components.

Draw one straight line from each component to its function.



(b) Bacteria are single-celled organisms. Some bacteria infect the body causing harm.

Fig. 4.1 shows a diagram of what happens when a cut in the skin becomes infected by bacteria.




Fig. 4.1

© UCLES 2022 0653/32/F/M/22

[2]

(c) Fig. 4.2 shows a diagram of two different stages during the contraction of the human heart.




Fig. 4.2

Complete these sentences about the heart in Fig. 4.2.

Choose words from the list.

Each word can be used once, more than once or not at all.

arteries	arteries atria		aries	pumps	
V	alves	veins	ventricles		
In diagram A the w	valls of the right ar	nd left		. are contracting.	
Blood is pushed or	Blood is pushed out of the heart into blood vessels called				
In diagram <b>B</b> the walls of the right and left are contracting.					
Blood is forced to flow in one direction by structures called				[4]	

- (d) A student investigates the effect of physical activity on pulse rate.
  - The student measures the pulse rate of five people before physical activity.
  - Each person then runs for 5 minutes, keeping their speed constant.
  - The student then measures each pulse rate again.

Table 4.1 shows the results.

Table 4.1

D 0 F 0 D	pulse rate /beats per minute				
person	before physical activity	after physical activity	change in pulse rate		
Α	70	110	40		
В	68	106	38		
С	73	114	41		
D	76	123	47		
E	69	102			

[Total: 10]

## **BLANK PAGE**

5

(a)	A sa	alt solution is made by dissolving solid salt in water.			
	(i)	Describe the separation, arrangement and motion of particles in the <b>solid</b> salt.			
		separation			
		arrangement			
		motion			
		[3]			
	(ii)	An ink solution is made by dissolving a solid dye in water. The dye used to make the ink solution is a mixture of more than one coloured substance.			
		State a method that can be used to separate the different coloured substances in the ink.			
		[1]			
(b)		oncentrated sodium chloride solution is made by dissolving $35\mathrm{g}$ of solid sodium chloride in $\mathrm{cm}^3$ of water.			
	(i)	Suggest a mass of solid sodium chloride to make 100 cm <sup>3</sup> of <b>dilute</b> (less concentrated) sodium chloride solution.			
		mass g [1]			
	(ii)	Identify the product that forms at the anode (the positive electrode) during the electrolysis of concentrated aqueous sodium chloride using inert electrodes.			
		[1]			

(c)	Pet	roleum is a liquid fossil fuel.
	(i)	Name one solid fossil fuel.
		[1]
	(ii)	State the process used to separate hydrocarbons in petroleum.
		[1]
	(iii)	Describe one <b>difference</b> in the chemical properties of saturated hydrocarbons and unsaturated hydrocarbons.
		[1]
		[Total: 9]

**6** Fig. 6.1 shows a thermometer in a beaker of water.

A student heats the beaker of water from 20 °C to 90 °C.




Fig. 6.1

(a)	(i)	A visible cloud rises above the water in the beaker.					
		Identify the processes that occur to form this cloud.					
			. [2]				
	(ii)	There is more water vapour above the water surface at 90 °C than at 20 °C.					
		Explain why, in terms of the motion of water molecules.					
			. [2]				

(b) Fig. 6.2 shows the student's hand near the Bunsen burner.

The student can see the blue colour of the flame.

The student's hand is heated by radiation from the flame.




Fig. 6.2

(i) Fig. 6.3 shows an incomplete electromagnetic spectrum.

Complete Fig. 6.3 to show the quantity that increases in the direction of the arrow.

		•	increasing.			
gamma radiation	X-ray	ultraviolet	visible light	infrared	microwaves	radio waves

Fig. 6.3

[1]

- (c) The Bunsen burner flame emits a constant sound with a frequency of 85 Hz. The student has healthy ears.

State whether the student is able to hear this sound.

Give a reason for your answer.

[Total: 8]

**7** Fig. 7.1 is a photograph of a butterfly feeding on a lavender flower.



Fig. 7.1

(a) Table 7.1 shows information about some of the structures of the lavender flower.Complete Table 7.1.

Table 7.1

structure	function
anther	
	structure where pollen is transferred to during pollination
sepals	

[3]

- **(b)** Read the information in Fig. 7.2.
  - The butterfly feeds on the lavender.
  - Frogs eat butterflies.
  - Snakes eat frogs.
  - Eagles eat snakes.

## Fig. 7.2

	Construct a food chain using the information in Fig. 7.2.
	[2]
(c)	Lavender plants photosynthesise.
	Describe the process of photosynthesis.
	[3]
	[Total: 8]

8 Part of the Periodic Table is shown in Fig. 8.1.

	Group																
	ll ll											III	IV	V	VI	VII	VIII
							H hydrogen										He helium
<b>Li</b> lithium	Be beryllium											B	C carbon	N nitrogen	O oxygen	F fluorine	Ne neon
Na sodium	Mg magnesium											A l aluminium	Si silicon	P	S sulfur	C1 chlorine	Ar argon
<b>K</b> potassium	Ca calcium	Sc scandium	Ti titanium	V vanadium	Cr chromium	Mn manganese	Fe	Co	Ni nickel	Cu	Zn zinc	Ga gallium	Ge germanium	As arsenic	Se selenium	Br bromine	Kr krypton
	•	•	•	•	•			•	•	•		•	•	•		, ,	,

Fig. 8.1

(a)	) Fluorine, chlorine and bromine are Group VII diatomic non-metals.									
	(i)	Describe the trend in the physical states of the elements going down Group VII.								
		[1]								
	(ii)	Explain what is meant by diatomic.								
		[1]								
(b)		omium, cobalt and copper are part of a collection of elements which have high densities high melting points.								
	(i)	State the name of this collection of elements.								
		[1]								
	(ii)	Describe one <b>other</b> property of these elements.								
		[41]								

)	Arg	on is one of the Group VIII gases.	
	(i)	State <b>one</b> use for argon.	
			[1]
	(ii)	Explain why the elements in Group VIII of the Periodic Table are unreactive.	
		Use ideas about electronic structure in your answer.	
			[2]
		lTotal	: 7

9 Fig. 9.1 shows a circuit used to supply a current to an electric motor.





Fig. 9.1

(a) State the purpose of the component with the symbol shown.



Calculate the resistance of the motor.

Give the unit of your answer.

resistance = ..... unit ...... [3]

(c)	(i)	On Fig. 9.1, draw a lamp connected in parallel with the motor.	[2]
	(ii)	The reading on the ammeter in Fig. 9.1 increases when the lamp is connected.	
		Explain why this happens. Use ideas about combined resistances in your answer.	
			[2]
(d)	The	electric motor has a 5A fuse inside it.	
	Sud	Idenly, the fuse blows and the motor stops.	
	The	5A fuse is replaced with a 13A fuse.	
	Give	e <b>one</b> reason why the 13A fuse will <b>not</b> protect the motor.	
			[1]
		[Total	: 9]

## **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

S
Ħ
ᇴ
Ë
ē
m
-
5
ble
ab
<u>_</u>
<u>T</u> a
ic Tal
dic T
odic T
odic T
odic T
dic T
Periodic Ta
Periodic Ta
Periodic T

	=	2	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	52	Xe	xenon 131	98	R	radon															
	\				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	н	iodine 127	85	At	astatine -															
					80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ро	molouium –	116		livermorium -												
	>				7	Z	nitrogen 1.4	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	<u>.</u>	bismuth 209															
	≥						9	O	carbon 12	1 4	S	silicon 28	32	Ge	germanium 73	50	S	tin 119	82	Ъ	lead 207	114	Εl	flerovium -										
	≡				2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204															
											30	Zu	zinc 65	48	g	cadmium 112	80	Ъ	mercury 201	112	ပ်	copemicium -												
											29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -												
Group											28	Ż	nickel 59	46	Pq	palladium 106	78	₫	platinum 195	110	Ds	darmstadtium -												
Grc											27	ဝိ	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -												
		<b>←</b> :	I	hydrogen 1							26	Ь	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium -												
											25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium —												
																	ř	pol	v				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Б	tantalum 181	105	Op	dubnium –												
						atc	102				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	¥	rutherfordium -												
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids													
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	56	Ba	barium 137	88	Ra	radium —												
	_				8	:=	lithium	- =====================================	Na	sodium 23	19	×	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	Ŧ	francium -												

Lu	lutetium 175	103	۲	lawrencium	I
°° Y	ytterbium 173	102	%	nobelium	ı
e <sub>9</sub>	thulium 169	101	Md	mendelevium	ı
88 <u>F</u>	erbium 167	100	Fm	ferminm	I
67 H	holmium 165	66	Es	einsteinium	I
°° Dy	dysprosium 163	86	ರ	califomium	I
65 Tb	terbium 159	26	益	berkelium	I
64 Gd	gadolinium 157	96	CB	curium	I
e3 Eu	europium 152	92	Am	americium	ı
62 Sm	samarium 150	94	Pn	plutonium	ı
e1 Pm	promethium -	93	d	neptunium	ı
° PZ					
59 Pr	praseodymium 141	91	Ра	protactinium	231
Ce Ce	cerium 140	06	모	thorium	232
57 <b>La</b>	lanthanum 139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).