

Cambridge IGCSE[™](9–1)

| CANDIDATE NAME | | | | | |
|-------------------|--|--|---------------------|--|--|
| CENTRE NUMBER | | | CANDIDATE NUMBER | | |

932394045

COMPUTER SCIENCE

0984/12

Paper 1 Theory

October/November 2021

1 hour 45 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- Calculators must not be used in this paper.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].
- No marks will be awarded for using brand names of software packages or hardware.

| (a) | Denary is a number system that is used by programmers. | |
|-----|---|-----|
| | Tick (✓) one box to show whether denary is a base-2, base-10 or base-16 number system | n. |
| | Tick (✓) | |
| | Base-2 | |
| | Base-10 | |
| | Base-16 | [1] |
| (b) | Hexadecimal values can be used to represent denary values. | |
| | Convert these four hexadecimal values into denary values. | |
| | 05 | |
| | 20 | |
| | 1A | |
| | AB | [4] |
| | Working space | |
| | | |
| | | |
| | | |
| | | |
| | | |

| | (c) | Hex | radecimal values can also be converted to binary values. |
|---|-----|------|--|
| | | Tick | x (✓) one box to show the correct 8-bit binary value for each hexadecimal value. |
| | | (i) | Hexadecimal value 25 |
| | | | Tick (✓) |
| | | | 00011001 |
| | | | 00100101 |
| | | | 10100001 [1] |
| | | (ii) | Hexadecimal value 1B |
| | | | Tick (✓) |
| | | | 00011011 |
| | | | 10110001 |
| | | | 00011010 [1] |
| | (d) | (i) | Give one way that hexadecimal is used in website development. |
| | | | [1] |
| | | (ii) | Give one way that hexadecimal is used in low-level programming. |
| | | | [1] |
| 2 | | | company wants to install a self-service ticket machine system for its train stations. When omer has purchased their tickets, the machine will provide a paper ticket. |
| | (a) | One | e output device that is used in the ticket machine is a display screen. |
| | | Ide | ntify one other output device that is used in the ticket machine system. |
| | | | [1] |
| | (b) | | e train company does not want users to use a keyboard or a mouse to enter their data, en buying a ticket. The company is worried that they may be stolen or get too dirty. |
| | | | ntify one other input device that would be suitable for use in the ticket machine system, to w users to enter their data. |
| | | | [1] |
| | | | |

3 (a) Six statements are given about methods of data transmission.

Tick (\checkmark) to show if each statement applies to serial simplex, parallel simplex, parallel half-duplex or serial duplex data transmission. Some statements may apply to more than **one** data transmission method.

| Statement | Serial simplex (✓) | Parallel simplex (√) | Parallel half-duplex (√) | Serial duplex (√) |
|---|--------------------------|----------------------------|--------------------------------|-------------------------|
| bits are transmitted along a single wire | | | | |
| data is transmitted in both directions | | | | |
| it is only suitable for distances less than 5 metres | | | | |
| bits from the same byte are transmitted one after the other | | | | |
| data may not arrive in the correct sequence | | | | |
| data is transmitted in both directions, but only one direction at a time | | | | |

[6]

| to a computer. |
|---|
| Give three benefits of using a USB connection for this purpose. |
| Benefit 1 |
| |
| |
| Benefit 2 |
| |
| D 51.0 |

(b) A Universal Serial Bus (USB) connection can be used to transmit data from a mobile device

[3]

| | 5 |
|---|--|
| 4 | The paragraph explains the operation of different touch screen technologies. |
| | Complete the paragraph using the list of terms. Not all terms in the list need to be used. |
| | capacitive change circuit conductive coordinates grid heat infra-red insulating light manufacture pressure resistive |
| | In touch screen technology, an electrostatic field |
| | is present on the surface of the touch screen. The |
| | properties of a user cause a in the field. The |
| | of the user's touch can be calculated. |
| | In touch screen technology, a user pushes the |
| | top layer of the screen and makes it connect with the bottom layer to complete a |
| | |

This type of touch screen is cheaper to

[7]

| | | 6 |
|---|-----|---|
| 5 | | nmi works for a finance company and has a laptop that he uses for his work. He has confidential a about his customers stored on his laptop. |
| | San | nmi does not connect the laptop to any networks. |
| | (a) | Sammi is concerned about his customers' confidential data being viewed by other people in his office. |
| | | One method he uses to prevent others viewing the data is encryption. |
| | | Identify three other methods Sammi could use to prevent his customers' confidential data being viewed. |
| | | 1 |
| | | 2 |
| | | 3 |
| | | [3] |
| | (b) | Sammi creates videos for the finance company website that give customers advice about their finances. |
| | | He uses lossy compression to reduce the file size of the videos for the website. |
| | | (i) Give three ways that lossy compression can reduce the file size of the videos. |
| | | 1 |
| | | |
| | | 2 |
| | | |
| | | 2 |

(ii) Give one drawback of using lossy compression to reduce the file size of the videos.

[3]

| | (C) | San | nmi could have used lossless compression to compress the videos for the website. |
|---|-----|-------|---|
| | | (i) | Give one reason why he would use lossless compression, rather than lossy compression, for the videos. |
| | | | [1] |
| | | (ii) | Give two disadvantages of Sammi using lossless compression, rather than lossy compression, for the videos. |
| | | | Disadvantage 1 |
| | | | Disadvantage 2 |
| | | | [2] |
| 6 | - | _ | ammer can use translators, such as an interpreter and a compiler, when developing a |
| | (a) | Give | e one similarity between a compiler and an interpreter. |
| | | | [1] |
| | (b) | Des | cribe two differences between a compiler and an interpreter. |
| | | | erence 1 |
| | | | |
| | | | |
| | | Diffe | erence 2 |
| | | | |
| | | | [4] |
| | (c) | Ider | ntify one other type of translator. |
| | | | [1] |

7 Five statements are given about devices.

Tick (\checkmark) to show if each statement applies to a 3D scanner, barcode reader or a Quick Response (QR) code reader. Some statements may apply to more than **one** type of device.

| Statement | 3D scanner (✓) | Barcode reader (√) | QR code reader (✓) |
|--|----------------------|--------------------------|--------------------|
| uses position and alignment markers for orientation when scanning | | | |
| scans the shape and appearance of an object | | | |
| uses reflected light from a laser to convert a black-and-white pattern into binary | | | |
| can often be built into an Electronic Point Of Sale (EPOS) terminal, for example, a supermarket checkout | | | |
| it is an example of an input device | | | |

[5]

8 An electronic game has **three** square mats that are coloured red, green and blue.

The player will see a colour displayed on a screen and has 1 second to hit the mat that matches the colour. If the player hits the correct mat, within 1 second, a counter is incremented. When a player hits an incorrect mat, the game ends.

The game uses sensors and a microprocessor to determine if the player hits the correct mat within 1 second.

Explain how the game uses sensors and a microprocessor to count the number of times a player

| ts a correct mat within 1 second. | |
|-----------------------------------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| | [7 |
|------|--|
| Padr | ma opens an application on her computer. |
| | nterrupt is generated to inform the Central Processing Unit (CPU) that the application had opened. |
| (a) | Give three other examples of when an interrupt signal could be generated. |
| | 1 |
| | 2 |
| | 3 |
| | [3 |
| (b) | State what would happen if interrupt signals were not used in a computer. |
| | |
| | [1 |
| usin | nain uses the Secure Socket Layer (SSL) protocol for secure transmission when sending data g the internet. Explain how the SSL protocol secures the data for transmission. |
| () | |
| () | |
| (b) | |
| (b) | Identify an alternative protocol that could be used for secure transmission of data using the |
| (b) | Identify an alternative protocol that could be used for secure transmission of data using the internet. |


[2]

11 Consider the following logic statement:

$$X = (((A AND B) OR (NOT (B OR C))) NAND C)$$

(a) Draw a logic circuit to represent the given logic statement.

Do **not** attempt to simplify the logic statement. All logic gates must have a maximum of **two** inputs.



(b) Complete the truth table for the given logic statement.

| Α | В | С | Working space | Х |
|---|---|---|---------------|---|
| 0 | 0 | 0 | | |
| 0 | 0 | 1 | | |
| 0 | 1 | 0 | | |
| 0 | 1 | 1 | | |
| 1 | 0 | 0 | | |
| 1 | 0 | 1 | | |
| 1 | 1 | 0 | | |
| 1 | 1 | 1 | | |

| | | [4] |
|-----|--|-----|
| (c) | Identify two logic gates that are not included in the given logic statement. | |
| | Logic gate 1 | |
| | Logic gate 2 | |
| | | [2] |

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.