

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

COMBINED SCIENCE 0653/52

Paper 5 Practical Test

March 2017

MARK SCHEME
Maximum Mark: 30

**Published** 

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the March 2017 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is a registered trademark.



## Cambridge IGCSE – Mark Scheme **PUBLISHED**

Question	Answer					Marks
1(a)	reagent	Benedict's tube C	biuret tube D	iodine solution tube E		3
	solution A	yellow/green/ orange/red	blue	blue-black		
	solution B	blue	lilac	blue-black		
1(b)	colours correct for <b>B</b> ;  both contain starch; <b>A</b> : reducing sugar;					
	B: protein ;					
1(c)	wore goggles/tied back hair/used tongs and due to chemical tests/hot water					1
1(d)	(dissolve in) ethanol ; cloudy/emulsion <b>and</b> water added ; no naked flames ;				3	

© UCLES 2017 Page 2 of 4

## Cambridge IGCSE – Mark Scheme **PUBLISHED**

Question	Answer					
2(a)	filtrate = colourless and residue = black;					
2(b)(i)	no visible reaction/colourless solution/no bubbles/no ppt.  and not a carbonate;					
2(b)(ii)	white ppt; chloride;					
2(b)(iii)	test	observations	identity of cation	]	3	
	add sodium hydroxide solution/ ammonia solution and	no ppt ;				
	(add sodium hydroxide solution and warm )	damp red litmus turns blue ;	ammonium/NH <sub>4</sub> <sup>+</sup> ;  (depends on use of sodium hydroxide)			
2(c)(i)	dark blue solution ; copper/Cu <sup>2+</sup> and copper oxide ;					
2(c)(ii)	reacts quicker;				1	

© UCLES 2017 Page 3 of 4

## Cambridge IGCSE – Mark Scheme **PUBLISHED**

Question	Answer		
3(a)	$V$ and $I$ recorded for $\mathbf{X}$ ; $V$ to at least 1 decimal place and $I$ to at least 2 decimal places ;		
3(b)	V and $I$ recorded for $f Y$ ;		
3(c)(i)	R values correct;	1	
3(c)(ii)	V, A, Ω;	1	
3(c)(iii)	R <sub>P</sub> correct;	1	
3(d)(i)	correct series circuit ;	1	
3(d)(ii)	V and I recorded;	1	
3(d)(iii)	$R_{\rm S}$ correct and different from $R_{\rm P}$ ;	1	
3(e)	statement whether results support suggestion and results used for justification with reference to the idea of experimental accuracy;	1	

© UCLES 2017 Page 4 of 4