

### **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			ANDIDATE JMBER		

# 5 1 6 1 7 7 2 7 1

### **CO-ORDINATED SCIENCES**

0654/32

Paper 3 (Extended)

October/November 2014

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

### READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 32.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.



1 Fig. 1.1 shows an astronaut in a rocket about to take off for the Moon.




Fig. 1.1

(a) The mass of the astronaut and his spacesuit on the Earth is 100 kg.

The weight of the astronaut and his spacesuit on Earth is 1000 N.

The Moon has a smaller gravitational field than the Earth.

(i)	Suggest the r	mass and weight of the	astronaut and his	spacesuit on the Mo	oon.

	•	mass on the Moon	kg	
	•	weight on the Moon	N	[1]
(ii)	Exp	plain your answers to (i).		
	exp	lanation for mass		
	exp	lanation for weight		

[2]

(a)	The weight of the rocket on take-off is 20000000 N.
	When the rocket blasts off from the Earth's surface, it experiences a thrust force of 25 000 000 N.
	Explain why the thrust force must be greater than the weight of the rocket.
	[1]
(c)	At one stage on the journey the rocket is travelling at 36000km/hr which is equivalent to 10000 m/s.
	At this stage the total mass of the rocket is 1500000 kg.
	Calculate the kinetic energy of the rocket in kJ.
	State the formula that you use and show your working.
	formula used
	working
	leinakin anagem.
	kinetic energy =kJ [4]
(d)	During the journey from the Earth to the Moon, the astronaut communicates with Earth using radiowaves.
	Explain why it is not possible to use sound waves for communication.
	[1]
(e)	Once the rocket has left the Earth's atmosphere, the astronaut is exposed to increasing amounts of ionising radiation.
	Explain the meaning of the term ionising radiation.
	[2]

**2** Fig. 2.1 shows a fetus in the uterus.




Fig. 2.1

(a)	Name the structures labelled <b>X</b> and <b>Y</b> .
	<b>x</b>
	Υ
	[2
(b)	Describe the function of the fluid at <b>Z</b> .
	[2
(c)	Suggest <b>three</b> ways in which the composition of the fetus's blood changes as it passes through the placenta.
	1
	2
	3
	[3]

(d)	If a pregnant woman smokes, this may reduce the amount of oxygen available to her unborn baby (fetus).
	Name the main component of tobacco smoke that causes this, and explain how it has this effect.
	component
	explanation of its effect
	[3

3	(a) (i)	State the chemical symbols of the elements that form the <b>first</b> period of the Periodic Table.
		[1]
	(ii)	State the <b>name</b> of the least reactive element in the <b>second</b> period.
		[1]
	(iii)	State a period in the Periodic Table that contains transition metals.
		[1]

(b) Fig. 3.1 shows the relative sizes of atoms and ions of the first three members of Group I.

element	atoms	ions
lithium		
sodium		
potassium		

Fig. 3.1

(i) A lithium atom has a proton number of 3 and a nucleon number of 7.

	Draw a diagram of this lithium atom. On your diagram, show the positions and numbers of the protons, neutrons and electrons.
	[3]
(ii)	Suggest why the size of the <b>atoms</b> change as shown in Fig. 3.1.
	F-23
(iii)	Suggest why the ion of each element in Fig. 3.1 is smaller than its atom.
(111)	Caggoot why the former days demonstrate 19. 0.1 to ornation than to atom.
	[1]
(iv)	The reactivity of the elements in Group I increases down the group.
	Suggest, in terms of ion formation, why atoms with greater size in Group I are more reactive.
	[2]
	[2]

**4** (a) In an experiment, amylase was added to a starch suspension in a test-tube at 35 °C. The amylase digested the starch.

Fig. 4.1 shows how the amount of starch remaining in the test-tube changed over the next eight minutes.




Fig. 4.1

(1)	State the time at which the rate of digestion is lastest.
	[1]
(ii)	Suggest why the rate of digestion is fastest at this time.
	[1]
(iii)	On Fig. 4.1, sketch a graph to show the result that would be expected if the experiment is
	repeated at 25 °C. [2]
(iv)	Explain the reason for the difference between the rates of digestion at 25 °C and at 35 °C.

**(b)** Fig. 4.2 shows the structure of a villus in the small intestine.




Fig. 4.2

(i)	Name the structures labelled <b>X</b> and <b>Y</b> .	
	<b>x</b>	
	Υ	
		[2]
(ii)	Explain the significance of the shape of the villi for the absorption of food molecule the small intestine.	s in
		[1]
(iii)	Explain why chemical digestion is necessary for food to be absorbed.	
		[1]

(a) In industry, elements are extracted from compounds.

The chemical formulae of five compounds are shown.

5

$Al_2O_3$	
CuFeS <sub>2</sub>	
$\mathrm{Fe_2O_3}$	
NaC <i>l</i>	
SnO	
Choose a compound from the list to match each description.	
Each compound may be used once, more than once or not at all.	
This compound is electrolysed to obtain aluminium.	

.....

.....

.....

[2]

This compound is reduced by carbon monoxide to obtain iron.

This compound is electrolysed to obtain chlorine.

This compound can be processed to obtain copper.

**(b)** Lead metal can be extracted from lead oxide, PbO, by heating a mixture of lead oxide powder and graphite powder.

Fig. 5.1 shows laboratory apparatus that can be used for this reaction.




Fig. 5.1

between lead oxide and graphite.

During the reaction, lead oxide is reduced and a gas is given off that reacts with limewater turning it cloudy.

(i) Use the information above to construct a balanced symbol equation for the reaction

		[3]
(ii)	In the reaction shown in Fig. 5.1 lead <b>ions</b> are converted into lead <b>atoms</b> .	
	Use the idea of electron transfer to explain why lead ions are said to be <b>reduced</b> .	

(c) Metallic lead may also be produced by electrolysis involving molten lead bromide.

Fig. 5.2 shows laboratory apparatus being used for this electrolysis.




Fig. 5.2

from the molten electrolyte.	

6 (a) Fig. 6.1 shows a boy in a swimming pool watching water waves being made by a machine.




Fig. 6.1

Every 10 seconds, three waves go past the boy. The waves are 0.8 m apart.

Calculate the speed of the water waves.

State the formula that you use and show your working.

formula

working

		speed of water waves =m/s [3]
(b)	Whe	en the boy places his head in the water, he hears the noise from the wave machine.
	(i)	Describe in terms of particles how the sound waves travel through the water to the boy's ears.
		[2]
	(ii)	The speed of sound in air is 340 m/s. Suggest a value for the speed of sound in water.
		Give a reason for your answer.

speed of sound in water ..... m/s

(c)	The	water in the swimming pool is heated by the Sun.
	(i)	Some molecules of the water evaporate.
		Explain the process of evaporation in terms of the movement of water molecules.
		[3
	(ii)	The mass of water in the pool is 200 000 kg. The specific heating capacity of water is 4200 J/(kg $^{\circ}\text{C}).$
		Calculate the thermal energy required to raise the temperature of the water in the pool by $5^{\circ}\text{C}$ .
		State the formula that you use and show your working.
		Give your answer in MJ.
		formula
		working
		thermal energy =MJ [3

Please turn over for Question 7.

- 7 Petroleum (crude oil) is a mixture that contains thousands of different hydrocarbons.
  - (a) Table 7.1 contains descriptions of mixtures, compounds and elements.

Complete Table 7.1. Use the letters **M** for mixture, **C** for compound or **E** for element.

Table 7.1

description	M, C or E
contains different types of molecules	
all of the atoms have the same proton number	
molecules are all identical but each molecule contains more than one type of atom	
cannot be broken down into simpler substances	

[2]

**(b)** Fig. 7.1 shows the industrial apparatus used to obtain useful products from petroleum.




Fig. 7.1

(i) Suggest with reasons why fraction P is used as a fuel but fraction R is not.

(ii) Fraction **Q**, kerosene, is used to make the fuel used in jet aircraft engines. Kerosene is a mixture of hydrocarbons.

Fig. 7.2 shows a jet aircraft flying at a great height.

The jet engines burn kerosene which produces white vapour trails.




Fig. 7.2

Suggest **two** compounds that have a higher concentration in the vapour trails than in the surrounding air.

	1	
	2	[2
(iii)	The air temperature outside the aircraft is -40°C.	
	The vapour trails contain solid particles that reflect white light.	
	Suggest what these solid particles are made of and describe how they have formed.	
		[2

(c)	Methane,	CH₄, is	a member	of the	homologous	series	known	as the	alkanes.

(i)	State the	meaning	of the	term	homol	logous	series
<b>(''</b>	Otate the	meaning	OI LIIC	tCIIII	11011101	ogous	301103.

 	 	• • • • • • • • • • • • • • • • • • • •	
			F.4.7

(ii) Fig. 7.3 shows a graph of the boiling points in degrees Celsius of some alkanes.

The horizontal axis (x-axis) shows the number of carbon atoms in one molecule of the different alkanes.




Fig. 7.3

Use the graph to estimate the boiling point of decane,  $C_{10}H_{22}$ , in degrees Celsius.

On Fig. 7.3, show how you obtained your answer.

.....°C [1

(iii)	State the trend shown in Fig. 7.3 and suggest a reason for this trend.						
	ro						

8	(a)	Acid rain can	damage the	environment.
•	ıu,	/ told lall ball	damade inc	CHIVILOI II I I CHIL.

carbon dioxide

Use the words or phrases from the list to complete the sentences about acid rain.

coal-fired

Each term may be used once, more than once, or not at all.

	less	methane	more	nuclear	sulfur dioxide	
Acic	I rain refers	to any rainfall	with a pH	of	th	nan 5.0.
One	of the mair	n causes of acid	d rain is em	ission of		from
			power station	ons. The proble	em of acid rain can be red	uced by
burr	ning less			. fuels.		[4]

fossil

hydroelectric

**(b)** Some freshwater animals are able to survive (tolerate) changes in the pH of the water in which they live. Table 8.1 shows the pH ranges that can be tolerated by some different types of animals living in the same lake.

Table 8.1

animal	lowest pH that the animal can tolerate	ideal pH range	highest pH that the animal can tolerate
crayfish	5.5	7.0 to 8.5	10.5
frog	4.0	6.0 to 8.0	10.0
mosquito larva	1.5	3.5 to 7.0	12.0
perch	3.5	4.0 to 7.5	9.5
trout	4.5	5.0 to 8.0	11.0

(i)	State which of the animals listed in Table 8.1
``	is best able to tolerate strong alkaline conditions,
	survives best in strong acid conditions,
	is most likely to be harmed by acid rain.
	[3]

	(11)	Use the information in Table 8.1 to suggest now a pH of 3.5 could be narmful to perch.
		[1]
(	(iii)	Perch and trout compete for food. Use the information in Table 8.1 to suggest how a pH of 3.5 could be beneficial to perch.
		[1]
(c)		en acid rain falls into a lake it can make the water acidic. Suggest how this can harm the s of the fish in the lake.
		[1]
		[1]

(a)	An	electric shower in a bathroom is rated at 11 kW. The mains voltage is 220 V.
	(i)	Calculate the current used by the shower.
		State the formula that you use and show your working.
		formula
		working
		working
		current = A [2]
	(ii)	Calculate the resistance of the electric shower when in use.
		State the formula that you use and show your working.
		formula
		formula
		formula working
		working

(b) Electricity can be generated by turning a coil of wire in a magnetic field.

Fig. 9.1 shows a simple generator.





Fig. 9.1

(i) The voltage output is measured with a voltmeter.

On Fig. 9.1 complete the diagram to show how to connect a voltmeter to measure the voltage output. [1]

(ii) On the grid below, sketch a graph of voltage output against time for the generator, when the coil is being rotated at constant speed.



(iii) State **two** ways in which the size of the voltage output can be increased.


2.....[2]

[2]

10 (a)	Define the term sensitivity.
	[2
	Some seedlings are supported on their sides in a light-proof container and left for five days Fig. 10.1 shows what happens.
	light-proof vertical cork mat container
	attentive days
seedling pinned t cork ma	
	stand stem root
	Fig. 10.1
	(i) Name the response of the seedlings in Fig. 10.1.
	[1
(	(ii) With reference to Fig. 10.1, describe how the survival chances of a plant are increased by the type of response shown by
	the roots,
	[2
	the stems.

(iii)	Explain the seedlings.	role of	auxin in	the re	sponses	of the	roots	and	stems	shown	by	these
												[3]

11 (a) Complete the word chemical equations below for reactions involving dilute hydrochloric acid.



**(b)** Fig. 11.1 shows apparatus a student uses to investigate the chemical reaction between **excess** dilute hydrochloric acid and calcium carbonate.




Fig. 11.1

When the student adds the reactants to the side-arm test-tube, carbon dioxide gas flows into the measuring cylinder.

The student records the volume of carbon dioxide in the measuring cylinder every 10 seconds for 90 seconds.

Her results are shown as a graph in Fig. 11.2.




Fig. 11.2

(i)	Use the graph to find the volume of carbon dioxide that was produced during the first 30 seconds of the experiment.
	[1]
(ii)	Describe and explain the shape of the graph during the last 50 seconds of the experiment.
	[2]
(iii)	Calculate the number of moles of carbon dioxide produced during the experiment.
	The volume of one mole of carbon dioxide under the same conditions of temperature and pressure as those in the experiment is 24 dm <sup>3</sup> .
	Show your working.

12 Fig. 12.1 shows the speed/time graph for a car being driven along a road for 120 seconds.




Fig. 12.1

	(a)	State a section of the	graph which re	epresents a cons	stant speed.
--	-----	------------------------	----------------	------------------	--------------

	[1]
(b)	State a point on the graph at which the car is not moving.
	[1]

(c) Calculate the acceleration of the car during the first 40 seconds.
Show your working.

acceleration = 
$$\dots m/s^2$$
 [2]

(d) Calculate the distance travelled by the car over the 120 second journey.
Show your working.

distance travelled = ..... m [3]

# 29

# **BLANK PAGE**

# **BLANK PAGE**

### **BLANK PAGE**

Copyright Acknowledgements:

Question 7 © Imagebroker/Alamy; www.alamy.com.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

	0	4 Helium	20 Neon 10 Neon 40 Ar Ar Argon	Krypton 36 Krypton 131	222 222 Radon 86	175 <b>Lu</b> 175 71 280 280 <b>Lu</b>
	₹		19 Fluorine 9 35.5 <b>C1</b> Chlorine	80 Bromine 35 127	53 210 <b>At</b> At	Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y
	>		16 Oxygen 8 32 <b>S</b> Sulfur	Se Selentum 34 128 Te P	Teilurium 52 209 <b>Po</b> Polonium 84	169  Thulium 69 258
	>		Nitrogen 7 31 Phosphorus 15	75	Antimony 51 209 <b>Bi</b> Bismuth 83	167 <b>Er</b> bium 68 257 <b>Fm</b>
	2		Carbon 6 Carbon 8 Silicon 114	Germanium 32 119 Sn	82	165 <b>Ho</b> Holmium 67 252 <b>ES</b>
	=		11  B  Boron  27  A1  Aluminium  13	70 <b>Ga</b> Gallium 31 115	49 204 <b>T 1</b> Thallium 81	Dy Dysprosium 66 251 Cf
				65 Zinc 30 Zinc Cd Cd	Cadmium 48 201 <b>Hg</b> Mercury 80	159 <b>Tb</b> Terbium 65 247
				Copper 108 Agg	Silver 197 <b>Au</b> Gold 779	157 <b>Gd</b> Gadolinium 64 247 <b>Cm</b>
Group				28 Nickel 106 Pd	Palladium 46 195 Pt Patinum 78	152 Eu Europium 63 243 Am
Gro				59 Cobatt 27 Tobatt Rh	Rhodium 45 192 <b>Ir</b> Iridium 77	Samarium 62 Pu
		1 Hydrogen			Ruthenium 44 190 Os Osmium 76	Pm Promethium 61 237 Np
				Manganese 25	Technetium 43 186 <b>Re</b> Rhenium 75	Neodymium 60 238
				Chromium 24 96 Mo	Molybdenum 42 184 W Tungsten 74	Praseodymium 59
				Vanadium 23 93 Nb	Nobium 41 181 <b>Ta</b> Tantalum 73	140 <b>Ce</b> Certum 58 232 <b>Th</b>
				Titanium 22 27 27 27 27 27 27 27 27 27 27 27 27	Zirconium 40 178 <b>Hf</b> Hatnium 72	iic mass
				Scandium 21	139 La nthanum 227 Ac ctinium	toid series id series a = relative atomic mass X = atomic symbol
	=		Be Beryllium 4 24 Mg Magnesium 12	40 Calcium 20 88	Strontium 38 137 137 Ba Barium 56 226 Ra Radium	* 58–71 Lanthanoid series † 90–103 Actinoid series  a a = relative ato  X = atomic syr
	_		7 Lithium 3 23 Na Sodium 11	39 K Potassium 19 85 Rb	Rubidium 37 133 CS Caesium 55 TT 223 FT Francium	* 58–711 † 90–103 Kev

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).