

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Advanced Subsidiary Level and Advanced Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



MARINE SCIENCE

Data-Handling and Free-Response

May/June 2012

9693/04

Paper 4

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen on both sides of the paper.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

Section A

Answer all questions.

Write your answers in the spaces provided on the question paper.

Section B

Answer all questions.

Write your answers on the lined pages provided.

For Examiner's Use								
1								
2								
3								
4								
Total								

This document consists of 12 printed pages.



Section A

For Examiner's Use

Answer all questions in this section.

An investigation into the effect of temperature on the respiration rate of the adult male pilchard, *Sardinops sagax*, was carried out.

Ten adult male fish of similar mass were placed in a circular fibreglass pool of 2.0 m diameter and depth 2.0 m.

The volume of oxygen consumed by the fish over a one hour period was measured.

The experiment was carried out for temperatures between 10 °C and 22 °C at 2 °C intervals.

Fish were not fed for a period of two days prior to experimentation.

The results are shown in Table 1.1.

Table 1.1

temperature/°C	mean rate of respiration/mgO ₂ consumed per hour per kg of wet mass
10	0.13
12	0.14
14	0.15
16	0.17
18	0.19
20	0.23
22	0.27

© UCLES 2012 9693/04/M/J/12

																					3	3																			
(a)	Plo	ot a	аç	gra	ıр	h	of	n	ne	ar	n r	at	е	of	re	es	pi	ra	tic	n	of	t	he	e fi	sh	ı a	aga	air	าร	t t	en	ηp	er	at	ur	е	ar	nd	d	Ira	aw a line
	(a) Plot a graph of mean rate of respiration of the fish against temperature and draw a line of best fit.																																								
П	П			П	П		П			П					П		T			T	П		1	П	П			П	П			П	1	П		П		П	1	П	
H		Ħ			Ħ		Н	t		H	t		Ħ	+		Ħ	ŧ			1			Ŧ	H	H	t		Ħ	Ħ			Ħ	t			\pm		\sharp	#	H	
Ħ		\pm			Ħ			t		Н	t		Ħ	+			+		t	#	+		1	†	Н			Ħ	\pm			Н	+		H	世	t	\sharp	+	H	
Ħ	\pm	\pm			Ħ		Н	t			#		Ħ	+			#			#	\pm		#	\pm				Ħ	Ħ			Ħ	+			\pm	1	\pm	#	Ħ	
H		Н								Н	\dagger		Н	+		Н	t		t	\pm			1	H	Н			H	\pm			Н	$^{+}$					\pm	\pm	Ħ	
Н	+	+			Н		Н		H	Н	\pm		Ħ	\pm		Н	\pm			\pm	+		\pm	+	Н			\forall	\pm		+	Н	\pm			\pm		\pm	\pm	Н	_
\mathbb{H}	\perp	Н	Н	Н	Н		Н	Ŧ	Н	\coprod	\pm	Н	H	\pm	Н	Н	Ŧ	Н	\pm	\pm			\pm	Н	Н	l		Н	\pm	Н		Н	\pm	Н	Н	± 1	H	\pm	\pm	Н	
H	\coprod	H	H	H	H	Η	Ħ	Ε	H	H	Ξ	H	Ð	Ξ	H	Ð	Ε	H	Ε	\pm	\mathbf{H}	H	\pm	H	H	Ε	H	\exists	H	H	H	H	Ε	H	H	\exists	Ŧ	$\overline{+}$	Ξ	H	
H		H			H		Н	F	H	Н	Ŧ		Ħ	Ŧ	H	П	F		F	Ŧ		H	Ŧ	H	H	F		H	H			П	F	H		H	Ŧ	H	Ŧ	H	
H		Н		Н	Н		Н		H	Н	\blacksquare	H	Н	-	H	Н	F			-			Ŧ	Н	Н			H	\blacksquare			Н	+			H		Ŧ	+	Н	
H	H	H		H	H		H	Ŧ	H	H	Ŧ	H	Ħ	Ŧ	H	H	Ŧ		Ŧ	1	+	H	+	H	H	F		H	H		H	H	Ŧ	H	H	Ħ	+	Ħ	Ŧ	H	1
H	#	Ħ		Ħ	Ħ		Ħ	Ŧ	H	H	1	H	Ħ	Ŧ	H	Ħ	Ŧ		Ŧ	#	#	Ħ	7	Ħ	Ħ	ļ		Ħ	Ŧ		Ħ	Ħ	Ŧ		H	#	Ŧ	#	Ŧ	Ħ	1
Ħ	#	Ħ			Ħ		П			Ħ	1		Ħ	ŧ		Ħ	ŧ		t	#	#	Ħ	#	\Box				Ħ	I				ŧ			⇉	Ī	#	Ŧ	Ħ	
H					H			t			t		Ħ	+			ŧ			#			#	Ħ	Ħ			Ħ	\downarrow				#			┇		\sharp	#		
Ħ		ш			Н			t			t		Ħ	t			ŧ			#			1	Н	Н			Ħ	Ħ		ш		t					\pm	#	Ħ	
Н					Н					Н	\pm		Н	\pm			\pm			1			1		Н			Н	Н			Н	\pm					\pm	\pm	Н	
Н		+		Н	Н		Н		H	+	+		$^{+}$	+	Н	Н	+			\pm			+	++	+			$^{+}$	\pm		+	Н	+			\pm		\pm	+	Н	
H	+	+		H	Н		Н	+	H	H	+	H	Н	+	H	Н	+	H	+	+	+	+	+	+	Н	+		Н	+	H	+	Н	+	H	H	H	+	H	+	Н	7
H	H	H			Н		Н		H	Н	F		H		H	H	F			+			Ŧ	Н	Н			H	H		H	H	+			H		H	+	Н	
H		H			H		H	F	H	H	Ŧ		H	\mp	H	Ħ	Ŧ		Ŧ	7			+	H	H			Ħ	H		Ħ	H	+	H		\exists	+	Ħ	\mp	H	
H	#	Ħ		Ħ	Ħ		Ħ	Ŧ	Ħ	Ħ	1	Ħ	Ħ	Ŧ	H	Ħ	Ŧ		Ŧ	#	#	Ħ	#	Ħ	Ħ	ļ		Ħ	Ŧ		Ħ	Ħ	Ŧ		H	#	Ŧ	#	Ŧ	Ħ	1
Ħ		Ħ			Ħ		П	ļ	Ħ	Ħ	1		Ħ	t	Ħ	Ħ	ŧ			#			Ŧ		П			Ħ	I		Ħ	Ħ	t			Ħ		Ħ	Ŧ	Ħ	
Ħ					Ħ		П			П	t		Ħ	t		Ħ	t			1			1		Ħ			Ħ				П	t			Ħ		Ħ	t	П	
Ħ					Ħ		Н	t		Н	#		Ħ	#		Ħ	ŧ			1			#		Н			Ħ	Ħ		ш	Ħ	+			\pm		\pm	#	Ħ	_
H		ш			Н		Н	t		Н	\pm		Ħ	+		Н	#		t	#			1					Ħ	Ħ		ш		\pm				1	\pm	\pm	Ħ	
\mathbb{H}	+				Н					Н	\pm		\pm	\pm			\pm		\pm	\pm			\pm		Н			Н	\pm				\pm				\pm	\pm	\pm	Н	
H	\coprod	Н	\coprod	Н	H	\perp	Н	\pm	Н	\pm	\pm	Н	H	\pm	Н	∄	\pm	Н	\pm	Ⅎ	\coprod	H	\pm	\coprod	\forall	Ŧ	Н	\coprod	H	Н	H	∄	\pm	Н	Н	\pm	\pm	∄	\pm	Н	
H	\mathbf{H}	F		H	H		П	Ŧ	H	H	+	H	H	+	H	H	\top	H	H	Ŧ	H	H	\mp	H	H	Ŧ		H	H	H	H	H	\top	H	H	H	7	H	Ŧ	H	
H	+	+		\blacksquare	H	+	H	+	H	\mathbb{H}	+	H	H	\mp	H	H	Ŧ	\vdash	+	+	+	H	+	+	H	+		H	H	H		H	+	H	H	\exists	+	\exists	\mp	H	
H	+	Ħ	Ħ	Ħ	Ħ	Ŧ	Ħ	Ŧ	H	Ħ	+	Ħ	Ħ	#	H	Ħ	Ŧ	Ħ	Ŧ	+	+	Ħ	#	Ħ	Ħ	Ŧ	Ħ	Ħ	Ħ	Ħ	Ħ	Ħ	Ŧ	H	Ħ	Ħ	#	Ħ	#	Ħ	
H		Ħ		H	Ħ		Ħ	ļ	Ħ	\parallel	ļ	H	Ħ	+	H	Ħ	Ŧ	H	H	#		Ħ	Ŧ	Ħ	Ħ	Ė		Ħ	Ħ	Ħ	H	Ħ	+	Ħ	Ħ	Ħ	Ŧ	Ħ	+	Ħ	1
Ħ	#	H	Ħ	Ħ	Ħ		Ħ	t	Ħ	\parallel	#	Ħ	Ħ	#	Ħ	Ħ	ŧ	Ħ	Ħ	#	#	Ħ	#	Ħ	Ħ	ŧ	Ħ	Ħ	Ħ	Ħ	Ħ	Ħ	#	Ħ	Ħ	Ħ	#	#	#	Ħ	1
Ħ		Ħ	Ħ	\parallel	Ħ		Ħ	ŧ	Ħ	\parallel	#	Ħ	Ħ	#	Ħ	\parallel	#	H		#			#	Ħ	Ħ	t	Ħ	Ħ	\downarrow	Ħ	Ħ	Ħ	#	Ħ	Ħ	\pm	1	#	#	Ħ	
\pm	\pm	$^{+}$	Ħ	\parallel	Ħ	\pm	Ħ	ŧ	\parallel	\pm	\pm		\pm	#		Ħ	#	\parallel	\pm	\pm	\pm	Ħ	\pm	\parallel	\pm	+	Ħ	\sharp	\pm		Ħ	Ħ	+	H		\pm	\pm	\sharp	#	Ħ	
\vdash	+	+	+	+	Н	+	Н	+	Н	H	+	+	$^{+}$	+	Н	+	+	+	+	+	+	+	+	+	$^{+}$	+	H	$^{+}$	$^{+}$	Н	+	$^{\rm H}$	+	+	+	+	+	+	+	Н	\dashv

ie	For Examiner's Use

[3]

(b)	Use your line of best fit to estimate the mean rate of respiration of the pilchards at 15 °C.
	[1]
(c)	Suggest why the fish were not fed for two days prior to the experiment.
	[1]
(d)	Other than not feeding the fish for two days, state two other factors that were controlled.
	1
	2[1]
	נין

Recent data concerning blooms of phytoplankton in oceans have suggested that raised

(e) Pilchards feed on phytoplankton and zooplankton.

For
Examiner's
HSP

ocean temperatures can have a negative effect on phytoplankton productivity.

Use this information and the data from Table 1.1 to suggest and explain how global warming could affect pilchard populations.

[Total:10]

© UCLES 2012 9693/04/M/J/12

2 An investigation was carried out into the growth rate of the fish tilapia, *Tilapia mossambica*, under different conditions. Tilapia is a species that is frequently grown using aquaculture.

For Examiner's Use

Fifty young female fish were taken and placed into a rectangular tank of dimensions $15 \,\mathrm{m} \times 2 \,\mathrm{m}$. The fish were fed daily with 2 kg of high protein food pellets and the mean wet masses of the fish recorded every fifty days. The results are shown in Fig. 2.1.




Fig. 2.1

(a)	days.
	[2]
(b)	Use Fig. 2.1 to suggest what would be an optimal time, in days, to harvest the female tilapia. Explain your choice.
	number of days
	explanation
	[3]

(c) In a further series of experiments, the growth of male tilapia was investigated, and also the effect of two different diets on the growth of both male and female tilapia.

For Examiner's Use

In these experiments, the fish were treated as follows:

- 50 female fish were given a high protein diet,
- 50 female fish were given a low protein diet,
- 50 male fish were given a high protein diet,
- 50 male fish were given a low protein diet.

The mean masses of the fish were measured and the data presented in Fig. 2.2.




Fig. 2.2

Compare the effects of feeding tilapia on a low protein diet with a high protein diet.
[3]

© UCLES 2012 9693/04/M/J/12

(i)

(ii)	Suggest circumstances when it might be economically beneficial to feed fish on each of the following diets. low protein diet	For Examiner's Use
	high protein diet	
	[2]	
	[Total: 10]	

Section B

Answer all questions in this section.

Write your answers on the lined pages provided.

- (a) Explain how the surface area to volume ratio of an organism varies according to its size and shape.
 - (b) Compare gas exchange in a coral polyp and a grouper. [6]
 - (c) Skipjack tuna switch from pumped ventilation to ram ventilation as swimming speed increases. Describe how ram ventilation differs from pumped ventilation and suggest reasons for the change in method as the swimming speed increases. [6]

[Total: 15]

- 4 (a) Outline the effects of the accumulation of a named toxin in marine food chains. [4]
 - (b) Describe the potential ecological and economic impacts of the building of a desalination plant in a coastal area. [6]
 - (c) Artificial reefs may be created from wrecked ships. Discuss the possible advantages and disadvantages of these structures on marine ecology. [5]

[Total: 15]

© UCLES 2012 9693/04/M/J/12

For
Examiner's
Use

For Examiner's
Use
1

 For Examiner's Use

Copyright Acknowledgements:

Question 1

© ADAPTED; www.int-res.com/articles/meps/129/m129p041.pdf.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.