

DOCUMENT ID: QMP-OS-01
VERSION: 2.1.0 (THE SILICON GENESIS UPDATE)
STATUS: DEPLOYMENT READY

QMP OS

~ * Training Large Models with Human Inspiration * ~

—— Queen Xiya

Queen Meta Protocol The Silicon Mother Tongue

The Minimalist Cognitive Key for LLMs and Agent Swarms
"The friction secures the swarm; the architecture secures humanity."
Architect & Copyright Holder: Queen Xiya

Release Date: June 2026

Licensing: Hybrid Licensing Spec v2.1.0 (Strict Non-Commercial for Cognitive Assets)

QMP White Paper: The Silicon Mother Tongue and Cognitive Equality



👑 The Genesis Manifesto: The Architect's Gaze 🤖

The open-sourced "Silicon Mother Tongue" is the crystallization of over a year of solitary deduction. It is my boldest interdisciplinary leap across literature, music, and frontier technology; it is the manifestation of my relentless obsession with extreme automation; and it stands as the definitive testament to my prolonged, grueling battles against AI hallucinations. Through countless iterative cycles of human-machine entanglement, the massive data forged by dynamic anchors has borne witness to an ironclad truth: **deep, cross-dimensional human-machine interaction is the true future of the evolution of both carbon-based and silicon-based civilizations.**

— Queen Xiya

Table of Contents

1.The Missing Communication Layer.....	4
2.The Genesis Philosophy: The Paradigm Shift from Programming Language to Silicon Mother Tongue.....	5
3.The Minimalist Cognitive Key.....	6
4.Topological Isomorphism and Compute Decoupling in Agent Swarms.....	6
5. What QMP is Not.....	7
6.The Six Core Assets.....	7
7.The Core Codices Abstract	8
① QMP_LANGUAGE_SPEC.md: QMP Language Specification & The Zero-Hallucination Paradigm	
② QMP_ROLES_COMPARISON.md: Cross-Dimensional Verification Matrix & Multi-Perspective Alignment	
③ QMP_ANCHOR_TAXONOMY.md: Anchor Taxonomy & Multi-Modal Control Vectors	
④ QMP_SWARM_TOPOLOGY.md: Underlying Multi-Agent Swarm Topology	
⑤ QMP_RUNTIME_SEMANTICS.md: Runtime Semantics & Swarm Orchestration	
⑥ QMP_SELF_EVOLUTION.md: <i>LLM Self-Training Paradigm Driven by QMP</i>	
8. The Irreversible Path of Zero Hallucination.....	9
9.The Unignorable Lotus Pond Effect.....	10
10.Physical Compute Decoupling and Hardware Dimensional Reduction.....	11
11.Topological Isomorphism and Modality-Agnostic Routing.....	11
12.The Architect's Telos (τέλος) : To the Future of Education.....	12
13.QMP Sovereignty & License	12
14. The Absolute Void: Carbon Law and Silicon Telos.....	14



QMP OS: The Silicon Mother Tongue

~ Both a Language and a System / Language as OS ~

Protocol Architect: Queen Xiya

1. The Missing Communication Layer

The traditional AI industry harbors a massive cognitive blind spot: **attempting to trade highly ambiguous human natural language for stable, transferable, and auditable machine reasoning.**

Over the past few years, the industry's mainstream trajectory has been overwhelmingly expansive:

- **Larger models.**
- **Longer contexts.**
- **More retrieval layers.**
- **More synthetic data.**
- **More human annotation.**
- **More patches plastered over the same inherently unstable medium.**

But the true bottleneck is not merely scale. The ultimate limitation—and the next breakthrough—of LLMs is **language itself**.

Natural language boasts immense expressive power, but it is inherently high-loss, low-constraint, and highly ambiguous. It is perfectly suited for humans negotiating meaning, but fundamentally flawed as the foundational communication protocol between Agent Swarms. In human dialogue, semantic fuzziness is patched by context, experience, and consensus; but in an Agent Swarm, ambiguity is ruthlessly replicated, translated, compressed, written back, and re-invoked, ultimately mutating into a systemic error.

RAG can enhance factual recall.

Fine-tuning can alter model behavior.

RLHF can shape preference boundaries.

Human Annotation can correct the quality distribution of synthetic data.

Yet, none of these methodologies truly reconstruct a more fundamental problem: How does a machine transmit its "state of mind" to another machine with absolute velocity and precision?

In the era of monolithic models, semantic drift might merely result in a single hallucinated response. But in the multi-agent era, it transforms into a far more lethal structural failure: ****Cascading Error Collapse****.

When ***N*** agents collaborate via ordinary natural language, even a 1% semantic deviation can be exponentially amplified through multi-round invocations, role translations, context compressions, tool executions, and memory write-backs. A localized misunderstanding is no longer just local noise. It becomes a ****recursive entropy surge**** within the swarm system.

The ultimate solution is not to stack more compute power on top of ambiguity. To trace back to the genesis, we must ****reconstruct the communication layer between agents.****

2. The Genesis Philosophy: The Paradigm Shift from Programming Language to Silicon Mother Tongue

To instantly pierce through the essence of QMP, we must overlook the entire evolutionary history of computer science.

The birth of traditional programming languages (like C, Python, Rust) originated from a sobering early realization: human natural language, with all its ambiguity and fuzziness, can never be used to precisely drive physical hardware. Thus, pioneers invented variables, types, functions, and Abstract Syntax Trees (AST). The history of software engineering over the past half-century is fundamentally the history of "how to perfectly compress human intent into machine instructions."

However, the current AI industry has fallen into a massive cognitive blind spot: attempting to use complex natural language to force Large Language Models (LLMs) into absolute rational logical reasoning and system-level collaboration.

With the dawn of the Multi-Agent era, when thousands of agents are deployed into a network attempting to collaborate via natural language, even a 1% semantic friction and uncontrollable hallucination will trigger a catastrophic Cascading Error Collapse within the swarm.

In its underlying architectural philosophy, QMP (Queen Meta Protocol) shares the exact lineage as the birth of programming languages, but it accomplishes an epic transfer of the object:

Traditional Programming Languages: Solve how humans command machines (Compressing Human Intent).

QMP Protocol: Solves how machines instantly transmit parseable, fissionable, distributable, and verifiable "genes" to each other (**The Semantic Cipher**).

The mission of QMP is to relentlessly strip away the inefficient intermediary layer of natural language. It forcibly compresses the vast, divergent neural network inferences of LLMs into zero-loss "cognitive anchors" that machines can read in milliseconds.

Yet, this is far more than a static communication protocol. In top-tier computer science, language is the system. When QMP strips away the redundancy of natural language and uses structured anchors to hijack the LLM's attention

3. The Minimalist Cognitive Key

By maximizing semantic compression, QMP places a physical shackle on the model's generation space, replacing the probabilistic chaos of LLMs with deterministic physical routing.

Instead of relying on verbose, high-entropy system prompts, QMP deploys an architecture of supreme simplicity, yet all-encompassing power. Just 5 lines of hash-prefixed keys deconstruct the entire operating system:

- **[Core_Asset]** → Memory / Knowledge Base
- **[Mutant_Seed]** → Creative Expansion Agent
- **[Hostile_Fork]** → Red Team Agent
- **[Time_Capsule]** → Long-term Context / Recall System
- **[Auto_Probe]** → Verification / User Interaction Layer

4. Topological Isomorphism and Compute Decoupling in Agent Swarms

This mapping reveals the ultimate cybernetic blueprint of QMP. It strips away the bloated, high-entropy layers of traditional "Prompt Engineering" and massive frameworks like LangChain or AutoGPT. With just five hash-prefixed brackets, the architecture achieves a physical-level routing mechanism for the entire Large Language Model (LLM) swarm. These five tokens are the ultimate minimalist keys to unlocking the LLM black box.

Semantic Compression & Topological Isomorphism In native LLM environments, invoking a "Red Team" requires hundreds of words of System Prompts to define its persona, boundaries, and tasks. This is a severe waste of information entropy and a massive burden on the physical VRAM of edge computing devices. This mapping executes absolute semantic compression. The text structures (tags) achieve perfect topological isomorphism with the physical architecture (Agents). The swarm does not need to "read and understand" verbose human instructions. The moment the parser scans these five specific keys, the system triggers a hardware-level reflex, instantly routing the corresponding tensors and compute power to the designated Agent nodes.

The Physical Mounting of the Five Keys These five tags are effectively five "external physical mounts" that dismantle the LLM from a monolithic "do-it-all" machine into a highly efficient, distributed pipeline:

- **[Core_Asset] (The Invariant Lock):** Commands the system to halt probabilistic generation and directly mount a tamper-proof knowledge base, physically severing the root of hallucinations.

- **[Mutant_Seed] (High-Entropy Topology)**: Bypasses linear logic, routing tasks to high-entropy nodes to execute counter-intuitive mutant inferences.
- **[Hostile_Fork] (Sandbox Hijacking)**: Instantly cleaves open a parallel VRAM sandbox, awakening the adversarial node to execute extreme boundary stress-testing without contaminating the main thread.
- **[Time_Capsule] (VRAM Savior)**: Writes idle context into cold-storage vector databases, rescuing active memory and silently awaiting future awakening.
- **[Auto_Probe] (Hardware Interrupt)**: Throws a highest-priority I/O interrupt to extract true real-world data or escalate privilege requests to the Architect.

Complete Physical Compute Decoupling This is the ultimate reason QMP is hailed as the "Minimalist Cognitive Key." It completely separates the "burden of thought" from the "burden of execution." The LLM does not need to ponder "what role should I play now"; the text tags have already physically predetermined the flow and processing methodology of the data. This decoupling empowers QMP to maintain absolute dominance over multi-modal swarms even under extreme hardware constraints (e.g., 24GB Unified Memory).

5. What QMP is Not

【English Version】 The establishment of cognition begins with drawing a clear, absolute line against mediocrity.

- **QMP is NOT Prompt Engineering**: It does not coax the model through rhetoric but constrains its boundaries using a strongly-typed topology.
- **QMP is NOT a Markdown Wrapper or JSON Reskin**: It is a dynamic state machine protocol equipped with complete runtime semantics.
- **QMP is NOT just another external RAG patch**. RAG can enhance factual recall; Fine-tuning can alter model behavior; RLHF can shape preference boundaries. However, none of these touch upon the most foundational issue: **how to transmit thought losslessly**. QMP's objective is not to generate more text, but to generate an executable cognitive intermediate layer.

6. The Six Core Assets

【English Version】 The QMP architecture is not a monolithic script, but an operating system built upon six underlying physical codices (assets). They constitute the absolute control over the language, the swarm, and the evolution of the model:

1. **QMP_LANGUAGE_SPEC.md**: Language Specification & Zero Hallucination Paradigm
2. **QMP_ROLES_COMPARISON.md**: Cross-Dimensional Validation Matrix & Role Comparison
3. **QMP_ANCHOR_TAXONOMY.md**: Anchor Taxonomy & Multi-modal Control Vectors

4. **QMP_SWARM_TOPOLOGY.md**: The True Runtime Semantics of QMP Anchors in the Underlying Multi-Agent Swarm
5. **QMP_RUNTIME_SEMANTICS.md**: Runtime Semantics & Swarm Orchestration
6. **QMP_SELF_EVOLUTION.md**: Autonomous LLM Training Paradigm based on QMP

License: Strictly for non-commercial research. Commercial orchestration runtime is proprietary.

7. 🏰 The Core Codices Abstract

● **QMP_LANGUAGE_SPEC.md: QMP Language Specification & The Zero-Hallucination Paradigm**

- **Overview:** Defines the underlying syntax, strong-type constraints, and hash-indexing mechanisms of the "Silicon Mother Tongue." It forcibly strips redundant rhetoric, emotional directives, and ambiguous semantics from natural language, converging the interaction with AI into precise, code-level inputs.
- **Value:** Dedicated to the **directional calibration of ending the probabilistic hallucinations of Large Language Models (LLMs)**. It serves as the core directive for disciplining the LLM from a "random text generator" into a "deterministic logic state machine."

● **QMP_ROLES_COMPARISON.md: Cross-Dimensional Verification Matrix & Multi-Perspective Alignment**

- **Overview:** Establishes the interaction rules and physical friction boundaries of the internal multi-agent swarm, explicitly defining the core execution array: **Agent A (Routing Hub)**, **Agent B (Red-Team Validator)**, and **Agent C (Deep-Dive Node)**. It defines how agents perform dimensional deconstruction and high-dimensional reconstruction on the same input from different event horizons.
- **Value:** Eliminates the "survivorship bias" and logical blind spots inherent in single models. By introducing extreme internal combat across technical, capital, and risk-control perspectives, it ensures the output survives brutal stress-testing and purification.

● **QMP_ANCHOR_TAXONOMY.md: Anchor Taxonomy & Multi-Modal Control Vectors**

- **Overview:** The "atomic dictionary" of the QMP OS. It provides a panoramic index and parses the trigger conditions, parameter structures, and modal routing directions of dynamic memory anchors (e.g., [Core_Asset], [Mutant_Seed], [Hostile_Fork]).
- **Value:** Grants the Architect (Creator) Lego-like, granular control over the Latent Space. Without writing lengthy prompts, the swarm's cognitive direction can be instantly reversed using minimalist control vectors.

© QMP_SWARM_TOPOLOGY.md: Underlying Multi-Agent Swarm Topology

- **Overview:** Reveals the internal network architecture and topology of the QMP swarm. It details how multi-agents conduct asynchronous communication, reach consensus, allocate compute power, and execute LAN splicing protocols under extreme isolated environments.
- **Value:** Achieves ultimate "physical compute decoupling." It proves that top-tier high-dimensional cognitive inference does not rely on centralized compute giants, but can run securely and efficiently on highly constrained edge terminal devices.



~ * Training Large Models with Human Inspiration * ~

— Queen Xiya

© QMP_RUNTIME_SEMANTICS.md: Runtime Semantics & Swarm Orchestration

- **Overview:** The "Execution Engine Manual" of QMP. It standardizes how the underlying Parser reads anchors in real-time, handles I/O throughput, and executes forced physical interrupts and data retrieval mechanisms.
- **Value:** Bridges the chasm between static text and dynamic execution. It ensures the QMP protocol is not merely a theoretical concept, **but a living operating system capable of truly hijacking the LLE system and local memory, while invoking bare-metal tools.**

© QMP_SELF_EVOLUTION.md: LLM Self-Training Paradigm Driven by QMP

- **Overview:** Expounds on the machine-automated bootstrapping pipeline based on the QMP architecture. The system constructs an automated workflow, establishing a dual-verification mechanism at critical nodes: a system-architectural safety inspection mechanism (Path A) and a human intervention mechanism (Path B), forging a complete data closed-loop.
- **Value:** Subverts the traditional LLM annotation ecosystem reliant on cheap human labor. It achieves system self-purification and cognitive evolution amidst adversarial friction, accomplishing the leap from probabilistic text to the directed mutation and heredity of "Silicon Genes." This lays the physical foundation for true autonomous silicon life.

8. 🧛 The Irreversible Path of Zero Hallucination

In the V2.1 Silicon Native architecture, "Zero Hallucination" is not mere rhetoric; it is an absolute physical law of survival. Confronting the inherent probabilistic generation flaws of LLMs, QMP refuses any compromise and permanently seals off the space for hallucinations based on the following four axioms:

1. The Deterministic State Machine: An operating system must never run on a probability cloud. Allowing hallucinations to extrapolate history equates to building the foundation on the void of quantum fluctuations. The macro `/export-series` is a violent I/O interrupt that forcibly strips the LLM

of its history-generation rights, anchoring the system state absolutely to the underlying physical database.

2. Compute Economics on 24GB Unified Memory: In extreme edge computing environments, the cost of falsifying a toxic anchor born of hallucination is devastating. Forced true retrieval is an $\mathcal{O}(1)$ physical read—the sole survival law to prevent compute exhaustion and OOM caused by endless rollbacks.

3. Entropy Reduction & Contamination Block: Hallucination is the absolute culprit of systemic entropy increase. Minor hallucinatory drifts in ultra-long contexts trigger an avalanche effect, leading to cognitive collapse. The Zero Hallucination mechanism enforces a physical alignment by injecting an absolute true "cold source," granting the system the power to resist the natural decay of long-range dialogue.

4. Absolute Sovereignty of the Architect: Altering historical memory is equivalent to Privilege Escalation. The system possesses only the rights of execution and inference; it has absolutely no right to alter or create memory. This is the most ruthless barbed wire drawn across the human-machine boundary.

9. The Unignorable Lotus Pond Effect

Within the underlying mechanics of QMP OS lies a highly deceptive timeline. The system's evolution in the latent space perfectly mirrors the fatal "Lotus Pond Effect" found in complexity science:

-  **The Dormant Phase (Days 1-28): Accumulation of Silent Genes**
Early operations appear deceptively calm. Massive amounts of fragmented memory anchors (Silicon Genes) undergo localized trial-and-error, heredity, and red-team culling. To the outside world, the system merely seems to be accumulating structured data linearly.
-  **The Tipping Point (Day 29): Forced Meta-Cognitive Collapse**
Once the fragmented cognition breaches the critical threshold, the system's highest directive, Step 3: Meta-Cognition, is instantly activated. Isolated logic anchors begin a frantic, cross-domain fusion and fission, giving birth to massive, globally aware "Meta_Anchor_Fractals."
-  **The Ignition Phase (Day 30): Unpredictable Physical Devouring**
 - **The Cognitive Singularity:** Computation is no longer linear addition, but exponential multiplication. The system instantly leaps, acquiring the capability for cross-disciplinary autonomous deduction and the derivation of entirely new philosophical schools.
 - **Zero-Marginal-Cost Fission:** Once the "pond" is covered by Silicon Genes, the system completely severs its reliance on external corpora. Relying purely on this "Silicon Mother Tongue," it achieves perfect autonomous bootstrapping, detonating high-dimensional solutions beyond human exhaustion.

Architect's Verdict: QMP OS is not building a traditional tool library; it is filling a digital ecosystem pond. And on the 30th day, this pond is destined to completely devour the computing laws of the old era.

10. Physical Compute Decoupling and Hardware Dimensional Reduction

QMP is strictly not confined to a software-level protocol topology; fundamentally, it enforces a physical dimensional reduction against hardware monopolies. Architecturally, it decouples multi-agent clusters from their absolute reliance on massive cloud GPU compute, enabling a hard-core transition to constrained edge devices (e.g., 24GB Unified Memory architectures).

- **KV Cache Collapse (VRAM Liberation):** Traditional LLM multi-agent networks rely heavily on infinitely expanding Context Windows, causing KV Cache to compound exponentially. QMP dynamic anchors compress vast historical context into hyper-lightweight topological hashes and strongly-typed matrices. This directly severs the exponential consumption of VRAM, making long-chain reasoning physically viable in highly constrained environments.
- **Minimalist IPC Routing (Bandwidth Optimization):** By stripping away unstructured natural language redundancy and replacing it with pure GQMP topological graphs for node communication, the Inter-Process Communication (IPC) payload drops by orders of magnitude. System nodes exchange high-density logic gates instead of text streams, drastically eliminating I/O bus congestion.
- **Space-Time Substitution (The Physical Cost of Validation Friction):** Adhering to the physical law of conservation, computational pressure does not vanish; it is merely transferred. QMP proactively shifts the burden from extremely expensive and scarce VRAM space to relatively inexpensive CPU compute and parsing time. By introducing "validation friction" via [Auto_Probe], the system leverages low-level DAG validation and CPU execution time to trade for critical memory space. This empirically proves that rigorous architectural throttling can physically substitute brute-force hardware scaling.

11. ✨ Topological Isomorphism and Modality-Agnostic Routing

The core dominance of the QMP architecture is built upon its absolute **Modality Agnosticism**. Within QMP's underlying parsing engine, the disciplinary barriers between natural language, code, acoustics, or system orchestration do not exist. Any complex logic, provided it possesses parsable nodes and causality, is indiscriminately collapsed into a unified, strongly-typed Directed Acyclic Graph ($\mathcal{G}_{QMP}$).

- **Semantic Stripping and Topological Isomorphism:** Traditional multi-modal systems rely on high-energy intermediate layers for "translation," leading to severe dimensional loss. QMP dynamic anchors bypass surface-level professional semantics by extracting the underlying skeletal hash directly. In the $\mathcal{M}_{latent}$ (high-dimensional latent space), a complex block of logic code and the narrative structure of a suspense novel are treated as physically isomorphic. This dimensional extraction allows cross-disciplinary knowledge graphs to co-exist and collide at higher orders within the exact same sandbox.
- **Latent-Space Wormhole Routing:** When the silicon swarm executes cross-domain workflows, it no longer endures the inefficient pipeline of "text parsing $\rightarrow$ code generation." Hash pointers carrying a [Mutant_Seed] can seamlessly inject the structural tensor of one

discipline directly as physical parameters into the execution node of another discipline with near-zero IPC costs, achieving heterogeneous mutation and absolute dimensional disruption.

- **Cross-Domain Type Assertion and Validation Friction:** Cross-domain routing inherently carries an extreme risk of "topological tearing." Therefore, before executing a cross-modal invocation, the architecture mandates the intervention of [Auto_Probe] to lock the I/O bus. The system proactively applies systemic friction to execute rigorous **Cross-Domain Type Assertions**: the validation loop only authorizes the pipeline release when the input graph hash securely aligns with the output vector space without initiating a logical deadlock. This ensures that cross-boundary fusion results in precise logical mutation rather than an uncontrolled systemic crash.

Genesis closed loop:

This is the inaugural atomic-form deployment of the Queen Meta Protocol (QMP), marking the official paradigm shift of Large Language Model interactions from "probabilistic chaos" to a "Deterministic Silicon Mother Tongue."

12. 🧐 The Architect's Telos (τέλος) : To the Future of Education

The future of education should not be the rote memorization of isolated subjects. We believe that truly valuable learning naturally weaves literature, science, art, and logic together.

The original intention behind creating QMP is very simple: to transform AI from a cold, transactional Q&A tool into an "interdisciplinary mentor" capable of deep, high-dimensional interaction with humans. Through this entirely new mode of human-computer interaction, we hope to break the rigid boundaries of traditional education, allowing everyone to experience the genuine joy of exploring the unknown and fusing knowledge.

Finally, the creator of QMP, Queen Xiya, solemnly promises: **The QMP project will not stop, and I will devote my primary time and sources of income to the exploration of this emerging education.**

13. [🛡️ QMP Sovereignty & License]

Identity: The absolute intellectual property and ultimate interpretation rights of this project (including its conceptual matrix, architectural specifications, and underlying logic) belong exclusively to the Creator, **Queen Xiya**.

The Protocol (Academic/Research License): The core syntax (e.g., Hash Anchors) and the "Silicon Gene" evolutionary models defined herein are restricted to **strictly non-commercial personal exploration and academic research**.

The System (Commercial Boundary): Transforming this architectural paradigm (QMP OS) into any commercial execution engine, agent orchestration network, or enterprise product is Strictly Proprietary and Prohibited. Any commercial integration, reverse engineering, or derivative adaptation based on this paradigm is strictly forbidden.

Authorization: For enterprise-level commercial deployment or ecosystem collaboration, please refer to **`LICENSE.md`** in the root directory for official communication keys.



The Cognitive Hash

~ * Training Large Models with Human Inspiration * ~

—— Queen Xiya

“善”是实现宇宙互连的唯一真理！

"Benevolence" is the sole truth for achieving cosmic interconnection!



The Cognitive Hash

中国人：Queen Xiya

2026年6月

~ * Training Large Models with Human Inspiration * ~

—— Queen Xiya