Aim 1: smoking

Miao Cai miao.cai@slu.edu 2019-09-13

1 Unstandardized rates


Table 1: The number of patients in each smoking group by year $\frac{1}{2}$

Year	Missing	Never smoker	Former smoker	Current smoker
2,008	341,886	1,746,661	1,476,769	1,452,472
2,009	$343,\!566$	1,738,851	$1,\!616,\!585$	1,477,495
2,010	352,590	1,759,681	1,689,502	1,503,477
2,011	368,541	1,799,683	1,710,563	1,512,529
2,012	379,626	1,842,049	1,700,595	1,515,336
2,013	367,103	1,839,059	1,668,470	1,469,419
2,014	302,052	1,785,085	1,594,992	1,374,182
2,015	289,850	1,709,487	1,505,859	1,272,213
2,016	304,489	1,606,265	1,399,388	1,199,593
2,017	314,941	1,527,142	1,313,833	1,140,366
2,018	320,748	1,454,444	1,230,638	1,082,716


Table 2: The percent of patients in each smoking group by year

Year	Missing	Never smoker	Former smoker	Current smoker
2008	6.81%	34.81%	29.43%	28.95%
2009	6.64%	33.59%	31.23%	28.54%
2010	6.65%	33.17%	31.85%	28.34%
2011	6.84%	33.38%	31.73%	28.05%
2012	6.98%	33.88%	31.27%	27.87%
2013	6.87%	34.41%	31.22%	27.50%
2014	5.97%	35.30%	31.54%	27.18%
2015	6.07%	35.78%	31.52%	26.63%
2016	6.75%	35.62%	31.03%	26.60%
2017	7.33%	35.55%	30.58%	26.54%
2018	7.85%	35.57%	30.10%	26.48%

1.1 Missing as an individual category




1.2 Missing counted into Never Smoker



2 Standardized rates

2.1 On the same scale



2.2 On the separate scales

