How to make your own work reproducible

Andrew Caines | DTAL, UCAM | apc38

19 January 2015

Overview

define R Markdown

Overview

- define R Markdown
- using R Markdown

Overview

- define R Markdown
- using R Markdown
- relevance to Replication

• source file / output file paradigm (cp LaTeX, HTML, markdown)

- source file / output file paradigm (cp LaTeX, HTML, markdown)
- plain text file (.Rmd), rendered by R

- source file / output file paradigm (cp LaTeX, HTML, markdown)
- plain text file (.Rmd), rendered by R
- markdown = plain-text authoring syntax, increasingly popular (e.g. GitHub)

- source file / output file paradigm (cp LaTeX, HTML, markdown)
- plain text file (.Rmd), rendered by R
- markdown = plain-text authoring syntax, increasingly popular (e.g. GitHub)
- \bullet R Markdown = implementation of markdown, can process output from R

- source file / output file paradigm (cp LaTeX, HTML, markdown)
- plain text file (.Rmd), rendered by R
- markdown = plain-text authoring syntax, increasingly popular (e.g. GitHub)
- R Markdown = implementation of markdown, can process output from R
- uses knitr package (successor to Sweave) and 'Pandoc' text file conversion program

- source file / output file paradigm (cp LaTeX, HTML, markdown)
- plain text file (.Rmd), rendered by R
- markdown = plain-text authoring syntax, increasingly popular (e.g. GitHub)
- R Markdown = implementation of markdown, can process output from R
- uses knitr package (successor to Sweave) and 'Pandoc' text file conversion program
- can produce HTML, PDF and Word documents

• simple syntax: shallow learning curve

- simple syntax: shallow learning curve
- human-readable: emphasis on communication and clarity, rather than technique and complexity

- simple syntax: shallow learning curve
- human-readable: emphasis on communication and clarity, rather than technique and complexity
- transparent formatting: wysiwyg

- simple syntax: shallow learning curve
- human-readable: emphasis on communication and clarity, rather than technique and complexity
- transparent formatting: wysiwyg
- embedded computation: share with collaborators, reviewers, colleagues, students, critics

... integrating source code, statistical output, and text in R Markdown is a model of reproducibility.

Such transparency facilitates comprehension, defensibility, and further research or testing.

R Markdown helps to bring the vision for reproducibility in statistical analysis articulated by Gentleman & Temple Lang [2004] to reality.

Udwin & Baumer 2015, 'R Markdown', arXiv.org

This vision — in which the barriers to verify another's statistical computations from start to finish are low — is the intellectual descendant of Claerbout [1994], Buckheit & Donoho [1995], and began with Knuth [1984], the creator of TEX.

Moreover, R Markdown is dynamic: each time the document is rendered, the commands therein are run anew. If data are altered or different data are called in advance of rendering, then the output is dependent and calculated accordingly.

Udwin & Baumer 2015, 'R Markdown', arXiv.org


installation

• install.packages('rmarkdown')


installation

- install.packages('rmarkdown')
- library(rmarkdown)

simple syntax, human-readable, transparent formatting



embedded computation



• example 1: Beamer presentation

- example 1: Beamer presentation
- example 2: HTML output demo

- example 1: Beamer presentation
- example 2: HTML output demo
- example 3: interactive documents with Shiny

- example 1: Beamer presentation
- example 2: HTML output demo
- example 3: interactive documents with Shiny
- example 4: paper packages

End

useful links

RStudio: R Markdown Udwin & Baumer arXiv.org paper Shiny & R Markdown my GitHub 'replication' repo

contact me

- apc38
- my website
- [@cainesap](https://twitter.com/cainesap)