An example SEG expanded nonostract

Joe Dellinger*, BP and Sergey Fomel, University of Texas at Austin[†] and Joe DellingerII*, BP and Sergey Fomel, University of Texas at Austin

SUMMARY

This is an example of using the extended version of segabs.cls for writing SEG expanded abstracts. This example requires extra option, it has been enabled in default. Users could try to remove wordlite or final, or add nohyref to see what happens.

INTRODUCTION

This is an introduction. LATEX is a powerful document type-setting system (?). An excellent reference is (?). The new segabs.cls class complies with the LATEX2e standard.

THEORY

This is another section.

Equations

Section headings should be capitalized. Subsection headings should only have the first letter of the first word capitalized.

Here are examples of equations involving vectors and tensors:

$$\mathbf{R} = \begin{pmatrix} R_{XX} & R_{YX} \\ R_{XY} & R_{YY} \end{pmatrix} = \mathbf{P}_{M \to R} \, \mathbf{D} \, \mathbf{P}_{S \to M} \, \mathbf{S} \quad , \qquad (1)$$

and

$$R_{j,m}(\omega) = \sum_{n=1}^{N} P_{j}^{(n)}(\mathbf{x}_{R}) D^{(n)}(\omega) P_{m}^{(n)}(\mathbf{x}_{S}) . \qquad (2)$$

Note that the macros for the \tensor command has been changed to force tensors to be bold uppercase, in compliance with current SEG submission standards. This is so that documents typeset to the old standards will print out according to the new ones: e.g., tensor T (note converted to uppercase).

Let's check the \mathcal command:

$$\mathcal{L} = \mathcal{D}(\Theta) + \mathcal{E}(\sigma). \tag{3}$$

Figures

Figure 1 shows what it is about.

Multiplot

Sometimes it is convenient to put two or more figures from different files in an array (see Figure 2). Individual plots are Figure 2a and Figure 2b.




Figure 1: This figure is specified in the document by \plot{net_whole}{width=\columnwidth}{This caption.}.




Figure 2: This figure is specified in the document by \multiplot{2}{block_incep,block_incepdec} {width=0.8\columnwidth}{This caption.}.

Dellinger & Fomel

The first argument of the multiplot command specifies the number of plots per row.

Tables

The discussion is summarized in Table 1.

Table Example		
migration	$\omega \rightarrow k_z$	$k_y^2 + k - z^2 \cos^2 \psi = 4\omega^2 / v^2$
zero-offset diffraction	$k_z ightarrow \omega_0$	$k_y^2 + k_z^2 = 4\omega_0^2/v^2$
DMO+NMO	$\omega ightarrow \omega_0$	$\frac{1}{4}v^2k_y^2\sin^2\psi + \omega_0^2\cos^2\psi = \omega^2$
radial DMO	$\omega ightarrow \omega_s$	$\frac{1}{4}v^2k_y^2\sin^2\psi+\omega_s^2=\omega^2$
radial NMO	$\omega_s \rightarrow \omega_0$	$\omega_0 \cos \psi = \omega_s$

Table 1: This table is specified in the document by \tabl{example}{This caption.}{...}.

Algorithms

We show an example of algorithm in Algorithm 1. Users could use some commands like \STATE, \FOR, \FORALL, \IF and \WHILE to write algorithms.

Algorithm 1 ReLU function.

Input: Input vector \mathbf{x} Output: Output vector \mathbf{y} . 1: $\mathbf{y} = \max(\mathbf{x}, 0)$;

ACKNOWLEDGMENTS

I wish to thank Ivan Pšenčík and Frédéric Billette for having names with non-English letters in them. I wish to thank ? for providing an example of how to make a bib file that includes an author whose name begins with a non-English character and ? for providing both an example of referencing a Ph.D. thesis and yet more non-English characters.

APPENDIX A

APPENDIX EXAMPLE

According to the new SEG standard, appendices come before references.

$$\frac{\partial U}{\partial z} = \left\{ \sqrt{\frac{1}{v^2} - \left[\frac{\partial t}{\partial g} \right]^2} + \sqrt{\frac{1}{v^2} - \left[\frac{\partial t}{\partial s} \right]^2} \right\} \frac{\partial U}{\partial t}$$
 (A-1)

It is important to get equation A-1 right.

APPENDIX B

ANOTHER APPENDIX

$$\frac{\partial U}{\partial z} = \left\{ \sqrt{\frac{1}{v^2} - \left[\frac{\partial t}{\partial g} \right]^2} + \sqrt{\frac{1}{v^2} - \left[\frac{\partial t}{\partial s} \right]^2} \right\} \frac{\partial U}{\partial t}$$
 (B-1)

Too lazy to type a different equation but note the numeration.

The error comparison is provided in Figure B-1.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

SEG abstract example




Figure B-1: This figure is specified in the document by $\polinim{plot*{ops_seq2patch}{width=0.8\textwidth}{This caption.}}.$