R Markdown Template

Your Name

2024-12-05

This R Markdown template outlines some reproducibility suggestions for GWD thesis writers.

Dependencies

Describe all internal (e.g., R version) and external (e.g., data) dependencies needed to render the document.

```
R version 4.4.1 (2024-06-14)
```

Data and Folders

Example: The data are stored in the "data.txt" file in the "data" folder.

```
# Folders
dir.create("data", showWarnings = FALSE)
dir.create("figures", showWarnings = FALSE)
dir.create("output", showWarnings = FALSE)
```

Any files in the "output" folder that are read in using readRDS() should be mentioned here.

R Packages

Install and load packages simultaneously with the pacman package.

```
# Packages
if (!require(pacman)) install.packages("pacman")
```

Loading required package: pacman

```
pacman::p_load(tidyverse, brms, latex2exp)

# If you get the error "! LaTeX Error: File `framed.sty' not found." when rendering,
# un-comment and run the following 2 lines.
#install.packages(c('tinytex', 'rmarkdown'))
#tinytex::install_tinytex()
```

Code

The code to produce all tables, figures, etc. in your thesis goes here.

Modeling

If you run computationally intensive procedures (e.g., Bayesian hierarchical models, spatial data, etc.), you can use saveRDS() and readRDS() to run and save the output once, then read back in saved output later.

```
# Extract model output without rerunning each time
fit1 <- readRDS("output/fit1.RDS")
post.sum <- brms::posterior_summary(fit1)</pre>
```

Figures

Display your figures in the rendered R Markdown pdf and save them in the "figures" folder for use in your thesis

The latex2exp package is useful for axis labels, legends, etc. because it parses LaTex strings.

Traceplot for the Intercept (β_0)

