Algorithm and Data Structure Coursework: PCA Features for R-tree Based Similar Image Search

Qiwei Feng 2011011250, IIIS-10 Tsinghua University gdfqw93@163.com Pufan He 2011011307, IIIS-10 Tsinghua University hpfdf@126.com

ABSTRACT

This paper provides a sample of a LATEX document.

Keywords

R-Tree, Similar Image, PCA, K-Means

1. INTRODUCTION

Github address: https://github.com/caiwaifung/lastcourse.

- 1.1 Image Search
- 1.2 Data Structures
- 1.3 Low Level Features
- **1.4 PCA**
- 1.5 K-Means
- 2. DATA

3. FEATURE FINDING

TODO: list feature here (PCA, KMeans, Composite).

4. R-TREE

We use the "rtree alternative package" implementation of R-tree. The wrapper src/a.cpp calls methods of provided R-tree class. Run python src/run.py to compile and run the program.


5. EXPERIMENTS

5.1 Node Access Numbers

Table 1 lists the node access number in different cases.

The following graph shows

Table 1: Node Access Numbers									
Method and	1000	2000	3000	4000	5000				
Feature Num									
Color Moment	46.11	67.69	88.69	98.24	117.0				
HSV 9									
PCA 4	37.18	53.31	71.37	76.72	81.83				
PCA 8	68.42	107.7	145.8	176.1	208.4				
PCA 12	77.95	129.9	174.5	217.8	252.6				
PCA 16	82.46	135.4	190.2	236.2	280.0				
PCA 20	81.55	137.8	196.4	253.7	302.8				
PCA 24	83.11	135.7	192.8	248.0	297.4				
PCA 30	123.8	207.4	281.4	351.7	416.4				
KMeans 4	16.01	19.76	22.24	23.53	24.71				
KMeans 8	17.49	21.83	24.44	25.88	26.66				
KMeans 12	20.90	25.76	30.96	34.85	37.43				
KMeans 16	22.22	28.40	33.89	37.25	38.14				
KMeans 20	25.25	35.26	39.25	39.67	44.48				
KMeans 24	20.68	27.81	30.20	33.46	34.79				
Composite 25	80.01	136.8	202.4	254.9	305.4				



5.2 Performance

Table 2 lists the correctness for different feature. There are 613 queries in total, and the database varies from 1000 images to 5000 images.

TODO: blahblah

6. CONCLUSION

7. REFERENCES

- M. Bowman, S. K. Debray, and L. L. Peterson. Reasoning about naming systems. ACM Trans. Program. Lang. Syst., 15(5):795–825, November 1993.
- [2] J. Braams. Babel, a multilingual style-option system for use with latex's standard document styles.

TT 11 0		c D.cc	T-3 4
Table 2:	Correctness	of Different	reature

Table 2. Correctness of Different reature								
Method and	1000	2000	3000	4000	5000			
Feature Num								
Color Moment	153	174	178	190	195			
HSV 9								
PCA 4	116	130	133	141	151			
PCA 8	158	170	172	176	183			
PCA 12	181	190	199	205	208			
PCA 16	181	198	205	206	217			
PCA 20	185	200	207	213	225			
PCA 24	180	194	201	212	221			
PCA 30	177	198	205	203	217			
KMeans 4	126	132	147	148	147			
KMeans 8	124	155	154	155	161			
KMeans 12	132	154	158	154	158			
KMeans 16	133	154	165	167	173			
KMeans 20	132	160	157	159	164			
KMeans 24	121	161	153	167	178			
Composite 25	201	219	230	235	240			

TUGboat, 12(2):291–301, June 1991.

- [3] M. Clark. Post congress tristesse. In TeX90 Conference Proceedings, pages 84–89. TeX Users Group, March 1991
- [4] M. Herlihy. A methodology for implementing highly concurrent data objects. *ACM Trans. Program. Lang. Syst.*, 15(5):745–770, November 1993.
- [5] L. Lamport. LaTeX User's Guide and Document Reference Manual. Addison-Wesley Publishing Company, Reading, Massachusetts, 1986.
- [6] S. Salas and E. Hille. Calculus: One and Several Variable. John Wiley and Sons, New York, 1978.