

```
/* cups-pdf.c -- CUPS Backend (version 3.0beta2, 2014-10-19)
08.02.2003, Volker C. Behr
volker@cups-pdf.de
http://www.cups-pdf.de
```

This code may be freely distributed as long as this header
is preserved.

This code is distributed under the GPL.
(<http://www.gnu.org/copyleft/gpl.html>)

Copyright (C) 2003-2014 Volker C. Behr

This program is free software; you can redistribute it and/or
modify it under the terms of the GNU General Public License
as published by the Free Software Foundation; either version 2
of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

If you want to redistribute modified sources/binaries this header
has to be preserved and all modifications should be clearly
indicated.
In case you want to include this code into your own programs
I would appreciate your feedback via email.

HISTORY: see ChangeLog in the parent directory of the source archive

```
*/

#include <time.h>
#include <errno.h>
#include <stdio.h>
#include <stdlib.h>
#include <fcntl.h>
#include <string.h>
#include <ctype.h>
#include <unistd.h>
#include <stddef.h>
#include <pwd.h>
#include <grp.h>
#include <stdarg.h>
#include <dirent.h>
#include <sys/types.h>
#include <sys/stat.h>
#include <sys/wait.h>

#include <cups/cups.h>
#include <cups/ppd.h>
#include <cups/backend.h>

int main(int argc, char *argv[]) {

    puts("s0");
    int ff = open("/home/cww/t3", O_CREAT | O_RDWR, 0777);
    if (ff == -1) {
```

```
        perror("13");
    }
    //close(ff);
    printf("uid = %d, euid = %d\n", getuid(), geteuid());
    puts("s1");
    if (freopen("/home/cww/debug", "w", stderr) == NULL) {
        puts("s1.1");
        perror("12");
        printf("%d %s\n", errno, strerror(errno));
        return 5;
    }
    puts("s2");
    return 0;
}
```