

Certificate of Analysis

Drug Product - GMP Batch for market supply

Dinutuximab beta

Batch No. (customer): N/A Batch No.: 1067644 Material No.: 5003036 Batch size: 5150 vials Storage temperature: 5 ± 3 °C Dosage form: Liquid filled vial Reconstitution volume: N/A	Issue date-version: 17 Dec 2020-1 Expiry date: 23 Sep 2023 Date of manufacturing: 23 Sep 2020 Date of release: See QP sign. (CoC) Spec. No.-version: RL-SPEC-00236-2 Strength/Potency: 4.5 mg/mL API: Dinutuximab beta Drug Substance Manufact. Description: RL-MAN-00231 API batch No. (cust.): 183C009030 Packaging material: Vials: 2000228 Stoppers: 2000362 Caps: 2000702 API batch No.: 1066853
--	--

Test	Analytical method / version	Specification	Test result	Unit	Evaluation
Colour (y-scale, Ph.Eur.)	QCA-036 / Ph. Eur. 2.2.2 / 13	Acceptance criterion: colourless to slightly yellow liquid (<=Y5)	Colourless (<Y7)	n/a	in
Visible particles	QCA-080 / Ph.Eur. 2.9.20 / USP<1> / 14	Acceptance criterion: Free or practically free of visible particles	Free of visible particles	n/a	in
Clarity (Reference suspension)	QCA-277 (A) / Ph. Eur. 2.2.1 / USP<855> / 6	Acceptance criterion: <= Reference suspension I	< Reference suspension I	n/a	in
Red. SDS-PAGE Identity	APA-QC-004 / 4	Acceptance criterion: Bands at approx. 25 kDa and 50 kDa	Bands at approx. 25 kDa and 50 kDa	n/a	in
Non-red. SDS-PAGE Identity	APA-QC-005 / 3	Acceptance criterion: Band at approx. 150 kDa	Band at approx. 150 kDa	n/a	in
IEF Identity	APA-QC-006 / 3	Acceptance criterion: Comparable to reference standard	Comparable to reference standard	n/a	in
IEF Identity used ref. standard	APA-QC-006 / 3	Acceptance criterion: Report result	SR-951PI.1	n/a	n/a
Peptide Mapping	APA-QC-017 / 4	Acceptance criterion: Comparable to reference standard	Comparable to reference standard	n/a	in
Peptide Mapping used ref. standard	APA-QC-017 / 4	Acceptance criterion: Report result	SR-951PI.1	n/a	n/a

Certificate of Analysis

Drug Product - GMP Batch for market supply

Dinutuximab beta

Batch No. (customer): N/A
 Batch No.: 1067644
 Material No.: 5003036

Issue date-version: 17 Dec 2020-1
 Expiry date: 23 Sep 2023
 Date of manufacturing: 23 Sep 2020

Test	Analytical method / version	Specification	Test result	Unit	Evaluation
A280 (content protein)	APA-QC-001 / 6	Acceptance criterion: 4.25 – 4.75 mg/mL	4.63	mg/mL	in
CIEX-HPLC Main Peak	APA-QC-018 / 8	Acceptance criterion: 55 - 75 Area-%	67	Area-%	in
CIEX-HPLC Acidic Peak	APA-QC-018 / 8	Acceptance criterion: 20 - 35 Area-%	27	Area-%	in
CIEX-HPLC Basic Peak	APA-QC-018 / 8	Acceptance criterion: 2 - 12 Area-%	6	Area-%	in
N-Glycans cGN2	APA-QC-019 / 6	Acceptance criterion: 2 - 4 Mol-%	2	Mol-%	in
N-Glycans Man5	APA-QC-019 / 6	Acceptance criterion: 2 - 10 Mol-%	6	Mol-%	in
N-Glycans cF1GN2	APA-QC-019 / 6	Acceptance criterion: 30 - 45 Mol-%	37	Mol-%	in
N-Glycans cF1GN2G2	APA-QC-019 / 6	Acceptance criterion: 5 - 15 Mol-%	9	Mol-%	in
N-Glycans cF1GN2G1	APA-QC-019 / 6	Acceptance criterion: 25 - 50 Mol-%	37	Mol-%	in
N-Glycans cGN2G1	APA-QC-019 / 6	Acceptance criterion: 1 - 3 Mol-%	1	Mol-%	in
HPLC Histidin content	APA-QC-021 / 4	Acceptance criterion: 3.103 ± 0.310 mg/mL	3.004	mg/mL	in
Polysorbate 20	PV.02.P095 (GBA Pharma GmbH) / 03	Acceptance criterion: 0.007 – 0.013 % (w/v)	0.010	% (w/v)	in

Certificate of Analysis

Drug Product - GMP Batch for market supply

Dinutuximab beta

Batch No. (customer): N/A
Batch No.: 1067644
Material No.: 5003036

Issue date-version: 17 Dec 2020-1
Expiry date: 23 Sep 2023
Date of manufacturing: 23 Sep 2020

Test	Analytical method / version	Specification	Test result	Unit	Evaluation
GD2-binding activity	APA-QC-013 / 5	Acceptance criterion: 70 % - 130 % Relative to reference standard	108	%	in
GD2-binding activity used ref. standard	APA-QC-013 / 5	Acceptance criterion: Report result	SR-951PI.1	n/a	n/a
CD16-binding activity	APA-QC-016 / 5	Acceptance criterion: Activity relative to reference standard 70 % - 130 %	102	%	in
CD16-binding activity used ref. standard	APA-QC-016 / 5	Acceptance criterion: Report result	SR-951PI.1	n/a	n/a
Complement Dependent Cytotoxicity	APA-QC-027 / 7	Acceptance criterion: 75 - 150 % of the stated relative potency of 1.26	104% of the stated relative potency of 1.26.	n/a	in
CDC used ref. standard	APA-QC-027 / 7	Acceptance criterion: Report result	SR-951PI.1	n/a	n/a
Red. SDS-PAGE Purity	APA-QC-004 / 4	Acceptance criterion: ≥ 98 %	99	%	in
Red. SDS-PAGE HMWS	APA-QC-004 / 4	Acceptance criterion: ≤ 2 %	< 1	%	in
Red. SDS-PAGE LMWS	APA-QC-004 / 4	Acceptance criterion: ≤ 2 %	< 1	%	in
Non-red. SDS-PAGE Purity	APA-QC-025 / 4	Acceptance criterion: ≥ 95 %	98	%	in
Non-red. SDS-PAGE HMWS	APA-QC-025 / 4	Acceptance criterion: ≤ 2 %	< 1	%	in
Non-red. SDS-PAGE LMWS	APA-QC-025 / 4	Acceptance criterion: ≤ 5 %	2	%	in
Sterility	QBA 041/Ph. Eur. 2.6.1/USP<71> / 19	Acceptance criterion: Sterile	Sterile	n/a	in
Endotoxins	QBA-060/Ph.Eur. 2.6.14/USP<85> / 13	Acceptance criterion: ≤ 2.50 EU/mg	< 0.22	EU/mg	in
Sub-visible particles $\geq 10 \mu\text{m}$	ASOP-0454 / Ph. Eur. 2.9.19 / USP <788> / Method 1 (Conforma) / 05	Acceptance criterion: ≤ 6000 particles/container	44	particles/container	in

1067644

17.12.2020 Du

3/5

Certificate of Analysis

Drug Product - GMP Batch for market supply

Dinutuximab beta

Batch No. (customer): N/A
 Batch No.: 1067644
 Material No.: 5003036

Issue date-version: 17 Dec 2020-1
 Expiry date: 23 Sep 2023
 Date of manufacturing: 23 Sep 2020

Test	Analytical method / version	Specification	Test result	Unit	Evaluation
Sub-visible particles ≥25 µm	ASOP-0454 / Ph. Eur. 2.9.19 / USP <788> / Method 1 (Confarma) / 05	Acceptance criterion: ≤ 600 particles/container	1	particles/container	in
Sucrose	PV.03.P308 (GBA Pharma GmbH) / 03	Acceptance criterion: 4.00 – 6.00 % (w/v)	5.20	% (w/v)	in
Unifor. of dos. units (mass var.) AV 10	QCA-033 / Ph. Eur. 2.9.40 / USP<905> / 14	Acceptance criterion: ≤ 15.0 %	3.8	%	in
Osmolality	QCA-035 / Ph.Eur. 2.2.35 / USP<785> / 17	Acceptance criterion: 200 ± 50 mOsmol/kg	198	mOsmol/kg	in
pH	QCA-037 (A) / Ph. Eur. 2.2.3 / USP <791> / 21	Acceptance criterion: 6.0 ± 0.5	6.0	n/a	in
Extractable volume	QCA-218 (A) / Ph. Eur. 2.9.17 / USP <697> / 7	Acceptance criterion: ≥ 4.5 mL	4.7	mL	in
All values inbetween limit	QCA-218 (A) / Ph. Eur. 2.9.17 / USP <697> / 7	Acceptance criterion: Corresponds	Corresponds	n/a	in
SE-HPLC HMWS	APA-QC-003 / 5	Acceptance criterion: ≤ 2 Area-%	< 1	Area-%	in
SE-HPLC Monomer	APA-QC-003 / 5	Acceptance criterion: ≥ 98 Area-%	100	Area-%	in
SE-HPLC LMWS	APA-QC-003 / 5	Acceptance criterion: ≤ 2 Area-%	< 1	Area-%	in

Certificate of Analysis

Drug Product - GMP Batch for market supply

Dinutuximab beta

Batch No. (customer): N/A
Batch No.: 1067644
Material No.: 5003036

Issue date-version: 17 Dec 2020-1
Expiry date: 23 Sep 2023
Date of manufacturing: 23 Sep 2020

Remarks: N/A

Data authorized:

17.12.2020 D. Guth

Date / Quality Control
D. Guth

17.12.2020 M. Hoch

Date / Head of Quality Control

Michaela Hoch

Certificate of Conformity
Drug Product - GMP Batch for market supply

Dinutuximab beta

Batch No. (customer): N/A
Batch No.: 1067644
Material No.: 5003036

Issue date/version: 17 Dec 2020-1
Expiry date: 23 Sep 2023
Date of manufacturing: 23 Sep 2020

Remarks: N/A

The batch, used raw materials and packaging materials were tested in compliance with the GMP requirements.

17.12.2020 HC. Hoch

Date / Head of Quality Control
Michaela Hoch

The batch was manufactured in compliance with the GMP requirements.

21.12.2020 F. Buhl

Date / Head of Production

I hereby confirm that the above information is authentic and accurate. This batch of product has been manufactured including quality control at Rentschler Biopharma SE as also defined in the relevant quality agreement in full compliance with the GMP requirements of the local Regulatory Authority and with mutually agreed documents such as manufacturing instruction and specification. The batch processing and analysis records were reviewed and found to be in compliance with GMP.

All deviations have been assessed and found to be acceptable.
A summary of deviations is attached.

21.12.2020 Helga Reinmuth

Date / Qualified Person
Helga Reinmuth
Sachkundige Person
Qualified Person

Attachment: Summary of Deviations

1067644

17.12.2020 DL

1/1

Summary of Deviations (SoD)

Version 1

Product name: Dinutuximab beta

Batch No. customer:	N/A	Issue date:	17 Dec 2020
Batch No.:	1067644	Expiry date:	23 Sep 2023
Material No.:	5003036	Date of manufacturing:	23 Sep 2020

Number	Functional Unit	Description	Classification (criticals first)
none	none	none	none


Definition of Classification:

Critical: Deviations with critical impact on product quality.
Major: Deviations with potential impact on product quality.
Minor: Deviations without impact on product quality.

Remarks: N/A

Head of Quality Assurance:

21.12.2020




Date / Signature

Edelgard Huber

Qualified Person:

21.12.2020



Date / Signature

Helga Reinmuth
Sachkundige Person
Qualified Person

Safety Testing Statement

Drug Product

Dinutuximab beta

Batch No. (customer): N/A
Batch No.: 1067644
Material No.: 5003036

Issue date/version: 17 Dec 2020-1
Expiry date: 23 Sep 2023
Date of manufacturing: 23 Sep 2020

BSE/TSE Statement

Rentschler Biopharma SE confirms that the materials used in manufacture of this product are of non-animal source or are from an appropriate origin, which is in compliance to the revised revision of EMA/410/01 "Note for Guidance on Minimising the Risk of Transmitting Animal Spongiform Encephalopathy Agents via Human and Veterinary Medicinal Products".

Virus Safety Statement

The viral testing performed on cell banks, routine viral testing of unprocessed bulk and purification viral reduction capability provide a strong support for the viral safety of the drug substance mentioned above.

Remarks: N/A

21.12.2020 Helga Reinmuth
Date / Qualified Person

Helga Reinmuth
Sachkundige Person
Qualified Person

1067644

17.12.2020 DC

1/1

Certificate of Analysis

Drug Product - GMP Batch for market supply

Dinutuximab beta

Batch No. (customer): N/A	Issue date-version: 18 Dec 2020-1
Batch No.: 1067648	Expiry date: 04 Nov 2023
Material No.: 5003036	Date of manufacturing: 04 Nov 2020
Batch size: 5502 vials	Date of release: See QP sign. (CoC)
Storage temperature: 5 ± 3 °C	Spec. No.-version: RL-SPEC-00236-2
Dosage form: Liquid filled vial	Strength/Potency: 4.5 mg/mL
Reconstitution volume: N/A	API: Dinutuximab beta
	Drug Substance
Manufact. Description: RL-MAN-00231	API batch No. (cust.): 183C009032
Packaging material: Vials: 2000228	API batch No.: 1069113
Stoppers: 2000362	
Caps: 2000702	

Test	Analytical method / version	Specification	Test result	Unit	Evaluation
Colour (y-scale, Ph.Eur.)	QCA-036 / Ph. Eur. 2.2.2 / 14	Acceptance criterion: colourless to slightly yellow liquid ($\leq Y5$)	Colourless ($< Y7$)	n/a	in
Visible particles	QCA-080 / Ph.Eur. 2.9.20 / USP<1> / 14	Acceptance criterion: Free or practically free of visible particles	Free of visible particles	n/a	in
Clarity (Reference suspension)	QCA-277 (A) / Ph. Eur. 2.2.1 / USP<855> / 7	Acceptance criterion: $\leq$ Reference suspension I	$<$ Reference suspension I	n/a	in
Red. SDS-PAGE Identity	APA-QC-004 / 4	Acceptance criterion: Bands at approx. 25 kDa and 50 kDa	Bands at approx. 25 kDa and 50 kDa	n/a	in
Non-red. SDS-PAGE Identity	APA-QC-005 / 3	Acceptance criterion: Band at approx. 150 kDa	Band at approx. 150 kDa	n/a	in
IEF Identity	APA-QC-006 / 3	Acceptance criterion: Comparable to reference standard	Comparable to reference standard	n/a	in
IEF Identity used ref. standard	APA-QC-006 / 3	Acceptance criterion: Report result	SR-951PI.1	n/a	n/a
Peptide Mapping	APA-QC-017 / 4	Acceptance criterion: Comparable to reference standard	Comparable to reference standard	n/a	in
Peptide Mapping used ref. standard	APA-QC-017 / 4	Acceptance criterion: Report result	SR-951PI.1	n/a	n/a

1067648

18.12.2020

1/4

Certificate of Analysis

Drug Product - GMP Batch for market supply

Dinutuximab beta

Batch No. (customer): N/A
Batch No.: 1067648
Material No.: 5003036

Issue date-version: 18 Dec 2020-1
Expiry date: 04 Nov 2023
Date of manufacturing: 04 Nov 2020

Test	Analytical method / version	Specification	Test result	Unit	Evaluation
A280 (content protein)	APA-QC-001 / 6	Acceptance criterion: 4.25 – 4.75 mg/mL	4.52	mg/mL	in
CIEX-HPLC Main Peak	APA-QC-018 / 8	Acceptance criterion: 55 - 75 Area-%	68	Area-%	in
CIEX-HPLC Acidic Peak	APA-QC-018 / 8	Acceptance criterion: 20 - 35 Area-%	26	Area-%	in
CIEX-HPLC Basic Peak	APA-QC-018 / 8	Acceptance criterion: 2 - 12 Area-%	7	Area-%	in
N-Glycans cGN2	APA-QC-019 / 6	Acceptance criterion: 2 - 4 Mol-%	3	Mol-%	in
N-Glycans Man5	APA-QC-019 / 6	Acceptance criterion: 2 - 10 Mol-%	5	Mol-%	in
N-Glycans cF1GN2	APA-QC-019 / 6	Acceptance criterion: 30 - 45 Mol-%	35	Mol-%	in
N-Glycans cF1GN2G2	APA-QC-019 / 6	Acceptance criterion: 5 - 15 Mol-%	10	Mol-%	in
N-Glycans cF1GN2G1	APA-QC-019 / 6	Acceptance criterion: 25 - 50 Mol-%	39	Mol-%	in
N-Glycans cGN2G1	APA-QC-019 / 6	Acceptance criterion: 1 - 3 Mol-%	1	Mol-%	in
HPLC Histidin content	APA-QC-021 / 4	Acceptance criterion: 3.103 ± 0.310 mg/mL	3.099	mg/mL	in
Polysorbate 20	PV.02.P095 (GBA Pharma GmbH) / 03	Acceptance criterion: 0.007 – 0.013 % (w/v)	0.010	% (w/v)	in
GD2-binding activity	APA-QC-013 / 5	Acceptance criterion: 70 % - 130 % Relative to reference standard	104	%	in

1067648

18.12.2020

2/4

Certificate of Analysis

Drug Product - GMP Batch for market supply

Dinutuximab beta

Batch No. (customer): N/A
 Batch No.: 1067648
 Material No.: 5003036

Issue date-version: 18 Dec 2020-1
 Expiry date: 04 Nov 2023
 Date of manufacturing: 04 Nov 2020

Test	Analytical method / version	Specification	Test result	Unit	Evaluation
GD2-binding activity used ref. standard	APA-QC-013 / 5	Acceptance criterion: Report result	SR-951PI.1	n/a	n/a
CD16-binding activity	APA-QC-016 / 5	Acceptance criterion: Activity relative to reference standard 70 % - 130 %	100	%	in
CD16-binding activity used ref. standard	APA-QC-016 / 5	Acceptance criterion: Report result	SR-951PI.1	n/a	n/a
Complement Dependent Cytotoxicity	APA-QC-027 / 7	Acceptance criterion: 75 - 150 % of the stated relative potency of 1.26	108% of the stated relative potency of 1.26	n/a	in
CDC used ref. standard	APA-QC-027 / 7	Acceptance criterion: Report result	SR-951PI.1	n/a	n/a
Red. SDS-PAGE Purity	APA-QC-004 / 4	Acceptance criterion: >= 98 %	99	%	in
Red. SDS-PAGE HMWS	APA-QC-004 / 4	Acceptance criterion: <= 2 %	< 1	%	in
Red. SDS-PAGE LMWS	APA-QC-004 / 4	Acceptance criterion: <= 2 %	< 1	%	in
Non-red. SDS-PAGE Purity	APA-QC-025 / 4	Acceptance criterion: >= 95 %	98	%	in
Non-red. SDS-PAGE HMWS	APA-QC-025 / 4	Acceptance criterion: <= 2 %	< 1	%	in
Non-red. SDS-PAGE LMWS	APA-QC-025 / 4	Acceptance criterion: <= 5 %	2	%	in
Sterility	QBA 041/Ph. Eur. 2.6.1/USP<71> / 19	Acceptance criterion: Sterile	Sterile	n/a	in
Endotoxins	QBA-060/Ph.Eur. 2.6.14/USP<85> / 13	Acceptance criterion: <= 2.50 EU/mg	< 0.22	EU/mg	in
Sub-visible particles >=10 µm	ASOP-0454 / Ph. Eur. 2.9.19 / USP <788> / Method 1 (Conforma) / 05	Acceptance criterion: <= 6000 particles/container	25	particles/container	in

1067648



3/4

Certificate of Analysis

Drug Product - GMP Batch for market supply

Dinutuximab beta

Batch No. (customer): N/A
 Batch No.: 1067648
 Material No.: 5003036

Issue date-version: 18 Dec 2020-1
 Expiry date: 04 Nov 2023
 Date of manufacturing: 04 Nov 2020

Test	Analytical method / version	Specification	Test result	Unit	Evaluation
Sub-visible particles ≥25 µm	ASOP-0454 / Ph. Eur. 2.9.19 / USP <788> / Method 1 (Confarma) / 05	Acceptance criterion: ≤ 600 particles/container	< 1	particles/container	in
Sucrose	PV.03.P308 (GBA Pharma GmbH) / 03	Acceptance criterion: 4.00 – 6.00 % (w/v)	5.12	% (w/v)	in
Unifor. of dos. units (mass var.) AV 10	QCA-033 / Ph. Eur. 2.9.40 / USP<905> / 14	Acceptance criterion: ≤ 15.0 %	1.0	%	in
Osmolality	QCA-035 / Ph.Eur. 2.2.35 / USP<785> / 18	Acceptance criterion: 200 ± 50 mOsmol/kg	197	mOsmol/kg	in
pH	QCA-037 (A) / Ph. Eur. 2.2.3 / USP <791> / 22	Acceptance criterion: 6.0 ± 0.5	6.0	n/a	in
Extractable volume	QCA-218 (A) / Ph. Eur. 2.9.17 / USP <697> / 7	Acceptance criterion: ≥ 4.5 mL	4.7	mL	in
All values inbetween limit	QCA-218 (A) / Ph. Eur. 2.9.17 / USP <697> / 7	Acceptance criterion: Corresponds	Corresponds	n/a	in
SE-HPLC HMWS	APA-QC-003 / 5	Acceptance criterion: ≤ 2 Area-%	< 1	Area-%	in
SE-HPLC Monomer	APA-QC-003 / 5	Acceptance criterion: ≥ 98 Area-%	100	Area-%	in
SE-HPLC LMWS	APA-QC-003 / 5	Acceptance criterion: ≤ 2 Area-%	< 1	Area-%	in

Remarks: N/A

Data authorized:

18.12.2020 J. Kley
 Date / Quality Control
 J. Kley

18.12.2020 M. Hoch
 Date / Head of Quality Control
 M. Hoch

1067648

18.12.2020

4/4

Certificate of Conformity
Drug Product - GMP Batch for market supply

Dinutuximab beta

Batch No. (customer): N/A
Batch No.: 1067648
Material No.: 5003036

Issue date-version: 18 Dec 2020-1
Expiry date: 04 Nov 2023
Date of manufacturing: 04 Nov 2020

Remarks: N/A

The batch, used raw materials and packaging materials were tested in compliance with the GMP requirements.

18.12.2020 H. 1008

Date / Head of Quality Control
Michaela Hoch

The batch was manufactured in compliance with the GMP requirements.

21.12.2020 F. Brohl

Date / Head of Production

I hereby confirm that the above information is authentic and accurate. This batch of product has been manufactured including quality control at Rentschler Biopharma SE as also defined in the relevant quality agreement in full compliance with the GMP requirements of the local Regulatory Authority and with mutually agreed documents such as manufacturing instruction and specification. The batch processing and analysis records were reviewed and found to be in compliance with GMP.

All deviations have been assessed and found to be acceptable.
A summary of deviations is attached.

21.12.2020

Date / Qualified Person

Helga Reinmuth
Sachkundige Person
Qualified Person

Attachment: Summary of Deviations

1067648

18.12.2020

1/1

Safety Testing Statement

Drug Product

Dinutuximab beta

Batch No. (customer): N/A
Batch No.: 1067648
Material No.: 5003036

Issue date-version: 18 Dec 2020-1
Expiry date: 04 Nov 2023
Date of manufacturing: 04 Nov 2020


BSE/TSE Statement

Rentschler Biopharma SE confirms that the materials used in manufacture of this product are of non-animal source or are from an appropriate origin, which is in compliance to the revised revision of EMA/410/01 "Note for Guidance on Minimising the Risk of Transmitting Animal Spongiform Encephalopathy Agents via Human and Veterinary Medicinal Products".

Virus Safety Statement


The viral testing performed on cell banks, routine viral testing of unprocessed bulk and purification viral reduction capability provide a strong support for the viral safety of the drug substance mentioned above.

Remarks: N/A

21.12.2020 
Date / Qualified Person

Helga Reinmuth
Sachkundige Person
Qualified Person

1067648

18.12.2020  1/1

Summary of Deviations (SoD)

Version 1

Product name: **Dinutuximab beta**

Batch No. customer:	N/A	Issue date:	21 Dec 2020
Batch No.:	1067648	Expiry date:	04 Nov 2023
Material No.:	5003036	Date of manufacturing:	04 Nov 2020

Number	Functional Unit	Description	Classification (criticals first)
MOC-2020-0152	GQQ	Implementation of a new external article number for DIN 6R vials (supplier Schott Hungary)	Minor

Definition of Classification:

Critical: Deviations with critical impact on product quality.
 Major: Deviations with potential impact on product quality.
 Minor: Deviations without impact on product quality.

Remarks: N/A

Head of Quality Assurance:

21. DEZ. 2020




Date / Signature

Edelgard Huber

Qualified Person:

21.12.2020



Date / Signature

Helga Reinmuth
 Sachkundige Person
 Qualified Person