dep													
-0.11	cog												-
	0.22	c1											-
	0.18	0.61	c2										_
	0.25	0.58	0.57	сЗ									
	0.27	0.54	0.52	0.89	c4								-
	0.24	0.58	0.57	0.97	0.91	c5							_
0.03	0.22	0.79	0.71	0.57	0.59	0.56	c6						_
	0.15	0.79	0.56	0.38	0.38	0.37	0.79	i1					
0.04	0.21	0.88	0.58	0.47	0.45	0.46	0.78	0.92	i2				
0.03	0.18	0.91	0.41	0.4	0.38	0.38	0.69	0.83	0.9	i3			-
	0.09	0.38	0.45	0.44	0.37	0.45	0.34	0.2	0.24	0.16	e1		
	0.19	0.36	0.39	0.73	0.54	0.72	0.39	0.21	0.28	0.24	0.23	e2	

										1
dep										
0.28	satis									- 0.9
0.14	0.14	c1								- 0.8
0.15	0.15	0.95	c2	0						- 0.7
0.12	0.11	0.93	0.93	c6						- 0.6
0.18	0.19	0.79	0.84	0.71	i1					- 0.5
0.16	0.18	0.83	0.82	0.71	0.95	i2				- 0.4
0.15	0.17	0.79	0.77	0.67	0.88	0.94	i3			- 0.3
0.07		0.75	0.7	0.78	0.35	0.37	0.34	e1		- 0.2
0.08		0.71	0.66	0.81	0.34	0.36	0.34	0.86	e2	0.1

Correlation matrix CFPS Correlation matrix PSID